



Analysis of Algorithms




Running Time

- Most algorithms transform input objects into output objects.
- The running time of an algorithm typically grows with the input size.
- Average case time is often difficult to determine.
- We focus on the worst case running time.
 - Easier to analyze
 - Crucial to applications such as games, finance and robotics



Experimental Studies

- Write a program implementing the algorithm
- Run the program with inputs of varying size and composition
- Use a method like `clock()` to get an accurate measure of the actual running time
- Plot the results



Limitations of Experiments

- It is necessary to implement the algorithm, which may be difficult
- Results may not be indicative of the running time on other inputs not included in the experiment.
- In order to compare two algorithms, the same hardware and software environments must be used



Theoretical Analysis



- Uses a high-level description of the algorithm instead of an implementation
- Characterizes running time as a function of the input size, n .
- Takes into account all possible inputs
- Allows us to evaluate the speed of an algorithm independent of the hardware/software environment

Pseudocode

- High-level description of an algorithm
- More structured than English prose
- Less detailed than a program
- Preferred notation for describing algorithms
- Hides program design issues

Example: find max element of an array

```
Algorithm arrayMax( $A, n$ )  
Input array  $A$  of  $n$  integers  
Output maximum element of  $A$   
  
 $currentMax \leftarrow A[0]$   
for  $i \leftarrow 1$  to  $n - 1$  do  
    if  $A[i] > currentMax$  then  
         $currentMax \leftarrow A[i]$   
return  $currentMax$ 
```


Pseudocode Details




- Control flow
 - **if ... then ... [else ...]**
 - **while ... do ...**
 - **repeat ... until ...**
 - **for ... do ...**
 - Indentation replaces braces
- Method declaration
Algorithm *method* ($arg [, arg \dots]$)
 Input ...
 Output ...
- Method call
var.method ($arg [, arg \dots]$)
- Return value
return *expression*
- Expressions
 - ← Assignment (like = in C++)
 - = Equality testing (like == in C++)
 - n^2 Superscripts and other mathematical formatting allowed

The Random Access Machine (RAM) Model

- A **CPU**



- An potentially unbounded bank of **memory** cells, each of which can hold an arbitrary number or character




- ◆ Memory cells are numbered and accessing any cell in memory takes unit time.

Seven Important Functions

- Seven functions that often appear in algorithm analysis:


- Constant ≈ 1
- Logarithmic $\approx \log n$
- Linear $\approx n$
- N-Log-N $\approx n \log n$
- Quadratic $\approx n^2$
- Cubic $\approx n^3$
- Exponential $\approx 2^n$

- In a log-log chart, the slope of the line corresponds to the growth rate



Functions Graphed Using "Normal" Scale

Slide by Matt Stallmann included with permission.



Primitive Operations




- Basic computations performed by an algorithm
 - Identifiable in pseudocode
 - Largely independent from the programming language
 - Exact definition not important (we will see why later)
 - Assumed to take a constant amount of time in the RAM model
- Examples:
 - Evaluating an expression
 - Assigning a value to a variable
 - Indexing into an array
 - Calling a method
 - Returning from a method

Counting Primitive Operations

- By inspecting the pseudocode, we can determine the maximum number of primitive operations executed by an algorithm, as a function of the input size

Algorithm arrayMax(A, n)	# operations
currentMax $\leftarrow A[0]$	2
for $i \leftarrow 1$ to $n - 1$ do	$2n$
if $A[i] > \text{currentMax}$ then	$2(n - 1)$
currentMax $\leftarrow A[i]$	$2(n - 1)$
{ increment counter i }	$2(n - 1)$
return currentMax	1
	Total $8n - 2$

Estimating Running Time



- Algorithm *arrayMax* executes $8n - 2$ primitive operations in the worst case. Define:
 - a = Time taken by the fastest primitive operation
 - b = Time taken by the slowest primitive operation
- Let $T(n)$ be worst-case time of *arrayMax*. Then

$$a(8n - 2) \leq T(n) \leq b(8n - 2)$$
- Hence, the running time $T(n)$ is bounded by two linear functions

Growth Rate of Running Time

- Changing the hardware/ software environment
 - Affects $T(n)$ by a constant factor, but
 - Does not alter the growth rate of $T(n)$
- The linear growth rate of the running time $T(n)$ is an intrinsic property of algorithm *arrayMax*




Slide by Matt Stallmann
included with permission.

Why Growth Rate Matters

if runtime is...	time for $n + 1$	time for $2n$	time for $4n$
$c \lg n$	$c \lg(n + 1)$	$c(\lg n + 1)$	$c(\lg n + 2)$
cn	$c(n + 1)$	$2cn$	$4cn$
$cn \lg n$	$\sim cn \lg n + cn$	$2cn \lg n + 2cn$	$4cn \lg n + 4cn$
cn^2	$\sim cn^2 + 2cn$	$4cn^2$	$16cn^2$
cn^3	$\sim cn^3 + 3cn^2$	$8cn^3$	$64cn^3$
$c2^n$	$c2^{n+1}$	$c2^{2n}$	$c2^{4n}$

runtime quadruples when problem size doubles

Comparison of Two Algorithms



insertion sort is $n^2 / 4$
 merge sort is $2n \lg n$
 sort a million items?
 insertion sort takes roughly **70 hours**
 while
 merge sort takes roughly **40 seconds**


This is a slow machine, but if 100 x as fast then it's **40 minutes** versus less than **0.5 seconds**

Constant Factors

- The growth rate is not affected by
 - constant factors or
 - lower-order terms

Examples

- $10^2n + 10^5$ is a linear function
- $10^5n^2 + 10^8n$ is a quadratic function




Big-Oh Notation

- Given functions $f(n)$ and $g(n)$, we say that $f(n)$ is $O(g(n))$ if there are positive constants c and n_0 such that

$$f(n) \leq cg(n) \text{ for } n \geq n_0$$

- Example: $2n + 10$ is $O(n)$


- $2n + 10 \leq cn$
- $(c - 2)n \geq 10$
- $n \geq 10/(c - 2)$
- Pick $c = 3$ and $n_0 = 10$



Big-Oh Example

- Example: the function n^2 is not $O(n)$

- $n^2 \leq cn$
- $n \leq c$
- The above inequality cannot be satisfied since c must be a constant



More Big-Oh Examples



7n-2

$7n-2$ is $O(n)$

need $c > 0$ and $n_0 \geq 1$ such that $7n-2 \leq c \cdot n$ for $n \geq n_0$
this is true for $c = 7$ and $n_0 = 1$

$3n^3 + 20n^2 + 5$

$3n^3 + 20n^2 + 5$ is $O(n^3)$

need $c > 0$ and $n_0 \geq 1$ such that $3n^3 + 20n^2 + 5 \leq c \cdot n^3$ for $n \geq n_0$
this is true for $c = 4$ and $n_0 = 21$

$3 \log n + 5$

$3 \log n + 5$ is $O(\log n)$

need $c > 0$ and $n_0 \geq 1$ such that $3 \log n + 5 \leq c \cdot \log n$ for $n \geq n_0$
this is true for $c = 8$ and $n_0 = 2$

Big-Oh and Growth Rate

- The big-Oh notation gives an upper bound on the growth rate of a function
- The statement " $f(n)$ is $O(g(n))$ " means that the growth rate of $f(n)$ is no more than the growth rate of $g(n)$
- We can use the big-Oh notation to rank functions according to their growth rate

	$f(n)$ is $O(g(n))$	$g(n)$ is $O(f(n))$
$g(n)$ grows more	Yes	No
$f(n)$ grows more	No	Yes
Same growth	Yes	Yes

Big-Oh Rules



- If $f(n)$ is a polynomial of degree d , then $f(n)$ is $O(n^d)$, i.e.,
 1. Drop lower-order terms
 2. Drop constant factors
- Use the smallest possible class of functions
 - Say " $2n$ is $O(n)$ " instead of " $2n$ is $O(n^2)$ "
- Use the simplest expression of the class
 - Say " $3n + 5$ is $O(n)$ " instead of " $3n + 5$ is $O(3n)$ "


Asymptotic Algorithm Analysis

- The asymptotic analysis of an algorithm determines the running time in big-Oh notation
- To perform the asymptotic analysis
 - We find the worst-case number of primitive operations executed as a function of the input size
 - We express this function with big-Oh notation
- Example:
 - We determine that algorithm *arrayMax* executes at most $8n - 2$ primitive operations
 - We say that algorithm *arrayMax* "runs in $O(n)$ time"
- Since constant factors and lower-order terms are eventually dropped anyhow, we can disregard them when counting primitive operations

Computing Prefix Averages

- We further illustrate asymptotic analysis with two algorithms for prefix averages
- The i -th prefix average of an array X is average of the first $(i + 1)$ elements of X :

$$A[i] = (X[0] + X[1] + \dots + X[i]) / (i + 1)$$
- Computing the array A of prefix averages of another array X has applications to financial analysis



Prefix Averages (Quadratic)

- The following algorithm computes prefix averages in quadratic time by applying the definition

Algorithm *prefixAverages1*(*X*, *n*)

Input array *X* of *n* integers

Output array *A* of prefix averages of *X* #operations

A ← new array of *n* integers *n*

for *i* ← 0 to *n* − 1 **do** *n*

s ← *X*[0] *n*

for *j* ← 1 to *i* **do** $1 + 2 + \dots + (n - 1)$


s ← *s* + *X*[*j*] $1 + 2 + \dots + (n - 1)$

A[*i*] ← *s* / (*i* + 1) *n*

return *A* 1

Arithmetic Progression

- The running time of *prefixAverages1* is $O(1 + 2 + \dots + n)$
- The sum of the first *n* integers is $n(n + 1) / 2$
 - There is a simple visual proof of this fact
- Thus, algorithm *prefixAverages1* runs in $O(n^2)$ time



Prefix Averages (Linear)

- The following algorithm computes prefix averages in linear time by keeping a running sum

Algorithm *prefixAverages2*(*X*, *n*)

Input array *X* of *n* integers

Output array *A* of prefix averages of *X* #operations

A ← new array of *n* integers *n*

s ← 0 1

for *i* ← 0 to *n* − 1 **do** *n*

s ← *s* + *X*[*i*] *n*

A[*i*] ← *s* / (*i* + 1) *n*

return *A* 1

- Algorithm *prefixAverages2* runs in $O(n)$ time

Math you need to Review

- Summations
- Logarithms and Exponents



- properties of logarithms:**
 - $\log_b(xy) = \log_b x + \log_b y$
 - $\log_b(x/y) = \log_b x - \log_b y$
 - $\log_b x^a = a \log_b x$
 - $\log_b a = \log_x a / \log_x b$
- properties of exponentials:**
 - $a^{(b+c)} = a^b a^c$
 - $a^{bc} = (a^b)^c$
 - $a^b / a^c = a^{(b-c)}$
 - $b = a^{\log_a b}$
 - $b^c = a^{c \cdot \log_a b}$

- Proof techniques
- Basic probability

Relatives of Big-Oh




◆ big-Omega

- $f(n)$ is $\Omega(g(n))$ if there is a constant $c > 0$ and an integer constant $n_0 \geq 1$ such that $f(n) \geq c \cdot g(n)$ for $n \geq n_0$

◆ big-Theta

- $f(n)$ is $\Theta(g(n))$ if there are constants $c' > 0$ and $c'' > 0$ and an integer constant $n_0 \geq 1$ such that $c' \cdot g(n) \leq f(n) \leq c'' \cdot g(n)$ for $n \geq n_0$

Intuition for Asymptotic Notation



Big-Oh

- $f(n)$ is $O(g(n))$ if $f(n)$ is asymptotically **less than or equal** to $g(n)$

big-Omega

- $f(n)$ is $\Omega(g(n))$ if $f(n)$ is asymptotically **greater than or equal** to $g(n)$

big-Theta

- $f(n)$ is $\Theta(g(n))$ if $f(n)$ is asymptotically **equal** to $g(n)$

Example Uses of the Relatives of Big-Oh



■ $5n^2$ is $\Omega(n^2)$

$f(n)$ is $\Omega(g(n))$ if there is a constant $c > 0$ and an integer constant $n_0 \geq 1$ such that $f(n) \geq c \cdot g(n)$ for $n \geq n_0$
let $c = 5$ and $n_0 = 1$

■ $5n^2$ is $\Omega(n)$

$f(n)$ is $\Omega(g(n))$ if there is a constant $c > 0$ and an integer constant $n_0 \geq 1$ such that $f(n) \geq c \cdot g(n)$ for $n \geq n_0$
let $c = 1$ and $n_0 = 1$

■ $5n^2$ is $\Theta(n^2)$

$f(n)$ is $\Theta(g(n))$ if it is $\Omega(n^2)$ and $O(n^2)$. We have already seen the former, for the latter recall that $f(n)$ is $O(g(n))$ if there is a constant $c > 0$ and an integer constant $n_0 \geq 1$ such that $f(n) \leq c \cdot g(n)$ for $n \geq n_0$
Let $c = 5$ and $n_0 = 1$