

# Table of Contents

<b>Table of Contents .....</b>	<b>1</b>
<b>JavaScript Plus! Menus .....</b>	<b>2</b>
<b>File Menu .....</b>	<b>3</b>
New File ... ..	4
JavaScript Tab.....	4
HTML Tab .....	4
CSS Tab.....	4
Plus Tab.....	4
Samples for Learners Tab.....	5
Ajax Tab .....	5
<b>Edit Menu .....</b>	<b>6</b>
<b>Insert Menu.....</b>	<b>7</b>
Forms Submenu .....	7
FrameSet Submenu .....	7
Page Submenu .....	8
Tables Submenu.....	8
ASP Submenu.....	8
ASP Statements Submenu .....	8
PHP Submenu .....	9
PHP Statements Submenu.....	9
SSI Submenu .....	10
SSI Submenu Statements.....	10
<b>Format Menu .....</b>	<b>11</b>
Heading submenu.....	11
Align submenu .....	11
<b>JavaScript Menu .....</b>	<b>12</b>
<b>Plus! Menu.....</b>	<b>13</b>
Plus Menus Submenu.....	13
Plus CSS Submenu.....	13
<b>Analyze Menu .....</b>	<b>14</b>
<b>Code Utilities Menu .....</b>	<b>15</b>
<b>Library Menu .....</b>	<b>20</b>
<b>Tools Menu .....</b>	<b>20</b>
<b>Add-Ins Menu.....</b>	<b>20</b>
<b>Settings Menu .....</b>	<b>20</b>
<b>Window Menu .....</b>	<b>21</b>

## JavaScript Plus! Menus

Menu	Description
<b>File</b>	The <b>File</b> menu offers commands related to manage files, projects y ftp servers.
<b>Edit</b>	The <b>Edit</b> menu offers commands related to edit and manage text.
<b>Insert</b>	The <b>Insert</b> menu offers commands related to add text and special tags to the active window.
<b>Format</b>	The <b>Format</b> menu offers commands related to formating text.
<b>JavaScript</b>	The <b>JavaScript</b> menu offers commands related to manage javascript files.
<b>Plus!</b>	The <b>Plus!</b> menu offers commands related to add special funtionalities to web pages using javascript.
<b>Analyze</b>	The <b>Analyze</b> menu offers commands related to analyze and detect errors in javascript and html files.
<b>Code Utilites</b>	The <b>Code Utilities</b> menu offers commands related to add common functionalities to manage text.
<b>Library</b>	The <b>Library</b> menu offers commands related to storage, browse and retrieve common code snipets.
<b>Tools</b>	The <b>Tools</b> menu offers commands to use tools to manage and improve.
<b>Add-Ins</b>	The <b>Add-Ins</b> menu offers commands to create and run add-ins to use with JavaScript Plus!.
<b>Settings</b>	The <b>Settings</b> menu offers commands to configure settings for JavaScript Plus!.
<b>Window</b>	The <b>Window</b> menu offers commands to organize and manage the active window editor.

## File Menu

The **File** menu offers the following commands:

Command	Description	ShortCut Key
<b>New File ...</b>	Creates a <b>new</b> document.	<b>Ctrl+N</b>
<b>Open</b>	Opens an <b>existing</b> document.	<b>Ctrl+O</b>
<b>Open from FTP</b>	Opens a file from <b>FTP Server</b> .	
<b>Open from Web</b>	Opens a file from <b>web url</b> .	
<b>Open Folder</b>	Opens files from <b>selected folder</b> .	
<b>Open MRU</b>	Open files from <b>Most Recent Used</b> files list.	
<b>Project</b>	Creates & Opens JavaScript Plus! Project.	
<b>Save File</b>	<b>Saves</b> an opened document using the same filename.	<b>Ctrl+S</b>
<b>Save File As ...</b>	<b>Saves</b> an opened document to a specified file name.	
<b>Save All Files</b>	<b>Saves all</b> opened and new documents.	<b>Shift+Ctrl+S</b>
<b>Save File to FTP</b>	Save the active document <b>to ftp server</b> .	
<b>Save Files to FTP</b>	Save all opened documents <b>to ftp server</b> .	
<b>Save to Folder</b>	Save all opened documents to <b>selected folder</b> .	
<b>Print</b>	Prints a document.	<b>Ctrl+P</b>
<b>Print Preview</b>	<b>Displays</b> the document on the screen as it would appear printed.	
<b>Print Setup</b>	<b>Selects a printer</b> and printer connection.	
<b>Exit</b>	<b>Exits</b> from JavaScript Plus!	<b>Alt+F4</b>

## New File ...

Use this command to create a new document. You can choose 6 options to create a new document.

## JavaScript Tab

This tab offers to you the next options to create a document :

Option	Description
<b>Empty file</b>	Creates an <b>empty</b> javascript window document.
<b>Array</b>	Opens the <b>Array</b> window dialog.
<b>Function</b>	Opens the <b>New JavaScript Function</b> window dialog.
<b>Statements</b>	Opens the <b>Statements</b> window dialog.
<b>Regular Expression</b>	Opens the <b>Regular Expression</b> window dialog.
<b>Windows</b>	Opens the <b>New Window</b> dialog dialog.

## HTML Tab

This tab offers to you the next options to create a document :

Option	Description
<b>Default</b>	Creates a <b>default</b> web page.
<b>Empty Page</b>	Creates an <b>empty</b> web page.
<b>Frameset</b>	Creates a html frameset.
<b>HTML 4.01</b>	Creates a <b>HTML 4.01</b> document.
<b>XHTML 1.0</b>	Creates a <b>XHTML 1.0</b> document.
<b>XHTML 1.1</b>	Creates a <b>XHTML 1.1</b> document.

## CSS Tab

This tab offers to you the options to create a css document.

**Double clic** to open a css file.

## Plus Tab

This tab offers to you the next options to create a document :

Option	Description
<b>Add to Favorites</b>	Opens the <b>Add to Favorites</b> window dialog.
<b>Countries Menu</b>	Opens the <b>Countries Menu</b> window dialog.
<b>Drop Down Menu</b>	Opens the <b>Drop Down Menu</b> window dialog.
<b>Coloured ScrollBar</b>	Opens the <b>Coloured ScrollBar</b> window dialog.
<b>Last Modified Date</b>	Opens the <b>Last Modified Date</b> window dialog.
<b>Email Link</b>	Opens the <b>Email Link</b> window dialog.
<b>Iframe</b>	Opens the <b>Iframe</b> window dialog.
<b>Image Rollover</b>	Opens the <b>Image Rollover</b> window dialog.
<b>Page Transition</b>	Opens the <b>Page Transition</b> window dialog.
<b>TabMenu</b>	Opens the <b>TabMenu</b> window dialog.
<b>Left Menu</b>	Opens the <b>Left Menu</b> window dialog.
<b>Metatag Wizard</b>	Opens the <b>Metatag Wizard</b> window dialog.

<b>MouseOver Textlinks</b>	Opens the <b>MouseOver Textlinks</b> window dialog.
<b>PopupMenu</b>	Opens the <b>PopupMenu</b> window dialog.
<b>Popup Window</b>	Opens the <b>Popup Window</b> window dialog.
<b>TreeMenu</b>	Opens the <b>TreeMenu</b> window dialog.
<b>Calendar</b>	Opens the <b>Calendar</b> window dialog.
<b>SlideShow</b>	Opens the <b>SlideShow</b> window dialog.

## Samples for Learners Tab

This tab offers basic script for learners.

Option	Description
<b>Hello World</b>	Creates a new html document with javascript alert message saying <b>"Hello World"</b>
<b>Alert</b>	Creates a new document with the javascript <b>alert</b> function.
<b>Confirm</b>	Creates a javascript function using the javascript <b>confirm</b> function.
<b>Prompt</b>	Creates a javascript function where is used the javascript <b>prompt</b> function.
<b>Function</b>	Creates a <b>basic</b> javascript function.
<b>Write</b>	Creates a javascript function using the javascript <b>document.write</b> method.
<b>JavaScript Block HTML</b>	Inserts a javascript header for <b>HTML</b> documents.
<b>JavaScript Block XHTML</b>	Inserts a javascript header for <b>XHTML</b> documents.
<b>JavaScript Link</b>	Inserts a <b>basic</b> javascript.

## Ajax Tab

This tab offers options to create the next

Option	Description
<b>AFLAX</b>	Opens an <b>aflax</b> web page example.
<b>Dojo</b>	Opens a <b>dojo</b> web page example.
<b>Jquery</b>	Opens a <b>Jquery</b> web page example.
<b>Google</b>	Opens a <b>Google</b> web page example.
<b>Mochikit</b>	Opens a <b>Mochikit</b> web page example.
<b>Prototype</b>	Opens a <b>Prototype</b> web page example.
<b>Rico</b>	Opens a <b>Rico</b> web page example.
<b>Scriptaculous</b>	Opens a <b>Scriptaculous</b> web page example.
<b>Yahoo UI</b>	Opens a <b>Yahoo UI</b> web page example.

## Edit Menu

The **Edit menu** offers the following commands:

Command	Description	ShortCut Key
<b>Undo</b>	<b>Reverse</b> previous editing operation.	<b>Ctrl+Z</b>
<b>Redo</b>	Reverse previous <b>undo</b> operation.	<b>Ctrl+Shift+Z</b>
<b>Cut</b>	<b>Deletes</b> text from the document and moves it to the clipboard.	<b>Ctrl+X</b>
<b>Copy</b>	<b>Copies</b> text from the document to the clipboard.	<b>Ctrl+C</b>
<b>Paste</b>	<b>Pastes</b> text from the clipboard into the document.	<b>Ctrl+V</b>
<b>Paste HTML</b>	<b>Pastes html</b> text from the clipboard into the document.	
<b>Delete</b>	<b>Deletes</b> the selection.	
<b>Vertical Select</b>	Starts the <b>column selection</b> .	
<b>Select All</b>	<b>Selects all text</b> from the active document.	<b>Ctrl+A</b>
<b>Word Count</b>	<b>Counts</b> all characters from the active document.	
<b>Increase Indent</b>	<b>Increases</b> text indent.	<b>Tab</b>
<b>Decrease Indent</b>	<b>Decreases</b> text indent.	<b>Shift+Tab</b>
<b>Convert to Uppercase</b>	Converts all characters in the selected text to <b>Uppercase</b> .	<b>Ctrl+Shift+U</b>
<b>Convert to Lowercase</b>	Converts all characters in the selected text to <b>Lowercase</b> .	<b>Ctrl+Shift+L</b>
<b>Capitalize</b>	Converts <b>first</b> character of each word to <b>Uppercase</b> .	
<b>Find</b>	<b>Searches</b> for the specified text.	<b>Ctrl+F</b>
<b>Replace</b>	<b>Replaces</b> specified text with different text.	<b>Ctrl+R</b>
<b>Find Previous</b>	<b>Finds previous</b> occurrence of string.	<b>Shift+F3</b>
<b>Find Next</b>	<b>Repeats</b> last search.	<b>F3</b>
<b>Find in Files</b>	<b>Searches</b> for a string in multiple files.	
<b>Match Bracket</b>	<b>Find</b> matching bracket.	
<b>Go to ...</b>	<b>Moves</b> the insertion point to the specified row.	<b>Ctrl+G</b>
<b>Lookup at Dictionary.com</b>	Searches for the selected word on <b>dictionary.com</b> .	
<b>Lookup at Thesaurus.com</b>	Searches for the selected word on <b>thesaurus.com</b> .	

## Insert Menu

The **Insert menu** offers the following commands:

Command	Description
<b>ActiveX Object</b>	Inserts an <b>ActiveX GUID</b> to the active document
<b>Applet</b>	Inserts an <b>Applet</b> tag to the active document.
<b>Cascading Style Sheet</b>	Inserts a <b>link to css file</b> to the active document.
<b>Cascading Style Block</b>	Inserts a <b>cascading style block</b> to the active document.
<b>Hyperlink</b>	Inserts a <b>hyperlink</b> tag to the active document.
<b>Horizontal Line</b>	Inserts a <b>horizontal line</b> tag to the active document.
<b>Image</b>	Inserts a <b>image</b> tag to the active document.
<b>Non-Breaking Space</b>	Inserts a <b>non-breaking</b> space tag to the active document.
<b>Noscript</b>	Inserts a <b>noscript</b> tag to the active document.
<b>Script</b>	Inserts a <b>script</b> tag to the active document.
<b>Ansi Character</b>	Opens the <b>Ansi Browser</b> window dialog.
<b>Symbol</b>	Opens the <b>Symbol Browser</b> window dialog.
<b>Document.write</b>	Inserts a <b>document.write</b> text to the active document.
<b>Statusbar ...</b>	Inserts a <b>window.defaultStatus</b> text to the active document.
<b>Date/Time</b>	Opens the <b>Insert Date/Time</b> window dialog.
<b>File Contents</b>	<b>Appends</b> contents from selected file to the active document.

## Forms Submenu

The **Forms Submenu** offers the following commands:

Command	Description
<b>Button</b>	Opens the <b>Button</b> window dialog.
<b>Checkbox</b>	Opens the create <b>CheckBox</b> window dialog.
<b>Combo Box</b>	Opens the <b>Combo Box</b> window dialog.
<b>File Attach</b>	Opens the <b>File Attach</b> window dialog.
<b>Form</b>	Opens the <b>Form</b> window dialog.
<b>Hidden Entry</b>	Opens the <b>Hidden Entry</b> window dialog.
<b>List Box</b>	Opens the <b>ListBox</b> window dialog.
<b>Radio Button</b>	Opens the <b>Radio Button</b> window dialog.
<b>Reset Button</b>	Opens the <b>Button</b> window dialog.
<b>Submit Button</b>	Opens the <b>Button</b> window dialog.
<b>Text Box</b>	Opens the <b>Textbox</b> window dialog.
<b>Text Area</b>	Opens the <b>TextArea</b> window dialog.
<b>Text Password</b>	Opens the <b>TextArea</b> window dialog.

## FrameSet Submenu

The **FrameSet Submenu** offers the following commands:

Command	Description
<b>Button</b>	Opens the <b>Frame</b> window dialog.
<b>Frame</b>	Inserts a <b>frame</b> tag to the active document.

<b>NoFrame</b>	Inserts a <b>noframes</b> tag to the active document.
----------------	---

## Page Submenu

The **Page Submenu** offers the following commands:

Command	Description
<b>Body</b>	Inserts a <b>basic html page</b> to the active document.
<b>Character Set</b>	Opens the <b>Character Set</b> window dialog.
<b>Content Language</b>	Opens the <b>Content Language</b> window dialog.
<b>DOCTYPE</b>	Opens the <b>DOCTYPE</b> window dialog.
<b>Encoding</b>	Opens the <b>Encoding</b> window dialog.
<b>Icon</b>	Opens the Home Page <b>Icon</b> window dialog.
<b>Title</b>	Opens the Insert Home Page <b>Title</b> InputBox window dialog.

## Tables Submenu

The **Tables Submenu** offers the following commands:

Command	Description
<b>Table</b>	Opens the <b>Table</b> window dialog.
<b>Row</b>	Inserts <b>&lt;tr&gt;&lt;/tr&gt;</b> tag to the active document.
<b>Cell</b>	Inserts <b>&lt;td&gt;&lt;/td&gt;</b> to the active document.

## ASP Submenu

The **ASP Submenu** offers the following commands:

Command	Description
<b>ASP Server Variable</b>	Opens the <b>ASP Server Variable</b> window dialog.
<b>ASP TAG</b>	Inserts <b>ASP Tag &lt;% %&gt;</b> to the active document.
<b>ASP Block</b>	Inserts an <b>ASP Block &lt;% ... %&gt;</b> to the active document.
<b>ASP Output Tag</b>	Inserts a <b>&lt;%= %&gt;</b> tag to the active document.
<b>Include File</b>	Inserts a <b>&lt;!--#include file=""--&gt;</b> tag to the active document.
<b>Include Virtual Path</b>	Inserts a <b>&lt;!--#include virtual=""--&gt;</b> tag to the active document.
<b>Connect DataBase</b>	Inserts a <b>Basic ASP Script Example</b> about how to <b>connect to database</b> from ASP to the active window dialog.
<b>Fetch DataBase</b>	Inserts a <b>Basic ASP Script Example</b> about how to <b>connect and fetch records</b> to database from ASP to the active window dialog.

## ASP Statements Submenu

The **ASP Statements Submenu** offers the following commands:

Command	Description
<b>If ... Then</b>	Inserts an <b>If Then</b> statement to the active document.
<b>If ... Then ... Else</b>	Inserts a <b>If Then Else</b> statement to the active document



<b>Switch</b>	Inserts a <b>Select Case/End Select</b> statement to the active document.
<b>For</b>	Inserts a <b>For/Next</b> statement to the active document.
<b>Do ... While</b>	Inserts a <b>Do While/Loop</b> statement to the active document.
<b>Loop ... Until</b>	Inserts a <b>Do/Loop Until</b> statement to the active document.
<b>&lt;% If Then %&gt;</b>	Inserts an <b>ASP If Then</b> statement to the active document
<b>&lt;% Else %&gt;</b>	Inserts an <b>ASP Else</b> statement to the active document
<b>&lt;% End If %&gt;</b>	Inserts an <b>ASP End If</b> statement to the active document

## PHP Submenu

The **PHP Submenu** offers the following commands:

Command	Description
<b>PHP Server Variable</b>	Opens the <b>PHP Server Variable</b> window dialog.
<b>PHP Tag</b>	Inserts <b>&lt;? ?&gt;</b> tag to the active document.
<b>PHP Block</b>	Inserts <b>&lt;? .. ?&gt;</b> tag to the active document.
<b>PHP Output Tag</b>	Inserts <b>&lt;?= ?&gt;</b> tag to the active document.
<b>Include File</b>	Inserts <b>&lt;? include(""); ?&gt;</b> to the active document.
<b>Require File</b>	Inserts <b>&lt;? require(""); ?&gt;</b> to the active document.
<b>PHP Comment Block</b>	Inserts <b>/* */</b> comment to the active document.
<b>PHP Line Comment</b>	Inserts <b>//</b> comment to the active document.
<b>MySQL Connect</b>	Inserts a <b>basic PHP script</b> to connect to mysql databases.
<b>MySQL Fetch Array</b>	Inserts a <b>basic PHP script</b> to connect and fetch records from mysql databases.

## PHP Statements Submenu

The **PHP Statements Submenu** offers the following commands:

Command	Description
<b>If ...</b>	Inserts a <b>If</b> statement to the active document.
<b>If ... Else</b>	Inserts a <b>If/Else</b> statement to the active document.
<b>If .. Else If .. Else</b>	Inserts a <b>If/Else If</b> statement to the active document.
<b>Switch</b>	Inserts a <b>switch/case/break/default</b> statement to the active document.
<b>For</b>	Inserts a <b>for</b> statement to the active document.
<b>While</b>	Inserts a <b>while</b> statement to the active document.

## SSI Submenu

The **SSI submenu** offers the following commands:

Command	Description
<b>SSI Server Variable</b>	Opens the SSI Server Variables window dialog.
<b>Include File</b>	Inserts a <code>&lt;!--#include file="" --&gt;</code> statement to the active dialog.
<b>Include Virtual Path</b>	Inserts a <code>&lt;!--#include virtual="" --&gt;</code> statement to the active window.

## SSI Submenu Statements

The **SSI Statements Submenu** offers the following commands:

Command	Description
<b>Echo</b>	Inserts a <code>&lt;!--#echo var="" --&gt;</code> statement to the active window editor.
<b>Exec CGI</b>	Inserts a <code>&lt;!--#exec cgi="" --&gt;</code> statement to the active window editor.
<b>Exec Command</b>	Inserts a <code>&lt;!--#exec cmd="" --&gt;</code> statement to the active window editor.
<b>File Last Modification</b>	Inserts a <code>&lt;!--#flastmod file="" --&gt;</code> statement to the active window editor.
<b>File Last Modification (Virtual)</b>	Inserts a <code>&lt;!--#flastmod virtual="" --&gt;</code> statement to the active window editor.
<b>File Size</b>	Inserts a <code>&lt;!--#fsize file="" --&gt;</code> statement to the active window editor.
<b>File Size (Virtual)</b>	Inserts a <code>&lt;!--#fsize virtual="" --&gt;</code> statement to the active window editor.
<b>Goto</b>	Inserts a <code>&lt;!--#goto="" --&gt;</code> statement to the active window editor.
<b>Goto Label</b>	Inserts a <code>&lt;!--#label="" --&gt;</code> statement to the active window editor.
<b>Break HTML Label</b>	Inserts a <code>&lt;!--#break --&gt;</code> statement to the active window editor.
<b>Set Variable</b>	Inserts a <code>&lt;!--#set var="" value="" --&gt;</code> statement to the active window editor.
<b>Change Error Message</b>	Inserts a <code>&lt;!--#config errmsg="" --&gt;</code> statement to the active window editor.
<b>If</b>	Inserts a  <code>&lt;!--#if expr="" --&gt;</code>  <code>&lt;!--#endif --&gt;</code>  statement to the active window editor.
<b>If ... Else</b>	Inserts a  <code>&lt;!--#if expr="" --&gt;</code>  <code>&lt;!--#else --&gt;</code>  <code>&lt;!--#endif --&gt;</code>  statement to the active window editor.

## Format Menu

The **Format menu** offers the following commands:

Command	Description
<b>Font</b>	Opens the <b>Font</b> window dialog.
<b>Paragraph</b>	Opens the <b>Paragraph</b> window dialog.
<b>Numbered List</b>	Opens the <b>Ordered List</b> window dialog.
<b>Bulleted List</b>	Opens the <b>Unordered List</b> window dialog.
<b>Big Text</b>	Inserts <b>&lt;big&gt;&lt;/big&gt;</b> tag to the active window editor.
<b>Small Text</b>	Inserts <b>&lt;small&gt;&lt;/small&gt;</b> tag to the active document.
<b>Bold</b>	Inserts <b>&lt;b&gt;&lt;/b&gt;</b> tag to the active document.
<b>Italic</b>	Inserts <b>&lt;i&gt;&lt;/i&gt;</b> tag to the active document.
<b>Underline</b>	Inserts <b>&lt;u&gt;&lt;/u&gt;</b> tag to the active document.
<b>Paragraph</b>	Inserts <b>&lt;p&gt;&lt;/p&gt;</b> tag to the active document.
<b>Preformat</b>	Inserts <b>&lt;pre&gt;&lt;/pre&gt;</b> tag to the active document.
<b>Format Special</b>	Opens the <b>Format Special</b> window dialog.

## Heading submenu

The **Heading submenu** offers the following commands:

Command	Description
<b>Heading 1</b>	Inserts <b>&lt;h1&gt;&lt;/h1&gt;</b> tag to the active document.
<b>Heading 2</b>	Inserts <b>&lt;h2&gt;&lt;/h2&gt;</b> tag to the active document.
<b>Heading 3</b>	Inserts <b>&lt;h3&gt;&lt;/h3&gt;</b> tag to the active document.
<b>Heading 4</b>	Inserts <b>&lt;h4&gt;&lt;/h4&gt;</b> tag to the active document.
<b>Heading 5</b>	Inserts <b>&lt;h5&gt;&lt;/h5&gt;</b> tag to the active document.
<b>Heading 6</b>	Inserts <b>&lt;h6&gt;&lt;/h6&gt;</b> tag to the active document.

## Align submenu

The **Align submenu** offers the following commands:

Command	Description
<b>Left</b>	Inserts <b>&lt;p align="left"&gt;&lt;/p&gt;</b> tag to the active document.
<b>Center</b>	Inserts <b>&lt;center&gt;&lt;/center&gt;&lt;p align="left"&gt;&lt;/p&gt;</b> tag to the active document.
<b>Right</b>	Inserts <b>&lt;p align="right"&gt;&lt;/p&gt;</b> tag to the active document.
<b>Justify</b>	Inserts <b>&lt;p align="justify"&gt;&lt;/p&gt;</b> tag to the active document.

## JavaScript Menu

The **JavaScript** menu offers the following commands:

Command	Description
<b>Add function</b>	Opens the <b>New Function</b> window dialog.
<b>Add library</b>	Opens the <b>Library Manager</b> window dialog.
<b>Ofusate file</b>	Opens the <b>JavaScript Ofuscator</b> window dialog.
<b>Navigator Versions</b>	Opens the <b>JavaScript Navigator Versions</b> window dialog.
<b>Object Browser</b>	Opens the <b>Object Browser</b> window dialog.
<b>Reserved Words</b>	Opens the <b>Reserved Words</b> window dialog.
<b>Array</b>	Opens the <b>Array</b> window dialog.
<b>Block Code</b>	Inserts a <b>{ }</b> brackets to the active window editor.
<b>Line end</b>	Inserts a <b>;</b> to end of the select text in the active window editor.
<b>Escape character</b>	Opens the <b>Inserts Escape Character</b> window dialog.
<b>Multiline Command</b>	Inserts <b>/* */</b> to the active window editor.
<b>Regular Expression</b>	Opens the <b>Regular Expression</b> window dialog.
<b>Single Comment</b>	Inserts <b>//</b> to the active window editor.
<b>Variable</b>	Opens the <b>New Variable</b> window dialog.
<b>Statements</b>	Opens the <b>Statement</b> window dialog.
<b>Windows ...</b>	Opens the <b>New Window</b> dialog dialog.
<b>JavaScript Reference 1.3</b>	Opens the <b>JavaScript Reference 1.3</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>JavaScript Reference 1.4</b>	Opens the <b>JavaScript Reference 1.4</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>JavaScript Reference 1.5</b>	Opens the <b>JavaScript Reference 1.5</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>JavaScript Guide 1.3</b>	Opens the <b>JavaScript Guide 1.3</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>JavaScript Guide 1.4</b>	Opens the <b>JavaScript Guide 1.4</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>JavaScript Guide 1.5</b>	Opens the <b>JavaScript Guide 1.5</b> help file. If you don't have installed the javascript help file a dialog will be displayed.
<b>Tutorial</b>	Opens the <b>JavaScript Tutorial</b> Guide.
<b>How to enable javascript</b>	Opens the <b>How to enabled JavaScript</b> help file.

## Plus! Menu

The **Plus! menu** offers the following commands:

Command	Description
<b>Add to Favorites</b>	Opens the <b>Add to Favorites</b> window dialog.
<b>Calendar</b>	Opens the <b>Calendar</b> window dialog.
<b>Countries Menu</b>	Opens the <b>Countries Menu</b> window dialog.
<b>Drop Down Menu</b>	Opens the <b>Drop Down Menu</b> window dialog.
<b>Email Link</b>	Opens the <b>Email Link</b> window dialog.
<b>Iframe Wizard</b>	Opens the <b>Iframe Wizard</b> window dialog.
<b>Image Rollover</b>	Opens the <b>Image Rollover</b> window dialog.
<b>Last Modified</b>	Opens the <b>Last Modified</b> window dialog.
<b>Metatag Wizard</b>	Opens the <b>Metatag Wizard</b> window dialog.
<b>Page Transitions</b>	Opens the <b>Page Transitions</b> window dialog.
<b>Popup Window</b>	Opens the <b>Popup Window</b> window dialog.
<b>SlideShow</b>	Opens the <b>SlideShow</b> window dialog.

## Plus Menus Submenu

The **Plus! Menus submenu** offers the following commands:

Command	Description
<b>Left Menu</b>	Opens the <b>Left Menu</b> window dialog.
<b>Popup Menu</b>	Opens the <b>Popup Menu</b> window dialog.
<b>Tab Menu</b>	Opens the <b>Tab Menu</b> window dialog.
<b>Tree Menu</b>	Opens the <b>Tree Menu</b> window dialog.

## Plus CSS Submenu

The **Plus! CSS submenu** offers the following commands:

Command	Description
<b>Coloured Scrollbar</b>	Opens the <b>Coloured Scrollbar</b> window dialog.
<b>MouseOver Text Links</b>	Opens the <b>MouseOver Text Links</b> window dialog.

## Analyze Menu

The **Analyze menu** offers the following commands:

Command	Description
<b>Configure</b>	Opens the <b>Options</b> window dialog.
<b>Find Errors</b>	Searches for <b>javascript errors</b> in active window editor.
<b>Batch Mode</b>	Opens <b>the Batch Mode</b> window dialog.
<b>Validate HTML, XHTML</b>	Opens the <b>W3C Markup Validation Service</b> <a href="http://validator.w3.org/">http://validator.w3.org/</a>
<b>Validate CSS</b>	Opens the <b>W3C CSS Validation Service</b> <a href="http://jigsaw.w3.org/css-validator/">http://jigsaw.w3.org/css-validator/</a>
<b>Validate Hyperlinks</b>	Opens the <b>W3C Link Checker Service</b> <a href="http://validator.w3.org/checklink">http://validator.w3.org/checklink</a>
<b>Validate XML</b>	Opens the <b>W3C Validator for XML Schema</b> <a href="http://www.w3.org/2001/03/webdata/xsv">http://www.w3.org/2001/03/webdata/xsv</a>
<b>Tidy (Html Validator)</b>	Opens the <b>HTML Tidy Configuration</b> window dialog.

## Code Utilities Menu

The **Code Utilities** menu offers the following commands:

Command	Description
<b>Insert text at beginning</b>	<p>Appends text at <b>beginning</b> of the current selection.</p> <p><b>Text to append</b></p> <p>Hello</p> <p><b>Current Selection</b></p> <p>World</p> <p><b>Output</b></p> <p>Hello World</p>
<b>Insert text at end</b>	<p>Appends text at <b>end</b> of the current selection.</p> <p><b>Text to append</b></p> <p>World</p> <p><b>Current Selection</b></p> <p>Hello</p> <p><b>Output</b></p> <p>Hello World</p>
<b>Convert to HTML Paragraph</b>	<p>Appends <b>&lt;P&gt;&lt;/P&gt;</b> html tags to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>&lt;P&gt;Hello World&lt;/P&gt;</b></p>
<b>Convert to HTML Italic</b>	<p>Appends <b>&lt;I&gt;&lt;/I&gt;</b> html tags to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>&lt;I&gt;Hello World&lt;/I&gt;</b></p>
<b>Convert to HTML Bold</b>	<p>Appends <b>&lt;B&gt;&lt;/B&gt;</b> html tags to the current selection.</p>

	<p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>&lt;B&gt;</b>Hello World<b>&lt;/B&gt;</b></p>
<b>Convert to HTML Underline</b>	<p>Appends <b>&lt;U&gt;&lt;/U&gt;</b> html tags to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>&lt;U&gt;</b>Hello World<b>&lt;/U&gt;</b></p>
<b>Convert to HTML Comment</b>	<p>Appends <b>&lt;!-- --&gt;</b> html comment to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>&lt;!--</b> Hello World <b>--&gt;</b></p>
<b>Convert HTML Entities to Character</b>	<p>Convert html entity name to equivalent <b>ASCII character</b>.</p> <p><b>HTML Entity</b></p> <p>&amp;cent;</p> <p><b>Output</b></p> <p>¢</p>
<b>Convert Characters to HTML Entities</b>	<p>Convert ASCII character to equivalent <b>html entity</b>.</p> <p><b>ASCII Character</b></p> <p>¢</p> <p><b>Output</b></p> <p><b>&amp;cent;</b></p>
<b>Convert to document.write statement</b>	<p>Appends <b>document.write</b> to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>document.write("Hello World")</b></p>



<b>Convert to array element</b>	<p>Convert the current selection <b>into array element</b>.</p> <p><b>Source</b></p> <p>Red Blue White</p> <p><b>Output</b></p> <pre>arrtmp[0]="Red"; arrtmp[1]="Blue"; arrtmp[2]="White";</pre>
<b>Encode to url format</b>	
<b>Enclose selected text in quotes</b>	<p>Appends "" to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>"Hello World"</p>
<b>Enclose selected text in single quotes</b>	<p>Appends ' ' to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>'Hello World'</p>
<b>Enclose selected text in ( )</b>	<p>Appends ( ) to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>(Hello World)</p>
<b>Enclose selected text in [ ]</b>	<p>Appends [ ] to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>[Hello World]</p>
<b>Enclose selected text in { }</b>	<p>Appends { } to the current selection.</p>

	<p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>{Hello World}</p>
<b>Enclose selected text in &lt;% %&gt;</b>	<p>Appends &lt;% %&gt; to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>&lt;%Hello World%&gt;</p>
<b>Enclose selected text in ASP Response.Write()</b> ...	<p>Appends ASP <b>Response.Write</b> to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>Response.Write</b>("Hello World")</p>
<b>Enclose selected text in PHP echo</b> ...	<p>Appends PHP echo to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>echo</b> "Hello World";</p>
<b>Enclose selected text in JSP out.println</b> ...	<p>Appends JSP out.println to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p><b>out.println</b> ("Hello World");</p>
<b>Create a string variable</b>	<p>Opens the <b>Create String</b> window dialog.</p>
<b>Comment selected text</b>	<p>Appends // to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p>

	//Hello World
<b>Insert a line end</b>	<p>Appends ; to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>Hello World;</p>
<b>Remove White Spaces</b>	<p>Removes white spaces to the current selection.</p> <p><b>Current Selection</b></p> <p>Hello World</p> <p><b>Output</b></p> <p>HelloWorld</p>
<b>Delete empty lines</b>	<p>Removes white lines between current selection.</p> <p><b>Current Selection</b></p> <p>Hello</p> <p>World</p> <p><b>Output</b></p> <p>Hello</p> <p>World</p>
<b>Delete Selected Text</b>	Deletes the selected text current selection.
<b>Convert to Uppercase</b>	Converts current selection to <b>Uppercase</b> .
<b>Convert to Lowercase</b>	Converts current selection to <b>Lowercase</b> .
<b>Format Special</b>	Opens the format special window dialog.

## Library Menu

The **Library menu** offers the following commands:

Command	Description
<b>Language Wizard</b>	Opens the <b>Language Wizard</b> window dialog.
<b>Category Wizard</b>	Opens the <b>Category Wizard</b> window dialog.
<b>Browse Library</b>	Opens the <b>Browse Library</b> window dialog.
<b>Save to Library</b>	Opens the <b>Save Code File As</b> window dialog.

## Tools Menu

The **Tools menu** offers the following commands:

Command	Description
<b>Color Explorer 1</b>	Opens the <b>Color Browser</b> window dialog.
<b>Color Explorer 2</b>	Opens the <b>Color Names Explorer</b> window dialog.
<b>DOS Console</b>	Opens a <b>Basic DOS Console</b> window dialog.
<b>Bitmap Extractor</b>	Execute the <b>Resource Bitmap Extraction Utility</b> tool.
<b>Image Browser</b>	Opens the <b>Image Browser</b> window dialog.
<b>Image Effect</b>	Opens the <b>Special Effect</b> window dialog.
<b>Icon Editor</b>	Execute the <b>Icon Editor</b> tool.
<b>Icon Extractor</b>	Execute the <b>Icon Extractor</b> tool.
<b>XML Explorer</b>	Opens the <b>XML Explorer</b> window dialog.

## Add-Ins Menu

The **Add-Ins menu** offers the following commands:

Command	Description
<b>Visual Data Manager</b>	Execute the <b>Visual Data Manager</b> tool.
<b>Add-In Manager</b>	Opens the <b>Add-In Manager</b> window dialog.
<b>New Add-In</b>	Opens the <b>New Add-In</b> window dialog.

## Settings Menu

The **Settings menu** offers the following commands:

Command	Description
<b>Configure Browsers</b>	Opens the <b>Configure Browsers</b> window dialog.
<b>Preferences</b>	Opens the <b>Preferences</b> window dialog.
<b>Macros</b>	<b>Records and Play</b> macros to use in the active window editor.
<b>Toolbars</b>	<b>Show/Hide</b> toolbars.

## Window Menu

The **Window menu** offers the following commands:

Command	Description
<b>Always on Top</b>	<b>Activate/Deactive</b> JavaScript Plus! stay on top.
<b>Cascade</b>	Arrange windows so they overlap.
<b>Tile Horizontally</b>	Arrange windows as non-overlapping tiles.
<b>Tile Vertically</b>	Arrange windows as non-overlapping tiles.
<b>Close</b>	Closes the <b>active</b> window editor.
<b>Close All</b>	Opens the <b>Close Document</b> window dialog.
<b>Window List</b>	Opens the <b>Windows List</b> window dialog.