

**NAME**

CUTEST\_cifn\_threaded – CUTEst tool to evaluate a problem function value.

**SYNOPSIS**

CALL CUTEST\_cifn\_threaded( status, n, iprob, X, fn, thread )

For real rather than double precision arguments, instead

CALL CUTEST\_cifn\_threaded\_s( ... )

and for quadruple precision arguments, when available,

CALL CUTEST\_cifn\_threaded\_q( ... )

**DESCRIPTION**

The CUTEST\_cifn\_threaded subroutine evaluates the value of either the objective function or a constraint function of the problem decoded from a SIF file by the script *sifdecoder* at the point X, in the constrained minimization case. The problem under consideration is to minimize or maximize an objective function  $f(x)$  over all  $x \in R^n$  subject to general equations  $c_i(x) = 0$ , ( $i \in 1, \dots, m_E$ ), general inequalities  $c_i^l \leq c_i(x) \leq c_i^u$  ( $i \in m_E + 1, \dots, m$ ), and simple bounds  $x^l \leq x \leq x^u$ . The objective function is group-partially separable and all constraint functions are partially separable.

**ARGUMENTS**

The arguments of CUTEST\_cifn\_threaded are as follows

**status** [out] - integer

the output status: 0 for a successful call, 1 for an array allocation/deallocation error, 2 for an array bound error, 3 for an evaluation error, 4 for an out-of-range thread,

**n** [in] - integer

the number of variables for the problem,

**iprob** [in] - integer

the number of the problem function to be considered. If iprob = 0, the value of the objective function will be evaluated, while if iprob = i > 0, that of the i-th constraint will be evaluated,

**X** [in] - real/double precision

an array which gives the current estimate of the solution of the problem,

**fn** [out] - real/double precision

the value of problem function iprob at X,

**thread** [in] - integer

thread chosen for the evaluation; threads are numbered from 1 to the value threads set when calling CUTEST\_csetup\_threaded.

**AUTHORS**

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

**SEE ALSO**

*CUTEst: a Constrained and Unconstrained Testing Environment with safe threads*,  
N.I.M. Gould, D. Orban and Ph.L. Toint,

Computational Optimization and Applications **60**:3, pp.545-557, 2014.

*CUTEr (and SifDec): A Constrained and Unconstrained Testing Environment, revisited*,  
N.I.M. Gould, D. Orban and Ph.L. Toint,  
ACM TOMS, **29**:4, pp.373-394, 2003.

*CUTE: Constrained and Unconstrained Testing Environment*,  
I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint,  
ACM TOMS, **21**:1, pp.123-160, 1995.

sifdecoder(1), cutest\_setup\_threaded(3M).