

NAME

CUTEST_timings_threaded – CUTEst tool to find the CPU time used by a CUTEst evaluation subroutine.

SYNOPSIS

CALL CUTEST_timings_threaded(status, name, time, thread)

For real rather than double precision arguments, instead

CALL CUTEST_timings_threaded_s(...)

and for quadruple precision arguments, when available,

CALL CUTEST_timings_threaded_q(...)

DESCRIPTION

The CUTEST_timings_threaded subroutine obtains the CPU time used by an individual CUTEst evaluation subroutine.

ARGUMENTS

The arguments of CUTEST_timings_threaded are as follows

status [out] - integer

the output status: 0 for a successful call, 26 for a call to an unknown evaluation routine,

name [in] - character variable of variable length that either contains

the name of a CUTEst subroutine, or one of the words 'start' or 'stop'. Supported values are:

'start' starts to record timings for the CUTEst evaluation tools -
recordings are initially turned off

'stop' pauses the recording until another 'start' occurs

name is the name of a CUTEst evaluation tool,

where name is one of strings

'cutest_ccfg', 'cutest_ccfsg', 'cutest_cch',
'cutest_cchprods', 'cutest_ccifg', 'cutest_ccifsg',
'cutest_cdh', 'cutest_cdhc', 'cutest_cdimchp',
'cutest_ceh', 'cutest_cfn', 'cutest_cgr',
'cutest_cgrdh', 'cutest_chcprod', 'cutest_chprod',
'cutest_cidh', 'cutest_cish', 'cutest_cjprod',
'cutest_clfg', 'cutest_cofg', 'cutest_cofsg',
'cutest_csgr', 'cutest_csgreh', 'cutest_csgrsh',
'cutest_csh', 'cutest_cshc', 'cutest_cshcprod',
'cutest_cshp', 'cutest_cshprod', 'cutest_csjprod',
'cutest_ubandh', 'cutest_udh', 'cutest_ueh',
'cutest_ufn', 'cutest_ugr', 'cutest_ugrdh',
'cutest_ugreh', 'cutest_ugrsh', 'cutest_uhprod',
'cutest_uofg', 'cutest_ush', 'cutest_ushp' or

'cutest_ushprod',

time [out] - real that gives the recorded time for the named tool
(or 0.0 if name is 'start', 'stop' or an unrecognised tool).

thread [in] - integer

statistics are for the specified thread; threads are numbered from 1 to the value threads set when calling CUTEst_usetup_threaded or CUTEst_csetup_threaded.

AUTHORS

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

SEE ALSO

CUTEst: a Constrained and Unconstrained Testing Environment with safe threads,
N.I.M. Gould, D. Orban and Ph.L. Toint,
Computational Optimization and Applications **60**:3, pp.545-557, 2014.

CUTEr (and SifDec): A Constrained and Unconstrained Testing Environment, revisited,
N.I.M. Gould, D. Orban and Ph.L. Toint,
ACM TOMS, **29**:4, pp.373-394, 2003.

CUTE: Constrained and Unconstrained Testing Environment,
I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint,
ACM TOMS, **21**:1, pp.123-160, 1995.

sifdecode(1),	cutest(3M),	cutest_ccfg_threaded(3M),	cutest_ccfsg_threaded(3M),
cutest_cch_threaded(3M),	cutest_cchprods_threaded(3M),	cutest_ccifg_threaded(3M),	
cutest_ccifsg_threaded(3M),	cutest_cdh_threaded(3M),	cutest_cdhc_threaded(3M),	cutest_cdim-
chp_threaded(3M),	cutest_ceh_threaded(3M),	cutest_cfn_threaded(3M),	cutest_cgr_threaded(3M),
cutest_cgrdh_threaded(3M),	cutest_chcprod_threaded(3M),	cutest_chprod_threaded(3M),	
cutest_cifn_threaded(3M),	cutest_cigr_threaded(3M),	cutest_cisgr_threaded(3M),	
cutest_cidh_threaded(3M),	cutest_cish_threaded(3M),	cutest_cjprod_threaded(3M),	
cutest_clfg_threaded(3M),	cutest_cofg_threaded(3M),	cutest_cofsg_threaded(3M),	
cutest_csgr_threaded(3M),	cutest_csgreh_threaded(3M),	cutest_csgrsh_threaded(3M),	
cutest_csh_threaded(3M),	cutest_cshc_threaded(3M),	cutest_cshcprod_threaded(3M),	
cutest_cshp_threaded(3M),	cutest_cshprod_threaded(3M),	cutest_csjprod_threaded(3M),	
cutest_ubandh_threaded(3M),	cutest_udh_threaded(3M),	cutest_ueh_threaded(3M),	
cutest_ufn_threaded(3M),	cutest_ugr_threaded(3M),	cutest_ugrdh_threaded(3M),	
cutest_ugreh_threaded(3M),	cutest_ugrsh_threaded(3M),	cutest_uhprod_threaded(3M),	
cutest_uofg_threaded(3M),	cutest_ush_threaded(3M),	cutest_ushp_threaded(3M),	cutest_ush-
			prod_threaded(3M)