

Photon Voice

v2.15

Generated by Doxygen 1.8.17

1 Main Page	1
2 Namespace Documentation	3
2.1 Photon Namespace Reference	3
2.2 Photon.Voice Namespace Reference	3
2.2.1 Enumeration Type Documentation	5
2.2.1.1 Codec	5
2.3 Photon.Voice.IOS Namespace Reference	6
2.3.1 Enumeration Type Documentation	6
2.3.1.1 AudioSessionCategory	6
2.3.1.2 AudioSessionCategoryOption	7
2.3.1.3 AudioSessionMode	8
2.4 Photon.Voice.PUN Namespace Reference	8
2.5 Photon.Voice.Unity Namespace Reference	8
2.6 Photon.Voice.Unity.UtilityScripts Namespace Reference	9
2.7 POpusCodec Namespace Reference	9
2.8 POpusCodec.Enums Namespace Reference	10
2.8.1 Enumeration Type Documentation	10
2.8.1.1 Bandwidth	10
2.8.1.2 Channels	10
2.8.1.3 Delay	10
2.8.1.4 OpusApplicationType	11
2.8.1.5 SignalHint	11
3 Class Documentation	13
3.1 AudioClipWrapper Class Reference	13
3.2 AudioDesc Class Reference	13
3.3 AudioInChangeNotifier Class Reference	14
3.4 AudioInEnumerator Class Reference	14
3.4.1 Detailed Description	14
3.5 AudioOutCapture Class Reference	15
3.6 AudioSessionParameters Struct Reference	15
3.7 AudioSessionParametersPresets Class Reference	15
3.7.1 Member Data Documentation	15
3.7.1.1 Game	15
3.7.1.2 VoIP	16
3.8 AudioStreamPlayer< T > Class Template Reference	16
3.9 AudioUtil Class Reference	16
3.9.1 Detailed Description	17
3.9.2 Member Function Documentation	17
3.9.2.1 Convert() [1/2]	17
3.9.2.2 Convert() [2/2]	18
3.9.2.3 ForceToStereo< T >()	18

3.9.2.4 Resample< T >()	18
3.9.2.5 ResampleAndConvert() [1/2]	19
3.9.2.6 ResampleAndConvert() [2/2]	19
3.10 BufferReaderPushAdapter< T > Class Template Reference	20
3.10.1 Detailed Description	20
3.10.2 Constructor & Destructor Documentation	20
3.10.2.1 BufferReaderPushAdapter()	20
3.10.3 Member Function Documentation	21
3.10.3.1 Service()	21
3.11 BufferReaderPushAdapterAsyncPool< T > Class Template Reference	21
3.11.1 Detailed Description	21
3.11.2 Constructor & Destructor Documentation	21
3.11.2.1 BufferReaderPushAdapterAsyncPool()	21
3.11.3 Member Function Documentation	22
3.11.3.1 Service()	22
3.12 BufferReaderPushAdapterAsyncPoolCopy< T > Class Template Reference	22
3.12.1 Detailed Description	22
3.12.2 Constructor & Destructor Documentation	23
3.12.2.1 BufferReaderPushAdapterAsyncPoolCopy()	23
3.12.3 Member Function Documentation	23
3.12.3.1 Service()	23
3.13 BufferReaderPushAdapterAsyncPoolFloatToShort Class Reference	23
3.13.1 Detailed Description	24
3.13.2 Constructor & Destructor Documentation	24
3.13.2.1 BufferReaderPushAdapterAsyncPoolFloatToShort()	24
3.13.3 Member Function Documentation	24
3.13.3.1 Service()	24
3.14 BufferReaderPushAdapterBase< T > Class Template Reference	25
3.14.1 Detailed Description	25
3.14.2 Constructor & Destructor Documentation	25
3.14.2.1 BufferReaderPushAdapterBase()	25
3.14.3 Member Function Documentation	25
3.14.3.1 Dispose()	26
3.14.3.2 Service()	26
3.15 WebRTCAudioLib.ConfigParam Struct Reference	26
3.16 ConnectAndJoin Class Reference	26
3.17 RawCodec.Decoder< T > Class Template Reference	27
3.17.1 Member Function Documentation	27
3.17.1.1 Input()	27
3.17.1.2 Open()	27
3.18 OpusCodec.Decoder< T > Class Template Reference	28
3.18.1 Member Function Documentation	28

3.18.1.1 Input()	28
3.18.1.2 Open()	28
3.19 OpusCodec.DecoderFactory Class Reference	29
3.20 OpusCodec.DecoderFloat Class Reference	29
3.21 OpusCodec.DecoderShort Class Reference	29
3.22 OpusCodec.Encoder< T > Class Template Reference	30
3.23 RawCodec.Encoder< T > Class Template Reference	30
3.24 OpusCodec.EncoderFloat Class Reference	31
3.25 OpusCodec.EncoderShort Class Reference	31
3.26 OpusCodec.Factory Class Reference	31
3.27 FactoryPrimitiveArrayPool< T > Class Template Reference	31
3.27.1 Detailed Description	31
3.28 FactoryReusableArray< T > Class Template Reference	32
3.28.1 Detailed Description	32
3.29 Framer< T > Class Template Reference	32
3.29.1 Detailed Description	33
3.29.2 Constructor & Destructor Documentation	33
3.29.2.1 Framer()	33
3.29.3 Member Function Documentation	33
3.29.3.1 Count()	33
3.29.3.2 Frame()	33
3.30 IAudioDesc Interface Reference	34
3.30.1 Detailed Description	34
3.30.2 Property Documentation	34
3.30.2.1 Channels	34
3.30.2.2 Error	34
3.30.2.3 SamplingRate	35
3.31 IAudioOut< T > Interface Template Reference	35
3.32 IAudioPusher< T > Interface Template Reference	35
3.32.1 Detailed Description	35
3.32.2 Member Function Documentation	35
3.32.2.1 SetCallback()	35
3.33 IAudioReader< T > Interface Template Reference	36
3.33.1 Detailed Description	36
3.34 IDataReader< T > Interface Template Reference	36
3.34.1 Detailed Description	36
3.34.2 Member Function Documentation	36
3.34.2.1 Read()	36
3.35 IDecoder Interface Reference	37
3.35.1 Detailed Description	37
3.35.2 Member Function Documentation	37
3.35.2.1 Input()	37

3.35.2.2 Open()	37
3.35.3 Property Documentation	38
3.35.3.1 Error	38
3.36 IDecoderQueuedOutputImageNative Interface Reference	38
3.37 IEncoder Interface Reference	38
3.37.1 Detailed Description	39
3.37.2 Member Function Documentation	39
3.37.2.1 DequeueOutput()	39
3.37.3 Property Documentation	39
3.37.3.1 Error	39
3.37.3.2 Output	39
3.38 IEncoderDirect< B > Interface Template Reference	40
3.38.1 Detailed Description	40
3.38.2 Member Function Documentation	40
3.38.2.1 Input()	40
3.39 AudioUtil.ILevelMeter Interface Reference	40
3.39.1 Detailed Description	41
3.39.2 Member Function Documentation	41
3.39.2.1 ResetAccumAvgPeakAmp()	41
3.39.3 Property Documentation	41
3.39.3.1 AccumAvgPeakAmp	41
3.39.3.2 CurrentAvgAmp	41
3.39.3.3 CurrentPeakAmp	42
3.40 ILocalVoiceAudio Interface Reference	42
3.40.1 Detailed Description	42
3.40.2 Member Function Documentation	42
3.40.2.1 VoiceDetectorCalibrate()	42
3.40.3 Property Documentation	43
3.40.3.1 LevelMeter	43
3.40.3.2 VoiceDetector	43
3.40.3.3 VoiceDetectorCalibrating	43
3.41 ILoggable Interface Reference	43
3.42 ILogger Interface Reference	44
3.43 ImageBufferInfo Class Reference	44
3.44 ImageBufferNative Class Reference	44
3.45 ImageBufferNativeAlloc Class Reference	44
3.46 ImageBufferNativeGCHandleSinglePlane Class Reference	45
3.47 ImageBufferNativePool< T > Class Template Reference	45
3.48 ImageInputBuf Struct Reference	46
3.49 ImageOutputBuf Struct Reference	46
3.50 IOSAudioForceToSpeaker Class Reference	46
3.51 IProcessor< T > Interface Template Reference	46

3.51.1 Detailed Description	46
3.51.2 Member Function Documentation	47
3.51.2.1 Process()	47
3.52 IServiceable Interface Reference	47
3.52.1 Detailed Description	47
3.52.2 Member Function Documentation	47
3.52.2.1 Service()	48
3.53 ISyncAudioOut< T > Interface Template Reference	48
3.54 AudioUtil.IVoiceDetector Interface Reference	48
3.54.1 Detailed Description	49
3.54.2 Property Documentation	49
3.54.2.1 ActivityDelayMs	49
3.54.2.2 Detected	49
3.54.2.3 DetectedTime	49
3.54.2.4 On	49
3.54.2.5 Threshold	49
3.54.3 Event Documentation	50
3.54.3.1 OnDetected	50
3.55 IVoiceTransport Interface Reference	50
3.56 AudioUtil.LevelMeter< T > Class Template Reference	50
3.56.1 Detailed Description	51
3.56.2 Member Function Documentation	51
3.56.2.1 Process()	51
3.56.2.2 ResetAccumAvgPeakAmp()	52
3.57 AudioUtil.LevelMeterDummy Class Reference	52
3.57.1 Detailed Description	52
3.57.2 Member Function Documentation	52
3.57.2.1 ResetAccumAvgPeakAmp()	52
3.58 AudioUtil.LevelMeterFloat Class Reference	52
3.58.1 Detailed Description	53
3.58.2 Constructor & Destructor Documentation	53
3.58.2.1 LevelMeterFloat()	53
3.59 AudioUtil.LevelMeterShort Class Reference	53
3.59.1 Detailed Description	53
3.59.2 Constructor & Destructor Documentation	54
3.59.2.1 LevelMeterShort()	54
3.60 LoadBalancingFrontend Class Reference	54
3.61 LoadBalancingTransport Class Reference	54
3.61.1 Detailed Description	55
3.61.2 Constructor & Destructor Documentation	55
3.61.2.1 LoadBalancingTransport()	55
3.61.3 Member Function Documentation	56

3.61.3.1 Dispose()	56
3.61.3.2 SendDebugEchoVoicesInfo()	56
3.61.3.3 Service()	56
3.61.4 Property Documentation	56
3.61.4.1 GlobalInterestGroup	57
3.61.4.2 VoiceClient	57
3.62 LocalVoice Class Reference	57
3.62.1 Detailed Description	58
3.62.2 Member Function Documentation	58
3.62.2.1 RemoveSelf()	58
3.62.3 Property Documentation	58
3.62.3.1 DebugEchoMode	59
3.62.3.2 Encrypt	59
3.62.3.3 FramesSent	59
3.62.3.4 FramesSentBytes	59
3.62.3.5 Info	59
3.62.3.6 InterestGroup	59
3.62.3.7 IsCurrentlyTransmitting	60
3.62.3.8 LocalUserServiceable	60
3.62.3.9 Reliable	60
3.62.3.10 TransmitEnabled	60
3.63 LocalVoiceAudio< T > Class Template Reference	60
3.63.1 Detailed Description	61
3.63.2 Member Function Documentation	61
3.63.2.1 Create()	61
3.63.2.2 VoiceDetectorCalibrate()	62
3.63.3 Property Documentation	62
3.63.3.1 VoiceDetectorCalibrating	62
3.64 LocalVoiceAudioDummy Class Reference	62
3.64.1 Detailed Description	63
3.64.2 Member Function Documentation	63
3.64.2.1 VoiceDetectorCalibrate()	63
3.64.3 Member Data Documentation	63
3.64.3.1 Dummy	64
3.65 LocalVoiceAudioFloat Class Reference	64
3.65.1 Detailed Description	64
3.66 LocalVoiceAudioShort Class Reference	64
3.66.1 Detailed Description	64
3.67 LocalVoiceFramed< T > Class Template Reference	64
3.67.1 Detailed Description	65
3.67.2 Member Function Documentation	65
3.67.2.1 AddPostProcessor()	66

3.67.2.2 AddPreProcessor()	66
3.67.2.3 ClearProcessors()	66
3.67.2.4 Dispose()	66
3.67.2.5 PushData()	67
3.67.2.6 PushDataAsync()	67
3.67.3 Property Documentation	67
3.67.3.1 PushDataAsyncReady	67
3.68 LocalVoiceFramedBase Class Reference	67
3.68.1 Detailed Description	67
3.68.2 Property Documentation	68
3.68.2.1 FrameSize	68
3.69 Logger Class Reference	68
3.70 MicAmplifier Class Reference	68
3.71 MicAmplifierFloat Class Reference	68
3.72 MicAmplifierShort Class Reference	69
3.73 MicWrapper Class Reference	69
3.74 ObjectFactory< TType, TInfo > Interface Template Reference	70
3.74.1 Detailed Description	70
3.75 ObjectPool< TType, TInfo > Class Template Reference	70
3.75.1 Detailed Description	71
3.75.2 Constructor & Destructor Documentation	71
3.75.2.1 ObjectPool() [1/2]	71
3.75.2.2 ObjectPool() [2/2]	72
3.75.3 Member Function Documentation	72
3.75.3.1 AcquireOrCreate() [1/2]	72
3.75.3.2 AcquireOrCreate() [2/2]	72
3.75.3.3 Dispose()	73
3.75.3.4 Init()	73
3.75.3.5 Release() [1/2]	73
3.75.3.6 Release() [2/2]	73
3.75.4 Property Documentation	74
3.75.4.1 Info	74
3.76 OpusCodec Class Reference	74
3.77 OpusDecoder Class Reference	74
3.78 OpusEncoder Class Reference	75
3.78.1 Property Documentation	75
3.78.1.1 EncoderDelay	75
3.79 OpusException Class Reference	75
3.80 WebRTCAudioLib.Param Struct Reference	76
3.81 PhotonVoiceCreatedParams Class Reference	76
3.82 Recorder.PhotonVoiceCreatedParams Class Reference	76
3.83 PhotonVoiceLagSimulationGui Class Reference	77

3.84 PhotonVoiceNetwork Class Reference	77
3.84.1 Detailed Description	78
3.84.2 Member Function Documentation	78
3.84.2.1 ConnectAndJoinRoom()	78
3.84.2.2 Disconnect()	78
3.84.3 Member Data Documentation	78
3.84.3.1 AutoConnectAndJoin	78
3.84.3.2 AutoCreateSpeakerIfNotFound	79
3.84.3.3 AutoLeaveAndDisconnect	79
3.84.3.4 VoiceRoomNameSuffix	79
3.84.4 Property Documentation	79
3.84.4.1 Instance	79
3.85 PhotonVoiceStatsGui Class Reference	79
3.85.1 Detailed Description	79
3.86 PhotonVoiceView Class Reference	80
3.86.1 Detailed Description	80
3.86.2 Member Function Documentation	81
3.86.2.1 Init()	81
3.86.3 Member Data Documentation	81
3.86.3.1 AutoCreateRecorderIfNotFound	81
3.86.3.2 SetupDebugSpeaker	81
3.86.3.3 UsePrimaryRecorder	81
3.86.4 Property Documentation	81
3.86.4.1 IsRecorder	82
3.86.4.2 IsRecording	82
3.86.4.3 IsSetup	82
3.86.4.4 IsSpeaker	82
3.86.4.5 IsSpeaking	82
3.86.4.6 RecorderInUse	82
3.86.4.7 SpeakerInUse	83
3.87 PrimitiveArrayPool< T > Class Template Reference	83
3.87.1 Detailed Description	83
3.88 RawCodec Class Reference	83
3.89 Recorder Class Reference	83
3.89.1 Detailed Description	86
3.89.2 Member Function Documentation	86
3.89.2.1 Init() [1 / 2]	86
3.89.2.2 Init() [2 / 2]	86
3.89.2.3 RestartRecording()	86
3.89.2.4 StartRecording()	87
3.89.2.5 StopRecording()	87
3.89.2.6 VoiceDetectorCalibrate()	87

3.89.3 Property Documentation	87
3.89.3.1 AudioClip	87
3.89.3.2 AudioGroup	87
3.89.3.3 AutoStart	88
3.89.3.4 Bitrate	88
3.89.3.5 DebugEchoMode	88
3.89.3.6 Encrypt	88
3.89.3.7 FrameDuration	88
3.89.3.8 InputFactory	88
3.89.3.9 InterestGroup	89
3.89.3.10 IsCurrentlyTransmitting	89
3.89.3.11 IsInitialized	89
3.89.3.12 IsRecording	89
3.89.3.13 LevelMeter	89
3.89.3.14 LoopAudioClip	89
3.89.3.15 MicrophoneType	90
3.89.3.16 PhotonMicrophoneDeviceId	90
3.89.3.17 PhotonMicrophoneEnumerator	90
3.89.3.18 ReliableMode	90
3.89.3.19 RequiresRestart	90
3.89.3.20 SamplingRate	90
3.89.3.21 SourceType	91
3.89.3.22 TransmitEnabled	91
3.89.3.23 TypeConvert	91
3.89.3.24 UnityMicrophoneDevice	91
3.89.3.25 UserData	91
3.89.3.26 VoiceDetection	91
3.89.3.27 VoiceDetectionDelayMs	92
3.89.3.28 VoiceDetectionThreshold	92
3.89.3.29 VoiceDetector	92
3.89.3.30 VoiceDetectorCalibrating	92
3.90 RemoteVoiceInfo Class Reference	92
3.90.1 Detailed Description	93
3.90.2 Property Documentation	93
3.90.2.1 ChannelId	93
3.90.2.2 Info	93
3.90.2.3 PlayerId	93
3.90.2.4 VoiceId	93
3.91 RemoteVoiceLink Class Reference	93
3.92 RemoteVoiceOptions Struct Reference	94
3.92.1 Detailed Description	94
3.92.2 Member Function Documentation	94

3.92.2.1 SetOutput()	94
3.92.3 Property Documentation	95
3.92.3.1 Decoder	95
3.92.3.2 OnRemoteVoiceRemoveAction	95
3.93 AudioUtil.Resampler< T > Class Template Reference	95
3.93.1 Detailed Description	95
3.93.2 Constructor & Destructor Documentation	95
3.93.2.1 Resampler()	95
3.93.3 Member Function Documentation	96
3.93.3.1 Process()	96
3.94 Speaker Class Reference	96
3.94.1 Detailed Description	97
3.94.2 Member Data Documentation	97
3.94.2.1 PlayDelayMs	97
3.94.3 Property Documentation	97
3.94.3.1 Actor	97
3.94.3.2 IsLinked	97
3.94.3.3 IsPlaying	98
3.94.3.4 Lag	98
3.94.3.5 OnRemoteVoiceRemoveAction	98
3.95 TestTone Class Reference	98
3.96 AudioUtil.ToneAudioPusher< T > Class Template Reference	98
3.96.1 Detailed Description	99
3.96.2 Constructor & Destructor Documentation	99
3.96.2.1 ToneAudioPusher()	99
3.96.3 Member Function Documentation	99
3.96.3.1 SetCallback()	99
3.97 AudioUtil.ToneAudioReader< T > Class Template Reference	100
3.97.1 Detailed Description	100
3.97.2 Constructor & Destructor Documentation	100
3.97.2.1 ToneAudioReader()	100
3.97.3 Member Function Documentation	101
3.97.3.1 Read()	101
3.97.4 Property Documentation	101
3.97.4.1 Channels	101
3.97.4.2 Error	101
3.97.4.3 SamplingRate	102
3.98 ToneAudioReader Class Reference	102
3.99 UnityAndroidAudioInAEC Class Reference	102
3.100 UnityAudioOut Class Reference	102
3.101 UnsupportedCodecException Class Reference	103
3.101.1 Detailed Description	103

3.101.2 Constructor & Destructor Documentation	103
3.101.2.1 UnsupportedCodecException()	103
3.102 UnsupportedSampleTypeException Class Reference	104
3.102.1 Detailed Description	104
3.102.2 Constructor & Destructor Documentation	104
3.102.2.1 UnsupportedSampleTypeException()	104
3.103 OpusCodec.Util Class Reference	105
3.104 VoiceClient Class Reference	105
3.104.1 Detailed Description	106
3.104.2 Member Function Documentation	106
3.104.2.1 CreateLocalVoice()	106
3.104.2.2 CreateLocalVoiceAudio< T >()	107
3.104.2.3 CreateLocalVoiceAudioFromSource()	107
3.104.2.4 CreateLocalVoiceFramed< T >()	108
3.104.2.5 LocalVoicesInChannel()	108
3.104.2.6 RemoteVoiceInfoDelegate()	109
3.104.2.7 RemoveLocalVoice()	109
3.104.2.8 Service()	109
3.104.3 Property Documentation	109
3.104.3.1 DebugLostPercent	109
3.104.3.2 FramesLost	110
3.104.3.3 FramesReceived	110
3.104.3.4 FramesSent	110
3.104.3.5 FramesSentBytes	110
3.104.3.6 LocalVoices	110
3.104.3.7 OnRemoteVoiceInfoAction	110
3.104.3.8 RemoteVoiceInfos	111
3.104.3.9 RoundTripTime	111
3.104.3.10 RoundTripTimeVariance	111
3.104.3.11 SuppressInfoDuplicateWarning	111
3.105 VoiceComponent Class Reference	111
3.106 VoiceConnection Class Reference	112
3.106.1 Detailed Description	113
3.106.2 Member Function Documentation	113
3.106.2.1 ConnectUsingSettings()	113
3.106.2.2 Dispatch()	114
3.106.2.3 InitRecorder()	114
3.106.3 Member Data Documentation	114
3.106.3.1 MinimalTimeScaleToDispatchInFixedUpdate	114
3.106.3.2 Settings	114
3.106.3.3 SpeakerFactory	115
3.106.4 Property Documentation	115

3.106.4.1 ClientState	115
3.106.4.2 FramesLostPercent	115
3.106.4.3 FramesLostPerSecond	115
3.106.4.4 FramesReceivedPerSecond	115
3.106.4.5 Logger	115
3.106.4.6 LogLevel	116
3.106.4.7 PrimaryRecorder	116
3.106.4.8 SpeakerPrefab	116
3.106.4.9 VoiceClient	116
3.106.5 Event Documentation	116
3.106.5.1 RemoteVoiceAdded	116
3.106.5.2 SpeakerLinked	116
3.107 AudioUtil.VoiceDetector< T > Class Template Reference	117
3.107.1 Detailed Description	117
3.107.2 Member Function Documentation	117
3.107.2.1 Process()	117
3.107.3 Property Documentation	118
3.107.3.1 ActivityDelayMs	118
3.107.3.2 Detected	118
3.107.3.3 DetectedTime	118
3.107.3.4 On	118
3.107.3.5 Threshold	119
3.107.4 Event Documentation	119
3.107.4.1 OnDetected	119
3.108 AudioUtil.VoiceDetectorCalibration< T > Class Template Reference	119
3.108.1 Detailed Description	120
3.108.2 Constructor & Destructor Documentation	120
3.108.2.1 VoiceDetectorCalibration()	120
3.108.3 Member Function Documentation	120
3.108.3.1 Calibrate()	120
3.108.3.2 Process()	121
3.109 AudioUtil.VoiceDetectorDummy Class Reference	121
3.109.1 Detailed Description	121
3.110 AudioUtil.VoiceDetectorFloat Class Reference	121
3.110.1 Detailed Description	122
3.110.2 Constructor & Destructor Documentation	122
3.110.2.1 VoiceDetectorFloat()	122
3.111 AudioUtil.VoiceDetectorShort Class Reference	122
3.111.1 Detailed Description	122
3.111.2 Constructor & Destructor Documentation	123
3.111.2.1 VoiceDetectorShort()	123
3.112 VoiceEvent Class Reference	123

3.112.1 Member Data Documentation	123
3.112.1.1 Code	123
3.113 VoiceInfo Struct Reference	123
3.113.1 Detailed Description	124
3.113.2 Member Function Documentation	124
3.113.2.1 CreateAudio()	124
3.113.2.2 CreateAudioOpus()	125
3.113.3 Property Documentation	125
3.113.3.1 Bitrate	125
3.113.3.2 Channels	126
3.113.3.3 FrameDurationSamples	126
3.113.3.4 FrameDurationUs	126
3.113.3.5 FrameSize	126
3.113.3.6 Height	126
3.113.3.7 SamplingRate	126
3.113.3.8 UserData	127
3.113.3.9 Width	127
3.114 AudioUtil.VoiceLevelDetectCalibrate< T > Class Template Reference	127
3.114.1 Detailed Description	127
3.114.2 Constructor & Destructor Documentation	127
3.114.2.1 VoiceLevelDetectCalibrate()	127
3.114.3 Member Function Documentation	128
3.114.3.1 Calibrate()	128
3.114.3.2 Process()	128
3.114.4 Property Documentation	128
3.114.4.1 LevelMeter	129
3.114.4.2 VoiceDetector	129
3.115 VoiceLogger Class Reference	129
3.116 WebRtcAudioDsp Class Reference	129
3.116.1 Member Function Documentation	130
3.116.1.1 SetOrSwitchAudioListener()	130
3.116.1.2 SetOrSwitchAudioOutCapture()	130
3.117 WebRTCAudioLib Class Reference	131
3.118 WebRTCAudioProcessor Class Reference	131

Index	133
--------------	------------

Chapter 1

Main Page

Photon Voice 2 has three key classes:

- `Photon.Voice.Unity.VoiceConnection` (extends `Photon.Realtime.LoadBalancingClient`)
- `Photon.Voice.Unity.Recorder`
- `Photon.Voice.Unity.Speaker`

If you also use the integration with PUN 2, we added two components for ease-of-use and more convenience:

- `Photon.Voice.PUN.PhotonVoiceNetwork`
- `Photon.Voice.PUN.PhotonVoiceView`

Photon Voice 2 also comes with a WebRTC based DSP (`Photon.Voice.Unity.WebRtcAudioDsp` using `Photon.Voice.WebRTCAudioProcessor`).

Read more in the official documentation [here](#).

You can download Photon Voice 2 [here](#).

Chapter 2

Namespace Documentation

2.1 Photon Namespace Reference

2.2 Photon.Voice Namespace Reference

Classes

- class [AudioDesc](#)
- class [AudioInChangeNotifier](#)
- class [AudioInEnumerator](#)
Enumerates microphones available on device.
- class [AudioStreamPlayer](#)
- class [AudioUtil](#)
Collection of Audio Utility functions and classes.
- class [BufferReaderPushAdapter](#)
Simple [BufferReaderPushAdapterBase](#) implementation using a single buffer, using synchronous [LocalVoice.PushData](#)
- class [BufferReaderPushAdapterAsyncPool](#)
[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#).
- class [BufferReaderPushAdapterAsyncPoolCopy](#)
[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#) and data copy.
- class [BufferReaderPushAdapterAsyncPoolFloatToShort](#)
[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#), converting float samples to short.
- class [BufferReaderPushAdapterBase](#)
Adapter base class to move data by reading from [IDataReader.Read](#) and pushing to [LocalVoice](#).
- class [FactoryPrimitiveArrayPool](#)
[PrimitiveArrayPool<T>](#) as wrapped in object factory interface.
- class [FactoryReusableArray](#)
Array factory returnng the same array instance as long as it requested with the same array length. If length changes, new array instance created.
- class [Framer](#)
Utility class to re-frame audio packets.
- interface [IAudioDesc](#)
Audio Source interface.
- interface [IAudioOut](#)

- interface [IAudioPusher](#)
Audio Pusher interface.
- interface [IAudioReader](#)
Audio Reader interface.
- interface [IDataReader](#)
Interface for pulling data, in case this is more appropriate than pushing it.
- interface [IDecoder](#)
Generic decoder interface.
- interface [IDecoderQueuedOutputImageNative](#)
- interface [IEncoder](#)
Generic encoder interface.
- interface [IEncoderDirect](#)
Interface for an encoder which consumes input data via explicit call.
- interface [ILocalVoiceAudio](#)
Interface for an outgoing audio stream.
- interface [ILogger](#)
- class [ImageBufferInfo](#)
- class [ImageBufferNative](#)
- class [ImageBufferNativeAlloc](#)
- class [ImageBufferNativeGCHandleSinglePlane](#)
- class [ImageBufferNativePool](#)
- struct [ImageInputBuf](#)
- struct [ImageOutputBuf](#)
- interface [IProcessor](#)
Audio Processor interface.
- interface [IServiceable](#)
Interface for classes that want their [Service\(\)](#) function to be called regularly in the context of a [LocalVoice](#).
- interface [ISyncAudioOut](#)
- interface [IVoiceTransport](#)
- class [LoadBalancingFrontend](#)
- class [LoadBalancingTransport](#)
Extends [LoadBalancingClient](#) with audio streaming functionality.
- class [LocalVoice](#)
Represents outgoing data stream.
- class [LocalVoiceAudio](#)
Outgoing audio stream.
- class [LocalVoiceAudioDummy](#)
Dummy [LocalVoiceAudio](#)
- class [LocalVoiceAudioFloat](#)
Specialization of [LocalVoiceAudio](#) for float audio
- class [LocalVoiceAudioShort](#)
Specialization of [LocalVoiceAudio](#) for short audio
- class [LocalVoiceFramed](#)
Typed re-framing [LocalVoice](#)
- class [LocalVoiceFramedBase](#)
Typed re-framing [LocalVoice](#)
- interface [ObjectFactory](#)
Uniform interface to [ObjectPool<TType, TInfo>](#) and single reusable object.
- class [ObjectPool](#)
Generic Pool to re-use objects of a certain type ([TType](#)) that optionally match a certain property or set of properties ([TInfo](#)).
- class [OpusCodec](#)

- class **PhotonTransportProtocol**
- class [PrimitiveArrayPool](#)
Pool of Arrays with components of type T, with [ObjectPool](#) info being the array's size.
- class [RawCodec](#)
- class **RemoteVoice**
- class [RemoteVoiceInfo](#)
Information about a remote voice (incoming stream).
- struct [RemoteVoiceOptions](#)
Event Actions and other options for a remote voice (incoming stream).
- class [UnsupportedCodecException](#)
Exception thrown if an unsupported codec is encountered.
- class [UnsupportedSampleTypeException](#)
Exception thrown if an unsupported audio sample type is encountered.
- class [VoiceClient](#)
[Voice](#) client interact with other clients on network via [IVoiceTransport](#).
- class [VoiceEvent](#)
- struct [VoiceInfo](#)
Describes stream properties.
- class [WebRTCAudioLib](#)
- class [WebRTCAudioProcessor](#)

Enumerations

- enum [Codec](#)
Enum for Media Codecs supported by PhotonVoice.
- enum **ImageFormat**
- enum **Rotation**
- enum **Flip**

2.2.1 Enumeration Type Documentation

2.2.1.1 Codec

```
enum Codec [strong]
```

Enum for Media Codecs supported by PhotonVoice.

Transmitted in [VoiceInfo](#). Do not change the values of this Enum!

Enumerator

AudioOpus	OPUS audio
-----------	------------

2.3 Photon.Voice.IOS Namespace Reference

Classes

- struct [AudioSessionParameters](#)
- class [AudioSessionParametersPresets](#)

Enumerations

- enum [AudioSessionCategory](#)
- enum [AudioSessionMode](#)
- enum [AudioSessionCategoryOption](#)

2.3.1 Enumeration Type Documentation

2.3.1.1 AudioSessionCategory

enum [AudioSessionCategory](#) [strong]

Enumerator

Ambient	Use this category for background sounds such as rain, car engine noise, etc. Mixes with other music. API_AVAILABLE(ios(3.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);
SoloAmbient	Use this category for background sounds. Other music will stop playing. API_AVAILABLE(ios(3.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);
Playback	Use this category for music tracks. API_AVAILABLE(ios(3.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);
Record	Use this category when recording audio. API_AVAILABLE(ios(3.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);
PlayAndRecord	Use this category when recording and playing back audio. API_AVAILABLE(ios(3.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);
AudioProcessing	Use this category when using a hardware codec or signal processor while not playing or recording audio. API_DEPRECATED("No longer supported", ios(3.0, 10.0)) API_UNAVAILABLE(watchos, tvos) API_UNAVAILABLE(macos);
MultiRoute	Use this category to customize the usage of available audio accessories and built-in audio hardware. For example, this category provides an application with the ability to use an available USB output and headphone output simultaneously for separate, distinct streams of audio data. Use of this category by an application requires a more detailed knowledge of, and interaction with, the capabilities of the available audio routes. May be used for input, output, or both. Note that not all output types and output combinations are eligible for multi-route. Input is limited to the last-in input port. Eligible inputs consist of the following: AVAudioSessionPortUSBAudio, AVAudioSessionPortHeadsetMic, and AVAudioSessionPortBuiltInMic. Eligible outputs consist of the following: AVAudioSessionPortUSBAudio, AVAudioSessionPortLineOut, AVAudioSessionPortHeadphones, AVAudioSessionPortHDMI, and AVAudioSessionPortBuiltInSpeaker. Note that AVAudioSessionPortBuiltInSpeaker is only allowed to be used when there are no other eligible outputs connected. API_AVAILABLE(ios(6.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);

2.3.1.2 AudioSessionCategoryOption

```
enum AudioSessionCategoryOption [strong]
```

Enumerator

MixWithOthers	This allows an application to set whether or not other active audio apps will be interrupted or mixed with when your app's audio session goes active. The typical cases are: (1) AVAudioSessionCategoryPlayAndRecord or AVAudioSessionCategoryMultiRoute this will default to false, but can be set to true. This would allow other applications to play in the background while an app had both audio input and output enabled (2) AVAudioSessionCategoryPlayback this will default to false, but can be set to true. This would allow other applications to play in the background, but an app will still be able to play regardless of the setting of the ringer switch (3) Other categories this defaults to false and cannot be changed (that is, the mix with others setting of these categories cannot be overridden. An application must be prepared for setting this property to fail as behaviour may change in future releases. If an application changes their category, they should reassert the option (it is not sticky across category changes). MixWithOthers is only valid with AVAudioSessionCategoryPlayAndRecord, AVAudioSessionCategoryPlayback, and AVAudioSessionCategoryMultiRoute
DuckOthers	This allows an application to set whether or not other active audio apps will be ducked when when your app's audio session goes active. An example of this is the Nike app, which provides periodic updates to its user (it reduces the volume of any music currently being played while it provides its status). This defaults to off. Note that the other audio will be ducked for as long as the current session is active. You will need to deactivate your audio session when you want full volume playback of the other audio. If your category is AVAudioSessionCategoryPlayback, AVAudioSessionCategoryPlayAndRecord, or AVAudioSessionCategoryMultiRoute, by default the audio session will be non-mixable and non-ducking. Setting this option will also make your category mixable with others (AVAudioSessionCategoryOptionMixWithOthers will be set). DuckOthers is only valid with AVAudioSessionCategoryAmbient, AVAudioSessionCategoryPlayAndRecord, AVAudioSessionCategoryPlayback, and AVAudioSessionCategoryMultiRoute
AllowBluetooth	This allows an application to change the default behaviour of some audio session categories with regards to showing bluetooth Hands-Free Profile (HFP) devices as available routes. The current category behavior is: (1) AVAudioSessionCategoryPlayAndRecord this will default to false, but can be set to true. This will allow a paired bluetooth HFP device to show up as an available route for input, while playing through the category-appropriate output (2) AVAudioSessionCategoryRecord this will default to false, but can be set to true. This will allow a paired bluetooth HFP device to show up as an available route for input (3) Other categories this defaults to false and cannot be changed (that is, enabling bluetooth for input in these categories is not allowed) An application must be prepared for setting this option to fail as behaviour may change in future releases. If an application changes their category or mode, they should reassert the override (it is not sticky across category and mode changes). AllowBluetooth is only valid with AVAudioSessionCategoryRecord and AVAudioSessionCategoryPlayAndRecord
DefaultToSpeaker	This allows an application to change the default behaviour of some audio session categories with regards to the audio route. The current category behavior is: (1) AVAudioSessionCategoryPlayAndRecord category this will default to false, but can be set to true. this will route to Speaker (instead of Receiver) when no other audio route is connected. (2) Other categories this defaults to false and cannot be changed (that is, the default to speaker setting of these categories cannot be overridden An application must be prepared for setting this property to fail as behaviour may change in future releases. If an application changes their category, they should reassert the override (it is not sticky across category and mode changes). DefaultToSpeaker is only valid with AVAudioSessionCategoryPlayAndRecord

2.3.1.3 AudioSessionMode

enum [AudioSessionMode](#) [strong]

Enumerator

Default	Modes modify the audio category in order to introduce behavior that is tailored to the specific use of audio within an application. Available in iOS 5.0 and greater. The default mode <code>API_AVAILABLE(ios(5.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>
VoiceChat	Only valid with <code>AVAudioSessionCategoryPlayAndRecord</code> . Appropriate for Voice over IP (VoIP) applications. Reduces the number of allowable audio routes to be only those that are appropriate for VoIP applications and may engage appropriate system-supplied signal processing. Has the side effect of setting <code>AVAudioSessionCategoryOptionAllowBluetooth</code> <code>API_AVAILABLE(ios(5.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>
VideoRecording	Only valid with <code>AVAudioSessionCategoryPlayAndRecord</code> or <code>AVAudioSessionCategoryRecord</code> . Modifies the audio routing options and may engage appropriate system-supplied signal processing. <code>API_AVAILABLE(ios(5.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>
Measurement	Appropriate for applications that wish to minimize the effect of system-supplied signal processing for input and/or output audio signals. <code>API_AVAILABLE(ios(5.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>
MoviePlayback	Engages appropriate output signal processing for movie playback scenarios. Currently only applied during playback over built-in speaker. <code>API_AVAILABLE(ios(6.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>
VideoChat	Only valid with <code>kAudioSessionCategory_PlayAndRecord</code> . Reduces the number of allowable audio routes to be only those that are appropriate for video chat applications. May engage appropriate system-supplied signal processing. Has the side effect of setting <code>AVAudioSessionCategoryOptionAllowBluetooth</code> and <code>AVAudioSessionCategoryOptionDefaultToSpeaker</code> . <code>API_AVAILABLE(ios(7.0), watchos(2.0), tvos(9.0)) API_UNAVAILABLE(macos);</code>

2.4 Photon.Voice.PUN Namespace Reference

Classes

- class [PhotonVoiceNetwork](#)

This class can be used to automatically sync client states between [PUN](#) and [Voice](#). It also sets a custom [PUN Speaker](#) factory to find the [Speaker](#) component for a character's voice. For this to work attach a [PhotonVoiceView](#) next to the [PhotonView](#) of your player's prefab.

- class [PhotonVoiceView](#)

Component that should be attached to a networked [PUN](#) prefab that has [PhotonView](#). It will bind remote [Recorder](#) with local [Speaker](#) of the same networked prefab. This component makes automatic voice stream routing easy for players' characters/avatars.

2.5 Photon.Voice.Unity Namespace Reference

Classes

- class [AudioClipWrapper](#)

- class [AudioOutCapture](#)
- interface [ILoggable](#)
- class [IOSAudioForceToSpeaker](#)
- class [Logger](#)
- class [MicWrapper](#)
- class [PhotonVoiceCreatedParams](#)
- class [Recorder](#)

Component representing outgoing audio stream in scene.

- class [RemoteVoiceLink](#)
- class [Speaker](#)

Component representing remote audio stream in local scene.

- class [UnityAndroidAudioInAEC](#)
- class [UnityAudioOut](#)
- class [VoiceComponent](#)
- class [VoiceConnection](#)

Component that represents a client voice connection to [Photon](#) Servers.

- class [VoiceLogger](#)
- class [WebRtcAudioDsp](#)

2.6 Photon.Voice.Unity.UtilityScripts Namespace Reference

Classes

- class [ConnectAndJoin](#)
- class [MicAmplifier](#)
- class [MicAmplifierFloat](#)
- class [MicAmplifierShort](#)
- class [PhotonVoiceLagSimulationGui](#)
- class [PhotonVoiceStatsGui](#)

Basic GUI to show traffic and health statistics of the connection to [Photon](#), toggled by shift+tab.

- class [TestTone](#)
- class [ToneAudioReader](#)

2.7 POpusCodec Namespace Reference

Classes

- class [OpusDecoder](#)
- class [OpusEncoder](#)
- class [OpusException](#)
- class **Wrapper**

2.8 POpusCodec.Enums Namespace Reference

Enumerations

- enum [Bandwidth](#) : int
- enum [Channels](#) : int
- enum **Complexity** : int
- enum [Delay](#)
 - Using a duration of less than 10 ms will prevent the encoder from using the LPC or hybrid modes.*
- enum **ForceChannels** : int
- enum [OpusApplicationType](#) : int
- enum **OpusStatusCode** : int
- enum **SamplingRate** : int
- enum [SignalHint](#) : int

2.8.1 Enumeration Type Documentation

2.8.1.1 Bandwidth

```
enum Bandwidth : int [strong]
```

Enumerator

Narrowband	Up to 4Khz
Mediumband	Up to 6Khz
Wideband	Up to 8Khz
SuperWideband	Up to 12Khz
Fullband	Up to 20Khz (High Definition)

2.8.1.2 Channels

```
enum Channels : int [strong]
```

Enumerator

Mono	1 Channel
Stereo	2 Channels

2.8.1.3 Delay

```
enum Delay [strong]
```

Using a duration of less than 10 ms will prevent the encoder from using the LPC or hybrid modes.

Enumerator

Delay2dot5ms	2.5ms
Delay5ms	5ms
Delay10ms	10ms
Delay20ms	20ms
Delay40ms	40ms
Delay60ms	60ms

2.8.1.4 OpusApplicationType

```
enum OpusApplicationType : int [strong]
```

Enumerator

Voip	Gives best quality at a given bitrate for voice signals. It enhances the input signal by high-pass filtering and emphasizing formants and harmonics. Optionally it includes in-band forward error correction to protect against packet loss. Use this mode for typical VoIP applications. Because of the enhancement, even at high bitrates the output may sound different from the input.
Audio	Gives best quality at a given bitrate for most non-voice signals like music. Use this mode for music and mixed (music/voice) content, broadcast, and applications requiring less than 15 ms of coding delay.
RestrictedLowDelay	Configures low-delay mode that disables the speech-optimized mode in exchange for slightly reduced delay.

2.8.1.5 SignalHint

```
enum SignalHint : int [strong]
```

Enumerator

Auto	(default)
Voice	Bias thresholds towards choosing LPC or Hybrid modes
Music	Bias thresholds towards choosing MDCT modes.

Chapter 3

Class Documentation

3.1 AudioClipWrapper Class Reference

Inherits [IAudioReader< float >](#).

Public Member Functions

- **AudioClipWrapper** (AudioClip audioClip)
- bool **Read** (float[] buffer)
- void **Dispose** ()

Properties

- bool **Loop** [get, set]
- int **SamplingRate** [get]
- int **Channels** [get]
- string **Error** [get]

3.2 AudioDesc Class Reference

Inherits [IAudioDesc](#).

Public Member Functions

- **AudioDesc** (int samplingRate, int channels, string error)
- void **Dispose** ()

Properties

- int **SamplingRate** [get]
- int **Channels** [get]
- string **Error** [get]

3.3 **AudiInChangeNotifier** Class Reference

Inherits IDisposable.

Public Member Functions

- **AudiInChangeNotifier** (Action callback, [ILogger](#) logger)
- void **Dispose** ()

Public Attributes

- readonly bool **IsSupported** = false

Properties

- string **Error** [get]

3.4 **AudiInEnumerator** Class Reference

Enumerates microphones available on device.

Inherits IDisposable.

Public Member Functions

- **AudiInEnumerator** ([ILogger](#) logger)
- void **Refresh** ()
- string **NameAtIndex** (int i)
- int **IDAtIndex** (int i)
- bool **IsValid** (int id)
- void **Dispose** ()

Public Attributes

- readonly bool **IsSupported** = false

Properties

- string **Error** [get]
- int **Count** [get]

3.4.1 Detailed Description

Enumerates microphones available on device.

3.5 AudioOutCapture Class Reference

Inherits MonoBehaviour.

Events

- Action< float[], int > **OnAudioFrame**

3.6 AudioSessionParameters Struct Reference

Public Member Functions

- int **CategoryOptionsToInt** ()
- override string **ToString** ()

Public Attributes

- [AudioSessionCategory](#) **Category**
- [AudioSessionMode](#) **Mode**
- [AudioSessionCategoryOption](#)[] **CategoryOptions**

3.7 AudioSessionParametersPresets Class Reference

Static Public Attributes

- static [AudioSessionParameters](#) **Game**
- static [AudioSessionParameters](#) **VoIP**

3.7.1 Member Data Documentation

3.7.1.1 Game

```
AudioSessionParameters Game [static]
```

Initial value:

```
= new AudioSessionParameters()  
{  
    Category = AudioSessionCategory.PlayAndRecord,  
    Mode = AudioSessionMode.Default,  
    CategoryOptions = new AudioSessionCategoryOption[] {  
        AudioSessionCategoryOption.DefaultToSpeaker, AudioSessionCategoryOption.AllowBluetooth }  
}
```

3.7.1.2 VoIP

`AudioSessionParameters` VoIP [static]

Initial value:

```
= new AudioSessionParameters()
{
    Category = AudioSessionCategory.PlayAndRecord,
    Mode = AudioSessionMode.VoiceChat,

    CategoryOptions = new AudioSessionCategoryOption[] { AudioSessionCategoryOption.AllowBluetooth }
}
```

3.8 AudioStreamPlayer< T > Class Template Reference

Inherits [IAudioOut< T >](#).

Public Member Functions

- **AudioStreamPlayer** ([ILogger](#) logger, [ISyncAudioOut< T >](#) audioOut, string logPrefix, bool debugInfo)
- void **Start** (int frequency, int channels, int frameSamples, int playDelayMs)
- void **Service** ()
- void **Push** (T[] frame)
- void **Stop** ()

Properties

- int **Lag** [get]
- bool **IsPlaying** [get]

3.9 AudioUtil Class Reference

Collection of Audio Utility functions and classes.

Classes

- interface [ILevelMeter](#)
Audio Level Metering interface.
- interface [IVoiceDetector](#)
Voice Activity Detector interface.
- class [LevelMeter](#)
Audio Level Meter.
- class [LevelMeterDummy](#)
Dummy Audio Level Meter that doesn't actually do anything.
- class [LevelMeterFloat](#)
LevelMeter specialization for float audio.
- class [LevelMeterShort](#)
LevelMeter specialization for short audio.

- class [Resampler](#)
Sample-rate conversion Audio Processor.
- class [ToneAudioPusher](#)
IAudioPusher that provides a constant tone signal.
- class [ToneAudioReader](#)
IAudioReader that provides a constant tone signal.
- class [VoiceDetector](#)
Simple voice activity detector triggered by signal level.
- class [VoiceDetectorCalibration](#)
Calibration Utility for Voice Detector
- class [VoiceDetectorDummy](#)
Dummy VoiceDetector that doesn't actually do anything.
- class [VoiceDetectorFloat](#)
VoiceDetector specialization for float audio.
- class [VoiceDetectorShort](#)
VoiceDetector specialization for float audio.
- class [VoiceLevelDetectCalibrate](#)
Utility Audio Processor Voice Detection Calibration.

Static Public Member Functions

- static void [Resample< T >](#) (T[] src, T[] dst, int dstCount, int channels)
Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer.
- static void [ResampleAndConvert](#) (short[] src, float[] dst, int dstCount, int channels)
Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer, and convert short to float samples along the way.
- static void [ResampleAndConvert](#) (float[] src, short[] dst, int dstCount, int channels)
Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer, and convert float to short samples along the way.
- static void [Convert](#) (float[] src, short[] dst, int dstCount)
Convert audio buffer from float to short samples.
- static void [Convert](#) (short[] src, float[] dst, int dstCount)
Convert audio buffer from short to float samples.
- static void [ForceToStereo< T >](#) (T[] src, T[] dst, int srcChannels)
Convert audio buffer with arbitrary number of channels to stereo.

3.9.1 Detailed Description

Collection of Audio Utility functions and classes.

3.9.2 Member Function Documentation

3.9.2.1 [Convert\(\)](#) [1/2]

```
static void Convert (
    float[] src,
    short[] dst,
    int dstCount ) [static]
```

Convert audio buffer from float to short samples.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>dstCount</i>	Size of destination buffer (in total samples), source buffer must be of same length or longer.

3.9.2.2 Convert() [2/2]

```
static void Convert (
    short[] src,
    float[] dst,
    int dstCount ) [static]
```

Convert audio buffer from short to float samples.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>dstCount</i>	Size of destination buffer (in total samples), source buffer must be of same length or longer.

3.9.2.3 ForceToStereo< T >()

```
static void ForceToStereo< T > (
    T[] src,
    T[] dst,
    int srcChannels ) [static]
```

Convert audio buffer with arbitrary number of channels to stereo.

For mono sources (srcChannels==1), the signal will be copied to both Left and Right stereo channels. For all others, the first two available channels will be used, any other channels will be discarded.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>srcChannels</i>	Number of (interleaved) channels in src.

3.9.2.4 Resample< T >()

```
static void Resample< T > (
    T[] src,
```

```
T[] dst,
int dstCount,
int channels ) [static]
```

Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer.

This implements a primitive nearest-neighbor resampling algorithm for an arbitrary number of channels.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>dstCount</i>	Target size of destination buffer (in samples per channel).
<i>channels</i>	Number of channels in the signal (1=mono, 2=stereo). Must be > 0.

3.9.2.5 ResampleAndConvert() [1/2]

```
static void ResampleAndConvert (
    float[] src,
    short[] dst,
    int dstCount,
    int channels ) [static]
```

Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer, and convert float to short samples along the way.

This implements a primitive nearest-neighbor resampling algorithm for an arbitrary number of channels.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>dstCount</i>	Target size of destination buffer (in samples per channel).
<i>channels</i>	Number of channels in the signal (1=mono, 2=stereo). Must be > 0.

3.9.2.6 ResampleAndConvert() [2/2]

```
static void ResampleAndConvert (
    short[] src,
    float[] dst,
    int dstCount,
    int channels ) [static]
```

Resample audio data so that the complete src buffer fits into dstCount samples in the dst buffer, and convert short to float samples along the way.

This implements a primitive nearest-neighbor resampling algorithm for an arbitrary number of channels.

Parameters

<i>src</i>	Source buffer.
<i>dst</i>	Destination buffer.
<i>dstCount</i>	Target size of destination buffer (in samples per channel).
<i>channels</i>	Number of channels in the signal (1=mono, 2=stereo). Must be > 0.

3.10 BufferReaderPushAdapter< T > Class Template Reference

Simple [BufferReaderPushAdapterBase](#) implementation using a single buffer, using synchronous [LocalVoice.PushData](#)

Inherits [BufferReaderPushAdapterBase< T >](#).

Public Member Functions

- [BufferReaderPushAdapter](#) ([LocalVoice](#) localVoice, [IDataReader](#)< T > reader)
Create a new [BufferReaderPushAdapter](#) instance
- override void [Service](#) ([LocalVoice](#) localVoice)
Do the actual data read/push.

Protected Attributes

- T[] [buffer](#)

3.10.1 Detailed Description

Simple [BufferReaderPushAdapterBase](#) implementation using a single buffer, using synchronous [LocalVoice.PushData](#)

3.10.2 Constructor & Destructor Documentation

3.10.2.1 BufferReaderPushAdapter()

```
BufferReaderPushAdapter (
    LocalVoice localVoice,
    IDataReader< T > reader )
```

Create a new [BufferReaderPushAdapter](#) instance

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
<i>reader</i>	DataReader to read from.

3.10.3 Member Function Documentation

3.10.3.1 Service()

```
override void Service (
    LocalVoice localVoice ) [virtual]
```

Do the actual data read/push.

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
-------------------	--

Implements [BufferReaderPushAdapterBase< T >](#).

3.11 BufferReaderPushAdapterAsyncPool< T > Class Template Reference

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#).

Inherits [BufferReaderPushAdapterBase< T >](#).

Public Member Functions

- [BufferReaderPushAdapterAsyncPool](#) ([LocalVoice](#) localVoice, [IDataReader](#)< T > reader)
Create a new [BufferReaderPushAdapter](#) instance
- override void [Service](#) ([LocalVoice](#) localVoice)
Do the actual data read/push.

Additional Inherited Members

3.11.1 Detailed Description

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#).

Acquires a buffer from pool before each Read, releases buffer after last Read (brings Acquire/Release overhead).

Expects localVoice to be a [LocalVoiceFramed](#)<T> of same T.

3.11.2 Constructor & Destructor Documentation

3.11.2.1 BufferReaderPushAdapterAsyncPool()

```
BufferReaderPushAdapterAsyncPool (
    LocalVoice localVoice,
    IDataReader< T > reader )
```

Create a new [BufferReaderPushAdapter](#) instance

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
<i>reader</i>	DataReader to read from.

3.11.3 Member Function Documentation

3.11.3.1 Service()

```
override void Service (
    LocalVoice localVoice ) [virtual]
```

Do the actual data read/push.

Parameters

<i>localVoice</i>	LocalVoice instance to push data to. Must be a LocalVoiceFramed<T> of same T.
-------------------	---

Implements [BufferReaderPushAdapterBase< T >](#).

3.12 BufferReaderPushAdapterAsyncPoolCopy< T > Class Template Reference

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#) and data copy.

Inherits [BufferReaderPushAdapterBase< T >](#).

Public Member Functions

- [BufferReaderPushAdapterAsyncPoolCopy](#) ([LocalVoice](#) localVoice, [IDataReader< T >](#) reader)
Create a new [BufferReaderPushAdapter](#) instance
- override void [Service](#) ([LocalVoice](#) localVoice)
Do the actual data read/push.

Protected Attributes

- `T[]` [buffer](#)

3.12.1 Detailed Description

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#) and data copy.

Reads data to preallocated buffer, copies it to buffer from pool before pushing. Compared with [, this avoids one pool Acquire/Release](#)

3.12.2 Constructor & Destructor Documentation

3.12.2.1 BufferReaderPushAdapterAsyncPoolCopy()

```
BufferReaderPushAdapterAsyncPoolCopy (
    LocalVoice localVoice,
    IDataReader< T > reader )
```

Create a new [BufferReaderPushAdapter](#) instance

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
<i>reader</i>	DataReader to read from.

3.12.3 Member Function Documentation

3.12.3.1 Service()

```
override void Service (
    LocalVoice localVoice ) [virtual]
```

Do the actual data read/push.

Parameters

<i>localVoice</i>	LocalVoice instance to push data to. Must be a LocalVoiceFramed<T> of same T.
-------------------	---

Implements [BufferReaderPushAdapterBase< T >](#).

3.13 BufferReaderPushAdapterAsyncPoolFloatToShort Class Reference

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#), converting float samples to short.

Inherits [BufferReaderPushAdapterBase< float >](#).

Public Member Functions

- [BufferReaderPushAdapterAsyncPoolFloatToShort](#) ([LocalVoice](#) localVoice, [IDataReader< float >](#) reader)
Create a new [BufferReaderPushAdapter](#) instance
- override void [Service](#) ([LocalVoice](#) localVoice)
Do the actual data read/push.

Additional Inherited Members

3.13.1 Detailed Description

[BufferReaderPushAdapter](#) implementation using asynchronous [LocalVoice.PushDataAsync](#), converting float samples to short.

This adapter works exactly like [BufferReaderPushAdapterAsyncPool](#), but it converts float samples to short. Acquires a buffer from pool before each Read, releases buffer after last Read.

Expects localVoice to be a [LocalVoiceFramed<T>](#) of same T.

3.13.2 Constructor & Destructor Documentation

3.13.2.1 [BufferReaderPushAdapterAsyncPoolFloatToShort\(\)](#)

```
BufferReaderPushAdapterAsyncPoolFloatToShort (
    LocalVoice localVoice,
    IDataReader< float > reader )
```

Create a new [BufferReaderPushAdapter](#) instance

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
<i>reader</i>	DataReader to read from.

3.13.3 Member Function Documentation

3.13.3.1 [Service\(\)](#)

```
override void Service (
    LocalVoice localVoice ) [virtual]
```

Do the actual data read/push.

Parameters

<i>localVoice</i>	LocalVoice instance to push data to. Must be a LocalVoiceFramed<T> of same T.
-------------------	---

Implements [BufferReaderPushAdapterBase< float >](#).

3.14 `BufferedReaderPushAdapterBase< T >` Class Template Reference

Adapter base class to move data by reading from `IDataReader.Read` and pushing to `LocalVoice`.

Inherits `IServiceable`.

Inherited by `BufferedReaderPushAdapter< T >`, `BufferedReaderPushAdapterAsyncPool< T >`, and `BufferedReaderPushAdapterAsyncPool`.

Public Member Functions

- abstract void `Service` (`LocalVoice` localVoice)
Do the actual data read/push.
- `BufferedReaderPushAdapterBase` (`IDataReader< T >` reader)
Create a new `BufferedReaderPushAdapterBase` instance
- void `Dispose` ()
Release resources associated with this instance.

Protected Attributes

- `IDataReader< T >` `reader`

3.14.1 Detailed Description

Adapter base class to move data by reading from `IDataReader.Read` and pushing to `LocalVoice`.

Use this with a `LocalVoice` of same T type.

3.14.2 Constructor & Destructor Documentation

3.14.2.1 `BufferedReaderPushAdapterBase()`

```
BufferedReaderPushAdapterBase (
    IDataReader< T > reader )
```

Create a new `BufferedReaderPushAdapterBase` instance

Parameters

<code>reader</code>	DataReader to read from.
---------------------	--------------------------

3.14.3 Member Function Documentation

3.14.3.1 Dispose()

```
void Dispose ( )
```

Release resources associated with this instance.

3.14.3.2 Service()

```
abstract void Service (
    LocalVoice localVoice ) [pure virtual]
```

Do the actual data read/push.

Parameters

<i>localVoice</i>	LocalVoice instance to push data to.
-------------------	--

Implements [IServiceable](#).

Implemented in [BufferReaderPushAdapterAsyncPoolFloatToShort](#), [BufferReaderPushAdapterAsyncPoolCopy< T >](#), [BufferReaderPushAdapterAsyncPool< T >](#), and [BufferReaderPushAdapter< T >](#).

3.15 WebRTCAudioLib.ConfigParam Struct Reference

Static Public Attributes

- const int **AEC_DELAY_AGNOSTIC** = 12
- const int **AEC_EXTENDED_FILTER** = 13
- const int **AGC_EXPERIMENTAL** = 53
- const int **AGC_EXPERIMENTAL_STARTUP_MIN_VOLUME** = 54
- const int **AGC_EXPERIMENTAL_CLIP_LEVEL_MIN** = 55

3.16 ConnectAndJoin Class Reference

Inherits [MonoBehaviour](#), [IConnectionCallbacks](#), and [IMatchmakingCallbacks](#).

Public Member Functions

- void **ConnectNow** ()
- void **OnCreatedRoom** ()
- void **OnCreateRoomFailed** (short returnCode, string message)
- void **OnFriendListUpdate** (List< FriendInfo > friendList)
- void **OnJoinedRoom** ()
- void **OnJoinRandomFailed** (short returnCode, string message)
- void **OnJoinRoomFailed** (short returnCode, string message)

- void **OnLeftRoom** ()
- void **OnConnected** ()
- void **OnConnectedToMaster** ()
- void **OnDisconnected** (DisconnectCause cause)
- void **OnRegionListReceived** (RegionHandler regionHandler)
- void **OnCustomAuthenticationResponse** (Dictionary< string, object > data)
- void **OnCustomAuthenticationFailed** (string debugMessage)

Public Attributes

- bool **RandomRoom** = true
- string **RoomName**

Properties

- bool **IsConnected** [get]

3.17 RawCodec.Decoder< T > Class Template Reference

Inherits [IDecoder](#).

Public Member Functions

- **Decoder** (Action< T[]> output)
- void **Open** ([VoiceInfo](#) info)
Open (initialize) the decoder.
- void **Input** (byte[] buf)
Consumes the given encoded data.
- void **Dispose** ()

Properties

- string **Error** [get]

3.17.1 Member Function Documentation

3.17.1.1 Input()

```
void Input (
    byte[] buf )
```

Consumes the given encoded data.

Implements [IDecoder](#).

3.17.1.2 Open()

```
void Open (
    VoiceInfo info )
```

Open (initialize) the decoder.

Parameters

<i>info</i>	Properties of the data stream to decode.
-------------	--

Implements [IDecoder](#).

3.18 OpusCodec.Decoder< T > Class Template Reference

Inherits [IDecoder](#).

Public Member Functions

- **Decoder** (Action< T[]> output, [ILogger](#) logger)
- void **Open** ([VoiceInfo](#) i)
Open (initialize) the decoder.
- void **Dispose** ()
- void **Input** (byte[] buf)
Consumes the given encoded data.

Protected Member Functions

- abstract T[] **decodeTyped** (byte[] buf)

Protected Attributes

- [OpusDecoder](#) **decoder**

Properties

- string **Error** [get]

3.18.1 Member Function Documentation

3.18.1.1 Input()

```
void Input (
    byte[] buf )
```

Consumes the given encoded data.

Implements [IDecoder](#).

3.18.1.2 Open()

```
void Open (
    VoiceInfo info )
```

Open (initialize) the decoder.

Parameters

<i>info</i>	Properties of the data stream to decode.
-------------	--

Implements [IDecoder](#).

3.19 OpusCodec.DecoderFactory Class Reference

Static Public Member Functions

- static [IEncoder](#) **Create**< T > ([VoiceInfo](#) i, [ILogger](#) logger)

3.20 OpusCodec.DecoderFloat Class Reference

Inherits [OpusCodec.Decoder< float >](#).

Public Member Functions

- **DecoderFloat** (Action< float[]> output, [ILogger](#) logger)

Protected Member Functions

- override float[] **decodeTyped** (byte[] buf)

Additional Inherited Members

3.21 OpusCodec.DecoderShort Class Reference

Inherits [OpusCodec.Decoder< short >](#).

Public Member Functions

- **DecoderShort** (Action< short[]> output, [ILogger](#) logger)

Protected Member Functions

- override short[] **decodeTyped** (byte[] buf)

Additional Inherited Members

3.22 OpusCodec.Encoder< T > Class Template Reference

Inherits [IEncoderDirect< T\[\]>](#).

Public Member Functions

- void **Input** (T[] buf)
- ArraySegment< byte > **DequeueOutput** ()
- void **Dispose** ()

Protected Member Functions

- **Encoder** (VoiceInfo i, [ILogger](#) logger)
- abstract ArraySegment< byte > **encodeTyped** (T[] buf)

Protected Attributes

- [OpusEncoder](#) **encoder**
- bool **disposed**

Properties

- string **Error** [get]
- Action< ArraySegment< byte > > **Output** [get, set]

3.23 RawCodec.Encoder< T > Class Template Reference

Inherits [IEncoderDirect< T\[\]>](#).

Public Member Functions

- ArraySegment< byte > **DequeueOutput** ()
- void **Dispose** ()
- void **Input** (T[] buf)

Properties

- string **Error** [get]
- Action< ArraySegment< byte > > **Output** [get, set]

3.24 OpusCodec.EncoderFloat Class Reference

Inherits [OpusCodec.Encoder< float >](#).

Protected Member Functions

- override [ArraySegment< byte > encodeTyped](#) (float[] buf)

Additional Inherited Members

3.25 OpusCodec.EncoderShort Class Reference

Inherits [OpusCodec.Encoder< short >](#).

Protected Member Functions

- override [ArraySegment< byte > encodeTyped](#) (short[] buf)

Additional Inherited Members

3.26 OpusCodec.Factory Class Reference

Static Public Member Functions

- static [IEncoder CreateEncoder< B >](#) ([VoiceInfo](#) i, [ILogger](#) logger)

3.27 FactoryPrimitiveArrayPool< T > Class Template Reference

[PrimitiveArrayPool<T>](#) as wrapped in object factory interface.

Inherits [ObjectFactory< T\[\], int >](#).

Public Member Functions

- **FactoryPrimitiveArrayPool** (int capacity, string name)
- **FactoryPrimitiveArrayPool** (int capacity, string name, int info)
- **T[] New** ()
- **T[] New** (int size)
- void **Free** (T[] obj)
- void **Free** (T[] obj, int info)
- void **Dispose** ()

Properties

- int **Info** [get]

3.27.1 Detailed Description

[PrimitiveArrayPool<T>](#) as wrapped in object factory interface.

Template Parameters

<i>T</i>	Array element type.
----------	---------------------

3.28 FactoryReusableArray< T > Class Template Reference

Array factory returnig the same array instance as long as it requested with the same array length. If length changes, new array instance created.

Inherits [ObjectFactory< T\[\], int >](#).

Public Member Functions

- **FactoryReusableArray** (int size)
- **T[] New** ()
- **T[] New** (int size)
- void **Free** (T[] obj)
- void **Free** (T[] obj, int info)
- void **Dispose** ()

Properties

- int **Info** [get]

3.28.1 Detailed Description

Array factory returnig the same array instance as long as it requested with the same array length. If length changes, new array instance created.

Template Parameters

<i>T</i>	Array element type.
----------	---------------------

3.29 Framer< T > Class Template Reference

Utility class to re-frame audio packets.

Public Member Functions

- [Framer](#) (int frameSize)
Create new [Framer](#) instance.
- int [Count](#) (int bufLen)
Get the number of frames available after adding bufLen samples.
- IEnumerable< T[] > [Frame](#) (T[] buf)
Append arbitrary-sized buffer and return available full frames.

3.29.1 Detailed Description

Utility class to re-frame audio packets.

3.29.2 Constructor & Destructor Documentation

3.29.2.1 Framer()

```
Framer (
    int frameSize )
```

Create new [Framer](#) instance.

3.29.3 Member Function Documentation

3.29.3.1 Count()

```
int Count (
    int bufLen )
```

Get the number of frames available after adding *bufLen* samples.

Parameters

<i>bufLen</i>	Number of samples that would be added.
---------------	--

Returns

Number of full frames available when adding *bufLen* samples.

3.29.3.2 Frame()

```
IEnumerable<T[]> Frame (
    T[] buf )
```

Append arbitrary-sized buffer and return available full frames.

Parameters

<i>buf</i>	Array of samples to add.
------------	--------------------------

Returns

Enumerator of full frames (might be none).

3.30 IAudioDesc Interface Reference

Audio Source interface.

Inherits IDisposable.

Inherited by [AudioDesc](#), [IAudioPusher< T >](#), and [IAudioReader< T >](#).

Properties

- int [SamplingRate](#) [get]
Sampling rate of the audio signal (in Hz).
- int [Channels](#) [get]
Number of channels in the audio signal.
- string [Error](#) [get]
If not null, audio object is in invalid state.

3.30.1 Detailed Description

Audio Source interface.

3.30.2 Property Documentation

3.30.2.1 Channels

```
int Channels [get]
```

Number of channels in the audio signal.

3.30.2.2 Error

```
string Error [get]
```

If not null, audio object is in invalid state.

3.30.2.3 SamplingRate

```
int SamplingRate [get]
```

Sampling rate of the audio signal (in Hz).

3.31 IAudioOut< T > Interface Template Reference

Inherited by [AudioStreamPlayer< T >](#), and [ISyncAudioOut< T >](#).

Public Member Functions

- void **Start** (int frequency, int channels, int frameSamplesPerChannel, int playDelayMs)
- void **Stop** ()
- void **Push** (T[] frame)
- void **Service** ()

Properties

- bool **IsPlaying** [get]
- int **Lag** [get]

3.32 IAudioPusher< T > Interface Template Reference

Audio Pusher interface.

Inherits [IAudioDesc](#).

Inherited by [AudioUtil.ToneAudioPusher< T >](#).

Public Member Functions

- void [SetCallback](#) (Action< T[]> callback, [ObjectFactory](#)< T[], int > bufferFactory)
Set the callback function used for pushing data.

Additional Inherited Members

3.32.1 Detailed Description

Audio Pusher interface.

Opposed to an [IAudioReader](#) (which will deliver audio data when it is "pulled"), an [IAudioPusher](#) will push its audio data whenever it is ready,

3.32.2 Member Function Documentation

3.32.2.1 SetCallback()

```
void SetCallback (
    Action< T[]> callback,
    ObjectFactory< T[], int > bufferFactory )
```

Set the callback function used for pushing data.

Parameters

<i>callback</i>	Callback function to use.
<i>localVoice</i>	Outgoing audio stream, for context.

Implemented in [AudioUtil.ToneAudioPusher< T >](#).

3.33 IAudioReader< T > Interface Template Reference

Audio Reader interface.

Inherits [IDataReader< T >](#), and [IAudioDesc](#).

Inherited by [AudioUtil.ToneAudioReader< T >](#).

Additional Inherited Members

3.33.1 Detailed Description

Audio Reader interface.

Opposed to an [IAudioPusher](#) (which will push its audio data whenever it is ready), an [IAudioReader](#) will deliver audio data when it is "pulled" (it's Read function is called).

3.34 IDataReader< T > Interface Template Reference

Interface for pulling data, in case this is more appropriate than pushing it.

Inherits [IDisposable](#).

Inherited by [IAudioReader< T >](#).

Public Member Functions

- bool [Read](#) (T[] buffer)

Fill full given frame buffer with source uncompressed data or return false if not enough such data.

3.34.1 Detailed Description

Interface for pulling data, in case this is more appropriate than pushing it.

3.34.2 Member Function Documentation

3.34.2.1 Read()

```
bool Read (
    T[] buffer )
```

Fill full given frame buffer with source uncompressed data or return false if not enough such data.

Parameters

<i>buffer</i>	Buffer to fill.
---------------	-----------------

Returns

True if buffer was filled successfully, false otherwise.

Implemented in [AudioUtil.ToneAudioReader< T >](#).

3.35 IDecoder Interface Reference

Generic decoder interface.

Inherits [IDisposable](#).

Inherited by [IDecoderQueuedOutputImageNative](#), [OpusCodec.Decoder< T >](#), and [RawCodec.Decoder< T >](#).

Public Member Functions

- void [Open](#) ([VoiceInfo](#) info)
Open (initialize) the decoder.
- void [Input](#) (byte[] buf)
Consumes the given encoded data.

Properties

- string [Error](#) [get]
If not null, the object is in invalid state.

3.35.1 Detailed Description

Generic decoder interface.

3.35.2 Member Function Documentation

3.35.2.1 Input()

```
void Input (  
    byte[] buf )
```

Consumes the given encoded data.

Implemented in [OpusCodec.Decoder< T >](#), and [RawCodec.Decoder< T >](#).

3.35.2.2 Open()

```
void Open (  
    VoiceInfo info )
```

Open (initialize) the decoder.

Parameters

<i>info</i>	Properties of the data stream to decode.
-------------	--

Implemented in [RawCodec.Decoder< T >](#), and [OpusCodec.Decoder< T >](#).

3.35.3 Property Documentation

3.35.3.1 Error

```
string Error [get]
```

If not null, the object is in invalid state.

3.36 IDecoderQueuedOutputImageNative Interface Reference

Inherits [IDecoder](#).

Properties

- ImageFormat **OutputImageFormat** [get, set]
- Flip **OutputImageFlip** [get, set]
- Func< int, int, IntPtr > **OutputImageBufferGetter** [get, set]

Additional Inherited Members

3.37 IEncoder Interface Reference

Generic encoder interface.

Inherits [IDisposable](#).

Inherited by [IEncoderDirect< B >](#).

Public Member Functions

- ArraySegment< byte > [DequeueOutput](#) ()
Returns next encoded data frame (if such output supported).

Properties

- string [Error](#) [get]
If not null, the object is in invalid state.
- Action< ArraySegment< byte > > [Output](#) [get, set]
Set callback encoder calls on each encoded data frame (if such output supported).

3.37.1 Detailed Description

Generic encoder interface.

Depending on implementation, encoder should either call Output on each data frame or return next data frame in [DequeueOutput\(\)](#) call.

3.37.2 Member Function Documentation

3.37.2.1 DequeueOutput()

```
ArraySegment<byte> DequeueOutput ( )
```

Returns next encoded data frame (if such output supported).

3.37.3 Property Documentation

3.37.3.1 Error

```
string Error [get]
```

If not null, the object is in invalid state.

3.37.3.2 Output

```
Action<ArraySegment<byte> > Output [get], [set]
```

Set callback encoder calls on each encoded data frame (if such output supported).

3.38 IEncoderDirect< B > Interface Template Reference

Interface for an encoder which consumes input data via explicit call.

Inherits [IEncoder](#).

Public Member Functions

- void [Input](#) (B buf)
Consumes the given raw data.

Additional Inherited Members

3.38.1 Detailed Description

Interface for an encoder which consumes input data via explicit call.

3.38.2 Member Function Documentation

3.38.2.1 Input()

```
void Input (
    B buf )
```

Consumes the given raw data.

Parameters

<i>buf</i>	Array containing raw data (e.g. audio samples).
------------	---

3.39 AudioUtil.ILevelMeter Interface Reference

Audio Level Metering interface.

Inherited by [AudioUtil.LevelMeter< T >](#), and [AudioUtil.LevelMeterDummy](#).

Public Member Functions

- void [ResetAccumAvgPeakAmp](#) ()
Reset [AccumAvgPeakAmp](#).

Properties

- float [CurrentAvgAmp](#) [get]
Average amplitude value over last half second.
- float [CurrentPeakAmp](#) [get]
Maximum amplitude value over last half second sec.
- float [AccumAvgPeakAmp](#) [get]
Average of CurrentPeakAmps since last reset.

3.39.1 Detailed Description

Audio Level Metering interface.

3.39.2 Member Function Documentation

3.39.2.1 ResetAccumAvgPeakAmp()

```
void ResetAccumAvgPeakAmp ( )
```

Reset [AccumAvgPeakAmp](#).

Implemented in [AudioUtil.LevelMeter< T >](#), and [AudioUtil.LevelMeterDummy](#).

3.39.3 Property Documentation

3.39.3.1 AccumAvgPeakAmp

```
float AccumAvgPeakAmp [get]
```

Average of CurrentPeakAmps since last reset.

3.39.3.2 CurrentAvgAmp

```
float CurrentAvgAmp [get]
```

Average amplitude value over last half second.

3.39.3.3 CurrentPeakAmp

```
float CurrentPeakAmp [get]
```

Maximum amplitude value over last half second sec.

3.40 ILocalVoiceAudio Interface Reference

Interface for an outgoing audio stream.

Inherited by [LocalVoiceAudio< T >](#), and [LocalVoiceAudioDummy](#).

Public Member Functions

- void [VoiceDetectorCalibrate](#) (int durationMs, Action< float > onCalibrated=null)
Trigger voice detector calibration process.

Properties

- [AudioUtil.IVoiceDetector VoiceDetector](#) [get]
The VoiceDetector in use.
- [AudioUtil.ILevelMeter LevelMeter](#) [get]
The LevelMeter utility in use.
- bool [VoiceDetectorCalibrating](#) [get]
If true, voice detector calibration is in progress.

3.40.1 Detailed Description

Interface for an outgoing audio stream.

A [LocalVoice](#) always brings a LevelMeter and a VoiceDetector, which you can access using this interface.

3.40.2 Member Function Documentation

3.40.2.1 VoiceDetectorCalibrate()

```
void VoiceDetectorCalibrate (
    int durationMs,
    Action< float > onCalibrated = null )
```

Trigger voice detector calibration process.

While calibrating, keep silence. [Voice](#) detector sets threshold based on measured background noise level.

Parameters

<i>durationMs</i>	Duration of calibration (in milliseconds).
<i>onCalibrated</i>	Called when calibration is complete. Parameter is new threshold value.

Implemented in [LocalVoiceAudioDummy](#), and [LocalVoiceAudio< T >](#).

3.40.3 Property Documentation

3.40.3.1 LevelMeter

[AudioUtil.ILoggable](#) LevelMeter [get]

The LevelMeter utility in use.

3.40.3.2 VoiceDetector

[AudioUtil.ILoggable](#) VoiceDetector [get]

The VoiceDetector in use.

Use it to enable or disable voice detector and set its parameters.

3.40.3.3 VoiceDetectorCalibrating

bool VoiceDetectorCalibrating [get]

If true, voice detector calibration is in progress.

3.41 ILoggable Interface Reference

Inherited by [VoiceComponent](#), and [VoiceConnection](#).

Properties

- DebugLevel **LogLevel** [get, set]
- [VoiceLogger](#) **Logger** [get]

3.42 ILogger Interface Reference

Inherited by [IVoiceTransport](#), [Logger](#), and [VoiceLogger](#).

Public Member Functions

- void **LogError** (string fmt, params object[] args)
- void **LogWarning** (string fmt, params object[] args)
- void **LogInfo** (string fmt, params object[] args)
- void **LogDebug** (string fmt, params object[] args)

3.43 ImageBufferInfo Class Reference

Public Member Functions

- **ImageBufferInfo** (int width, int height, int[] stride, ImageFormat format)

Properties

- int **Width** [get]
- int **Height** [get]
- int[] **Stride** [get]
- ImageFormat **Format** [get]
- Rotation **Rotation** [get, set]
- Flip **Flip** [get, set]

3.44 ImageBufferNative Class Reference

Inherited by [ImageBufferNativeAlloc](#), and [ImageBufferNativeGCHandleSinglePlane](#).

Public Member Functions

- **ImageBufferNative** ([ImageBufferInfo](#) info)
- virtual void **Release** ()
- virtual void **Dispose** ()

Properties

- [ImageBufferInfo](#) **Info** [get, protected set]
- IntPtr[] **Planes** [get, protected set]

3.45 ImageBufferNativeAlloc Class Reference

Inherits [ImageBufferNative](#), and [IDisposable](#).

Public Member Functions

- **ImageBufferNativeAlloc** ([ImageBufferNativePool](#)< [ImageBufferNativeAlloc](#) > pool, [ImageBufferInfo](#) info)
- override void **Release** ()
- override void **Dispose** ()

Additional Inherited Members

3.46 ImageBufferNativeGCHandleSinglePlane Class Reference

Inherits [ImageBufferNative](#), and [IDisposable](#).

Public Member Functions

- **ImageBufferNativeGCHandleSinglePlane** ([ImageBufferNativePool](#)< [ImageBufferNativeGCHandleSinglePlane](#) > pool, [ImageBufferInfo](#) info)
- void **PinPlane** (byte[] plane)
- override void **Release** ()
- override void **Dispose** ()

Additional Inherited Members

3.47 ImageBufferNativePool< T > Class Template Reference

Inherits [ObjectPool](#)< [T](#), [ImageBufferInfo](#) >.

Public Member Functions

- delegate [T](#) **Factory** ([ImageBufferNativePool](#)< [T](#) > pool, [ImageBufferInfo](#) info)
- **ImageBufferNativePool** (int capacity, [Factory](#) factory, string name)
- **ImageBufferNativePool** (int capacity, [Factory](#) factory, string name, [ImageBufferInfo](#) info)

Protected Member Functions

- override [T](#) **createObject** ([ImageBufferInfo](#) info)
- override void **destroyObject** ([T](#) obj)
- override bool **infosMatch** ([ImageBufferInfo](#) i0, [ImageBufferInfo](#) i1)

Additional Inherited Members

3.48 ImageInputBuf Struct Reference

Public Attributes

- IntPtr **Buf**
- int **Width**
- int **Height**
- int[] **Stride**
- ImageFormat **ImageFormat**
- Rotation **Rotation**
- Flip **Flip**

3.49 ImageOutputBuf Struct Reference

Public Attributes

- IntPtr **Buf**
- int **Width**
- int **Height**
- int **Stride**

3.50 IOSAudioForceToSpeaker Class Reference

Inherits MonoBehaviour.

3.51 IProcessor< T > Interface Template Reference

Audio Processor interface.

Inherits IDisposable.

Inherited by [AudioUtil.LevelMeter< T >](#), [AudioUtil.Resampler< T >](#), [AudioUtil.VoiceDetector< T >](#), [AudioUtil.VoiceDetectorCalibration< T >](#) and [AudioUtil.VoiceLevelDetectCalibrate< T >](#).

Public Member Functions

- T[] [Process](#) (T[] buf)
Process a frame of audio data.

3.51.1 Detailed Description

Audio Processor interface.

3.51.2 Member Function Documentation

3.51.2.1 Process()

```
T [ ] Process (
    T [ ] buf )
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implemented in [AudioUtil.VoiceLevelDetectCalibrate< T >](#), [AudioUtil.VoiceDetector< T >](#), [AudioUtil.VoiceDetectorCalibration< T >](#), [AudioUtil.LevelMeter< T >](#), and [AudioUtil.Resampler< T >](#).

3.52 IServiceable Interface Reference

Interface for classes that want their [Service\(\)](#) function to be called regularly in the context of a [LocalVoice](#).

Inherited by [BufferReaderPushAdapterBase< T >](#).

Public Member Functions

- void [Service](#) ([LocalVoice](#) localVoice)
Service function that should be called regularly.

3.52.1 Detailed Description

Interface for classes that want their [Service\(\)](#) function to be called regularly in the context of a [LocalVoice](#).

3.52.2 Member Function Documentation

3.52.2.1 Service()

```
void Service (
    LocalVoice localVoice )
```

Service function that should be called regularly.

Implemented in [BufferReaderPushAdapterAsyncPoolCopy< T >](#), [BufferReaderPushAdapterAsyncPool< T >](#), [BufferReaderPushAdapter< T >](#), and [BufferReaderPushAdapterBase< T >](#).

3.53 ISyncAudioOut< T > Interface Template Reference

Inherits [IAudioOut< T >](#).

Public Member Functions

- void **Pause** ()
- void **UnPause** ()

Properties

- int **PlaySamplePos** [get, set]

3.54 AudioUtil.IVoiceDetector Interface Reference

[Voice](#) Activity Detector interface.

Inherited by [AudioUtil.VoiceDetector< T >](#), and [AudioUtil.VoiceDetectorDummy](#).

Properties

- bool [On](#) [get, set]
If true, voice detection enabled.
- float [Threshold](#) [get, set]
Voice detected as soon as signal level exceeds threshold.
- bool [Detected](#) [get]
If true, voice detected.
- DateTime [DetectedTime](#) [get]
Last time when switched to detected state.
- int [ActivityDelayMs](#) [get, set]
Keep detected state during this time after signal level dropped below threshold.

Events

- Action [OnDetected](#)
Called when switched to detected state.

3.54.1 Detailed Description

Voice Activity Detector interface.

3.54.2 Property Documentation

3.54.2.1 ActivityDelayMs

```
int ActivityDelayMs [get], [set]
```

Keep detected state during this time after signal level dropped below threshold.

3.54.2.2 Detected

```
bool Detected [get]
```

If true, voice detected.

3.54.2.3 DetectedTime

```
DateTime DetectedTime [get]
```

Last time when switched to detected state.

3.54.2.4 On

```
bool On [get], [set]
```

If true, voice detection enabled.

3.54.2.5 Threshold

```
float Threshold [get], [set]
```

Voice detected as soon as signal level exceeds threshold.

3.54.3 Event Documentation

3.54.3.1 OnDetected

Action OnDetected

Called when switched to detected state.

3.55 IVoiceTransport Interface Reference

Inherits [ILogger](#).

Inherited by [LoadBalancingTransport](#).

Public Member Functions

- bool **IsChannelJoined** (int channelId)
- void **SendVoicesInfo** (IEnumerable< [LocalVoice](#) > voices, int channelId, int targetPlayerId)
- void **SendVoiceRemove** ([LocalVoice](#) voice, int channelId, int targetPlayerId)
- void **SendFrame** (ArraySegment< byte > data, byte evNumber, byte voiceld, int channelId, [LocalVoice](#) localVoice)
- string **ChannelIdStr** (int channelId)
- string **PlayerIdStr** (int playerId)
- void **SetDebugEchoMode** ([LocalVoice](#) v)

3.56 AudioUtil.LevelMeter< T > Class Template Reference

Audio Level Meter.

Inherits [IProcessor< T >](#), and [AudioUtil.ILevelMeter](#).

Public Member Functions

- void [ResetAccumAvgPeakAmp](#) ()
Reset AccumAvgPeakAmp.
- abstract T[] [Process](#) (T[] buf)
Process a frame of audio data.
- void **Dispose** ()

Protected Attributes

- float **ampSum**
- float **ampPeak**
- int **bufferSize**
- float[] **prevValues**
- int **prevValuesHead**
- float **accumAvgPeakAmpSum**
- int **accumAvgPeakAmpCount**
- float **currentPeakAmp**
- float **norm**

Properties

- float **CurrentAvgAmp** [get]
- float **CurrentPeakAmp** [get, protected set]
- float? **AccumAvgPeakAmp** [get]

3.56.1 Detailed Description

Audio Level Meter.

3.56.2 Member Function Documentation

3.56.2.1 Process()

```
abstract T [] Process (  
    T[] buf ) [pure virtual]
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implements [IProcessor< T >](#).

3.56.2.2 ResetAccumAvgPeakAmp()

```
void ResetAccumAvgPeakAmp ( )
```

Reset AccumAvgPeakAmp.

Implements [AudioUtil.ILevelMeter](#).

3.57 AudioUtil.LevelMeterDummy Class Reference

Dummy Audio Level Meter that doesn't actually do anything.

Inherits [AudioUtil.ILevelMeter](#).

Public Member Functions

- void [ResetAccumAvgPeakAmp](#) ()
Reset AccumAvgPeakAmp.

Properties

- float **CurrentAvgAmp** [get]
- float **CurrentPeakAmp** [get]
- float **AccumAvgPeakAmp** [get]

3.57.1 Detailed Description

Dummy Audio Level Meter that doesn't actually do anything.

3.57.2 Member Function Documentation

3.57.2.1 ResetAccumAvgPeakAmp()

```
void ResetAccumAvgPeakAmp ( )
```

Reset AccumAvgPeakAmp.

Implements [AudioUtil.ILevelMeter](#).

3.58 AudioUtil.LevelMeterFloat Class Reference

[LevelMeter](#) specialization for float audio.

Inherits [AudioUtil.LevelMeter< float >](#).

Public Member Functions

- [LevelMeterFloat](#) (int samplingRate, int numChannels)
Create new [LevelMeterFloat](#) instance.
- override float[] **Process** (float[] buf)

Additional Inherited Members

3.58.1 Detailed Description

[LevelMeter](#) specialization for float audio.

3.58.2 Constructor & Destructor Documentation

3.58.2.1 LevelMeterFloat()

```
LevelMeterFloat (
    int samplingRate,
    int numChannels )
```

Create new [LevelMeterFloat](#) instance.

Parameters

<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.59 AudioUtil.LevelMeterShort Class Reference

[LevelMeter](#) specialization for short audio.

Inherits [AudioUtil.LevelMeter< short >](#).

Public Member Functions

- [LevelMeterShort](#) (int samplingRate, int numChannels)
Create new [LevelMeterShort](#) instance.
- override short[] **Process** (short[] buf)

Additional Inherited Members

3.59.1 Detailed Description

[LevelMeter](#) specialization for short audio.

3.59.2 Constructor & Destructor Documentation

3.59.2.1 LevelMeterShort()

```
LevelMeterShort (
    int samplingRate,
    int numChannels )
```

Create new [LevelMeterShort](#) instance.

Parameters

<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.60 LoadBalancingFrontend Class Reference

Inherits [LoadBalancingTransport](#).

Additional Inherited Members

3.61 LoadBalancingTransport Class Reference

Extends [LoadBalancingClient](#) with audio streaming functionality.

Inherits [LoadBalancingClient](#), [IVoiceTransport](#), and [IDisposable](#).

Inherited by [LoadBalancingFrontend](#).

Public Member Functions

- void **LogError** (string fmt, params object[] args)
- void **LogWarning** (string fmt, params object[] args)
- void **LogInfo** (string fmt, params object[] args)
- void **LogDebug** (string fmt, params object[] args)
- bool **IsChannelJoined** (int channelId)
- void **SetDebugEchoMode** ([LocalVoice](#) v)
- [LoadBalancingTransport](#) (ConnectionProtocol connectionProtocol=ConnectionProtocol.Udp)
Initializes a new [LoadBalancingTransport](#).
- new void [Service](#) ()
This method dispatches all available incoming commands and then sends this client's outgoing commands. Call this method regularly (2 to 20 times a second).
- virtual bool **ChangeAudioGroups** (byte[] groupsToRemove, byte[] groupsToAdd)
- void **SendVoicesInfo** (IEnumerable< [LocalVoice](#) > voices, int channelId, int targetPlayerId)

- void [SendDebugEchoVoicesInfo](#) (int channelId)
Send VoicesInfo events to the local player for all voices that have DebugEcho enabled.
- void **SendVoiceRemove** ([LocalVoice](#) voice, int channelId, int targetPlayerId)
- void **SendFrame** (ArraySegment< byte > data, byte evNumber, byte voiceld, int channelId, [LocalVoice](#) localVoice)
- string **ChannelIdStr** (int channelId)
- string **PlayerIdStr** (int playerId)
- void [Dispose](#) ()
Releases all resources used by the [LoadBalancingTransport](#) instance.

Protected Attributes

- [VoiceClient](#) **voiceClient**

Properties

- [VoiceClient](#) **VoiceClient** [get]
The [VoiceClient](#) implementation associated with this [LoadBalancingTransport](#).
- byte **GlobalAudioGroup** [get, set]
- byte [GlobalInterestGroup](#) [get, set]
Set global audio group for this client. This call sets InterestGroup for existing local voices and for created later to given value. Client set as listening to this group only until LoadBalancingPeer.OpChangeGroups() called. This method can be called any time.

3.61.1 Detailed Description

Extends LoadBalancingClient with audio streaming functionality.

Use your normal LoadBalancing workflow to join a [Voice](#) room. All standard LoadBalancing features are available.

To work with audio:

- Create outgoing audio streams with Client.CreateLocalVoice.
- Handle new incoming audio streams info with OnRemoteVoiceInfoAction .
- Handle incoming audio streams data with OnAudioFrameAction .
- Handle closing of incoming audio streams with .

3.61.2 Constructor & Destructor Documentation

3.61.2.1 LoadBalancingTransport()

```
LoadBalancingTransport (
    ConnectionProtocol connectionProtocol = ConnectionProtocol.Udp )
```

Initializes a new [LoadBalancingTransport](#).

Parameters

<i>connectionProtocol</i>	Connection protocol (UDP or TCP). ConnectionProtocol
---------------------------	--

3.61.3 Member Function Documentation**3.61.3.1 Dispose()**

```
void Dispose ( )
```

Releases all resources used by the [LoadBalancingTransport](#) instance.

3.61.3.2 SendDebugEchoVoicesInfo()

```
void SendDebugEchoVoicesInfo (
    int channelId )
```

Send VoicesInfo events to the local player for all voices that have DebugEcho enabled.

This function will call SendVoicesInfo for all local voices of our [VoiceClient](#) that have DebugEchoMode set to true, with the given channel ID, and the local Player's ActorNumber as target.

Parameters

<i>channelId</i>	Transport Channel ID
------------------	----------------------

3.61.3.3 Service()

```
new void Service ( )
```

This method dispatches all available incoming commands and then sends this client's outgoing commands. Call this method regularly (2 to 20 times a second).

3.61.4 Property Documentation

3.61.4.1 GlobalInterestGroup

```
byte GlobalInterestGroup [get], [set]
```

Set global audio group for this client. This call sets InterestGroup for existing local voices and for created later to given value. Client set as listening to this group only until LoadBalancingPeer.OpChangeGroups() called. This method can be called any time.

[LocalVoice.InterestGroup](#) LoadBalancingPeer.OpChangeGroups(byte[], byte[])

3.61.4.2 VoiceClient

```
VoiceClient VoiceClient [get]
```

The [VoiceClient](#) implementation associated with this [LoadBalancingTransport](#).

3.62 LocalVoice Class Reference

Represents outgoing data stream.

Inherits IDisposable.

Inherited by [LocalVoiceAudioDummy](#), and [LocalVoiceFramedBase](#).

Public Member Functions

- virtual [IEncoder](#) **CreateDefaultEncoder** ([VoiceInfo](#) info)
- void [RemoveSelf](#) ()
Remove this voice from it's [VoiceClient](#) (using [VoiceClient.RemoveLocalVoice](#))
- virtual void **Dispose** ()

Static Public Attributes

- const int **DATA_POOL_CAPACITY** = 50

Protected Member Functions

- void **resetNoTransmitCnt** ()

Protected Attributes

- [IEncoder](#) **encoder**
- [VoiceClient](#) **voiceClient**
- volatile bool **disposed**
- object **disposeLock** = new object()

Properties

- byte **Group** [get, set]
- byte **InterestGroup** [get, set]
If InterestGroup != 0, voice's data is sent only to clients listening to this group (if supported by transport).
- **VoiceInfo Info** [get]
Returns Info structure assigned on local voice cration.
- bool **TransmitEnabled** [get, set]
If true, stream data broadcasted.
- bool **IsCurrentlyTransmitting** [get, protected set]
Returns true if stream broadcasts.
- int **FramesSent** [get]
Sent frames counter.
- int **FramesSentBytes** [get]
Sent frames bytes counter.
- bool **Reliable** [get, set]
Send data reliable.
- bool **Encrypt** [get, set]
Send data encrypted.
- **IServiceable LocalUserServiceable** [get, set]
Optional user object attached to [LocalVoice](#). its Service() will be called at each [VoiceClient.Service\(\)](#) call.
- bool **DebugEchoMode** [get, set]
If true, outgoing stream routed back to client via server same way as for remote client's streams. Can be swithed any time. OnRemoteVoiceInfoAction and OnRemoteVoiceRemoveAction are triggered if required. This functionality availability depends on transport.

3.62.1 Detailed Description

Represents outgoing data stream.

3.62.2 Member Function Documentation

3.62.2.1 RemoveSelf()

```
void RemoveSelf ( )
```

Remove this voice from it's [VoiceClient](#) (using [VoiceClient.RemoveLocalVoice](#)

.

3.62.3 Property Documentation

3.62.3.1 DebugEchoMode

```
bool DebugEchoMode [get], [set]
```

If true, outgoing stream routed back to client via server same way as for remote client's streams. Can be swithed any time. OnRemoteVoiceInfoAction and OnRemoteVoiceRemoveAction are triggered if required. This functionality availability depends on transport.

3.62.3.2 Encrypt

```
bool Encrypt [get], [set]
```

Send data encrypted.

3.62.3.3 FramesSent

```
int FramesSent [get]
```

Sent frames counter.

3.62.3.4 FramesSentBytes

```
int FramesSentBytes [get]
```

Sent frames bytes counter.

3.62.3.5 Info

```
VoiceInfo Info [get]
```

Returns Info structure assigned on local voice cration.

3.62.3.6 InterestGroup

```
byte InterestGroup [get], [set]
```

If InterestGroup != 0, voice's data is sent only to clients listening to this group (if supported by transport).

3.62.3.7 IsCurrentlyTransmitting

```
bool IsCurrentlyTransmitting [get], [protected set]
```

Returns true if stream broadcasts.

3.62.3.8 LocalUserServiceable

```
IServiceable LocalUserServiceable [get], [set]
```

Optional user object attached to [LocalVoice](#). its Service() will be called at each [VoiceClient.Service\(\)](#) call.

3.62.3.9 Reliable

```
bool Reliable [get], [set]
```

Send data reliable.

3.62.3.10 TransmitEnabled

```
bool TransmitEnabled [get], [set]
```

If true, stream data broadcasted.

3.63 LocalVoiceAudio< T > Class Template Reference

Outgoing audio stream.

Inherits [LocalVoiceFramed< T >](#), and [ILocalVoiceAudio](#).

Public Member Functions

- override [IEncoder](#) **CreateDefaultEncoder** ([VoiceInfo](#) info)
- void [VoiceDetectorCalibrate](#) (int durationMs, Action< float > onCalibrated=null)
Trigger voice detector calibration process.

Static Public Member Functions

- static [LocalVoiceAudio< T >](#) **Create** ([VoiceClient](#) voiceClient, byte voiceId, [IEncoder](#) encoder, [VoiceInfo](#) voiceInfo, [IAudioDesc](#) audioSourceDesc, int channelId)
Create a new LocalVoiceAudio<T> instance.

Protected Member Functions

- void **initBuiltinProcessors** ()

Protected Attributes

- [AudioUtil.VoiceDetector< T >](#) **voiceDetector**
- [AudioUtil.VoiceDetectorCalibration< T >](#) **voiceDetectorCalibration**
- [AudioUtil.LevelMeter< T >](#) **levelMeter**
- int **channels**
- bool **resampleSource**

Properties

- virtual [AudioUtil.IVoiceDetector](#) **VoiceDetector** [get]
- virtual [AudioUtil.ILevelMeter](#) **LevelMeter** [get]
- bool [VoiceDetectorCalibrating](#) [get]

True if the VoiceDetector is currently calibrating.

Additional Inherited Members

3.63.1 Detailed Description

Outgoing audio stream.

3.63.2 Member Function Documentation

3.63.2.1 Create()

```
static LocalVoiceAudio<T> Create (
    VoiceClient voiceClient,
    byte voiceId,
    IEncoder encoder,
    VoiceInfo voiceInfo,
    IAudioDesc audioSourceDesc,
    int channelId ) [static]
```

Create a new LocalVoiceAudio<T> instance.

Parameters

<i>voiceClient</i>	The VoiceClient to use for this outgoing stream.
<i>voiceId</i>	Numeric ID for this voice.
<i>encoder</i>	Encoder to use for this voice.
<i>channelId</i>	Voice transport channel ID to use for this voice.

Returns

The new `LocalVoiceAudio<T>` instance.

3.63.2.2 VoiceDetectorCalibrate()

```
void VoiceDetectorCalibrate (
    int durationMs,
    Action< float > onCalibrated = null )
```

Trigger voice detector calibration process.

While calibrating, keep silence. [Voice](#) detector sets threshold basing on measured backgroud noise level.

Parameters

<i>durationMs</i>	Duration of calibration in milliseconds.
<i>onCalibrated</i>	Called when calibration is complete. Parameter is new threshold value.

Implements [ILocalVoiceAudio](#).

3.63.3 Property Documentation**3.63.3.1 VoiceDetectorCalibrating**

```
bool VoiceDetectorCalibrating [get]
```

True if the `VoiceDetector` is currently calibrating.

3.64 LocalVoiceAudioDummy Class Reference

Dummy [LocalVoiceAudio](#)

Inherits [LocalVoice](#), and [ILocalVoiceAudio](#).

Public Member Functions

- void [VoiceDetectorCalibrate](#) (int durationMs, Action< float > onCalibrated=null)
Trigger voice detector calibration process.

Static Public Attributes

- static [LocalVoiceAudioDummy Dummy](#) = new [LocalVoiceAudioDummy\(\)](#)
A Dummy [LocalVoiceAudio](#) instance.

Properties

- [AudioUtil.IVoiceDetector VoiceDetector](#) [get]
- [AudioUtil.ILevelMeter LevelMeter](#) [get]
- bool [VoiceDetectorCalibrating](#) [get]

Additional Inherited Members

3.64.1 Detailed Description

Dummy [LocalVoiceAudio](#)

For testing, this [LocalVoiceAudio](#) implementation features a [AudioUtil.VoiceDetectorDummy](#) and a [AudioUtil.LevelMeterDummy](#)

3.64.2 Member Function Documentation

3.64.2.1 VoiceDetectorCalibrate()

```
void VoiceDetectorCalibrate (
    int durationMs,
    Action< float > onCalibrated = null )
```

Trigger voice detector calibration process.

While calibrating, keep silence. [Voice](#) detector sets threshold based on measured background noise level.

Parameters

<i>durationMs</i>	Duration of calibration (in milliseconds).
<i>onCalibrated</i>	Called when calibration is complete. Parameter is new threshold value.

Implements [ILocalVoiceAudio](#).

3.64.3 Member Data Documentation

3.64.3.1 Dummy

```
LocalVoiceAudioDummy Dummy = new LocalVoiceAudioDummy() [static]
```

A Dummy [LocalVoiceAudio](#) instance.

3.65 LocalVoiceAudioFloat Class Reference

Specialization of [LocalVoiceAudio](#) for float audio

Inherits [LocalVoiceAudio< float >](#).

Additional Inherited Members

3.65.1 Detailed Description

Specialization of [LocalVoiceAudio](#) for float audio

3.66 LocalVoiceAudioShort Class Reference

Specialization of [LocalVoiceAudio](#) for short audio

Inherits [LocalVoiceAudio< short >](#).

Additional Inherited Members

3.66.1 Detailed Description

Specialization of [LocalVoiceAudio](#) for short audio

3.67 LocalVoiceFramed< T > Class Template Reference

Typed re-framing [LocalVoice](#)

Inherits [LocalVoiceFramedBase](#).

Inherited by [LocalVoiceAudio< T >](#).

Public Member Functions

- void [AddPostProcessor](#) (params [IProcessor](#)< T >[] processors)
Adds processors after any built-in processors and everything added with AddPreProcessor.
- void [AddPreProcessor](#) (params [IProcessor](#)< T >[] processors)
Adds processors before built-in processors and everything added with AddPostProcessor.
- void [ClearProcessors](#) ()
Clears all processors in pipeline including built-in resampling. User should add at least resampler processor after call.
- void [PushDataAsync](#) (T[] buf)
Asynchronously push data into this stream.
- void [PushData](#) (T[] buf)
Synchronously push data into this stream.
- override void [Dispose](#) ()
Releases resources used by the VoiceFramed instance. Buffers used for asynchronous push will be disposed in encoder thread's 'finally'.

Properties

- [FactoryPrimitiveArrayPool](#)< T > **BufferFactory** [get]
- bool [PushDataAsyncReady](#) [get]
Whether this [LocalVoiceFramed](#) has capacity for more data buffers to be pushed asynchronously.

Additional Inherited Members

3.67.1 Detailed Description

Typed re-framing [LocalVoice](#)

Consumes data in array buffers of arbitrary length. Repacks them in frames of constant length for further processing and encoding.

Parameters

<i>voiceInfo</i>	Outgoing stream parameters. Set applicable fields to read them by encoder and by receiving client when voice created.
<i>channel↔ Id</i>	Transport channel specific to transport.
<i>encoder</i>	Encoder producing the stream.

Returns

Outgoing stream handler.

3.67.2 Member Function Documentation

3.67.2.1 AddPostProcessor()

```
void AddPostProcessor (
    params IProcessor< T >[] processors )
```

Adds processors after any built-in processors and everything added with AddPreProcessor.

Parameters

<i>processors</i>	
-------------------	--

3.67.2.2 AddPreProcessor()

```
void AddPreProcessor (
    params IProcessor< T >[] processors )
```

Adds processors before built-in processors and everything added with AddPostProcessor.

Parameters

<i>processors</i>	
-------------------	--

3.67.2.3 ClearProcessors()

```
void ClearProcessors ( )
```

Clears all processors in pipeline including built-in resampling. User should add at least resampler processor after call.

3.67.2.4 Dispose()

```
override void Dispose ( ) [virtual]
```

Releases resources used by the VoiceFramed instance. Buffers used for asynchronous push will be disposed in encoder thread's 'finally'.

Reimplemented from [LocalVoice](#).

3.67.2.5 PushData()

```
void PushData (
    T[] buf )
```

Synchronously push data into this stream.

3.67.2.6 PushDataAsync()

```
void PushDataAsync (
    T[] buf )
```

Asynchronously push data into this stream.

3.67.3 Property Documentation

3.67.3.1 PushDataAsyncReady

```
bool PushDataAsyncReady [get]
```

Whether this [LocalVoiceFramed](#) has capacity for more data buffers to be pushed asynchronously.

3.68 LocalVoiceFramedBase Class Reference

Typed re-framing [LocalVoice](#)

Inherits [LocalVoice](#).

Inherited by [LocalVoiceFramed< T >](#).

Properties

- int [FrameSize](#) [get]

Data flow will be repacked to frames of this size. May differ from input voiceInfo.FrameSize. Processors should resample in this case.

Additional Inherited Members

3.68.1 Detailed Description

Typed re-framing [LocalVoice](#)

Base class for typed re-framing [LocalVoice](#) implementation ([LocalVoiceFramedBase<T>](#))

3.68.2 Property Documentation

3.68.2.1 FrameSize

`int FrameSize [get]`

Data flow will be repacked to frames of this size. May differ from input `voiceInfo.FrameSize`. Processors should resample in this case.

3.69 Logger Class Reference

Inherits [ILogger](#).

Public Member Functions

- void **LogError** (string fmt, params object[] args)
- void **LogWarning** (string fmt, params object[] args)
- void **LogInfo** (string fmt, params object[] args)
- void **LogDebug** (string fmt, params object[] args)

3.70 MicAmplifier Class Reference

Inherits [VoiceComponent](#).

Properties

- float **AmplificationFactor** [get, set]
- float **BoostValue** [get, set]

Additional Inherited Members

3.71 MicAmplifierFloat Class Reference

Inherits [IProcessor< float >](#).

Public Member Functions

- **MicAmplifierFloat** (float amplificationFactor, float boostValue)
- float[] **Process** (float[] buf)
- void **Dispose** ()

Properties

- float **AmplificationFactor** [get, set]
- float **BoostValue** [get, set]
- float **MaxBefore** [get]
- float **MaxAfter** [get]
- bool **Disabled** [get, set]

3.72 MicAmplifierShort Class Reference

Inherits [IProcessor< short >](#).

Public Member Functions

- **MicAmplifierShort** (short amplificationFactor, short boostValue)
- short[] **Process** (short[] buf)
- void **Dispose** ()

Properties

- short **AmplificationFactor** [get, set]
- short **BoostValue** [get, set]
- short **MaxBefore** [get]
- short **MaxAfter** [get]
- bool **Disabled** [get, set]

3.73 MicWrapper Class Reference

Inherits [IAudioReader< float >](#).

Public Member Functions

- **MicWrapper** (string device, int suggestedFrequency, [ILogger](#) logger)
- void **Dispose** ()
- bool **Read** (float[] buffer)

Properties

- int? **SamplingRate** [get]
- int? **Channels** [get]
- string **Error** [get]

3.74 `ObjectFactory< TType, TInfo >` Interface Template Reference

Uniform interface to `ObjectPool<TType, TInfo>` and single reusable object.

Inherits `IDisposable`.

Public Member Functions

- `TType New ()`
- `TType New (TInfo info)`
- `void Free (TType obj)`
- `void Free (TType obj, TInfo info)`

Properties

- `TInfo Info` [get]

3.74.1 Detailed Description

Uniform interface to `ObjectPool<TType, TInfo>` and single reusable object.

Template Parameters

<i>TType</i>	Object type.
<i>TInfo</i>	Type of property used to check 2 objects identity (like integral length of array).

3.75 `ObjectPool< TType, TInfo >` Class Template Reference

Generic Pool to re-use objects of a certain type (`TType`) that optionally match a certain property or set of properties (`TInfo`).

Inherits `IDisposable`.

Public Member Functions

- `ObjectPool` (int capacity, string name)
Create a new `ObjectPool` instance. Does not call `Init()`.
- `ObjectPool` (int capacity, string name, TInfo info)
Create a new `ObjectPool` instance with the given info structure. Calls `Init()`.
- `void Init` (TInfo info)
(Re-)Initializes this `ObjectPool`.
- `TType AcquireOrCreate` ()
Acquire an existing object, or create a new one if none are available.
- `TType AcquireOrCreate` (TInfo info)
Acquire an existing object (if info matches), or create a new one from the passed info.

- virtual bool [Release](#) (TType obj, TInfo objInfo)
Returns object to pool.
- virtual bool [Release](#) (TType obj)
Returns object to pool, or destroys it if the pool is full.
- void [Dispose](#) ()
Free resources associated with this [ObjectPool](#)

Protected Member Functions

- abstract TType **createObject** (TInfo info)
- abstract void **destroyObject** (TType obj)
- abstract bool **infosMatch** (TInfo i0, TInfo i1)

Protected Attributes

- int **capacity**
- TInfo **info**
- int **pos**
- string **name**

Properties

- TInfo [Info](#) [get]
The property (info) that objects in this Pool must match.

3.75.1 Detailed Description

Generic Pool to re-use objects of a certain type (TType) that optionally match a certain property or set of properties (TInfo).

Template Parameters

<i>TType</i>	Object type.
<i>TInfo</i>	Type of parameter used to check 2 objects identity (like integral length of array).

3.75.2 Constructor & Destructor Documentation

3.75.2.1 ObjectPool() [1/2]

```
ObjectPool (
    int capacity,
    string name )
```

Create a new [ObjectPool](#) instance. Does not call [Init\(\)](#).

Parameters

<i>capacity</i>	Capacity (size) of the object pool.
<i>name</i>	Name of the object pool.

3.75.2.2 ObjectPool() [2/2]

```
ObjectPool (
    int capacity,
    string name,
    TInfo info )
```

Create a new [ObjectPool](#) instance with the given info structure. Calls [Init\(\)](#).

Parameters

<i>capacity</i>	Capacity (size) of the object pool.
<i>name</i>	Name of the object pool.
<i>info</i>	Info about this Pool's objects.

3.75.3 Member Function Documentation**3.75.3.1 AcquireOrCreate()** [1/2]

```
TType AcquireOrCreate ( )
```

Acquire an existing object, or create a new one if none are available.

If it fails to get one from the pool, this will create from the info given in this pool's constructor.

3.75.3.2 AcquireOrCreate() [2/2]

```
TType AcquireOrCreate (
    TInfo info )
```

Acquire an existing object (if info matches), or create a new one from the passed info.

Parameters

<i>info</i>	Info structure to match, or create a new object with.
-------------	---

3.75.3.3 Dispose()

```
void Dispose ( )
```

Free resources assoicated with this [ObjectPool](#)

3.75.3.4 Init()

```
void Init (
    TInfo info )
```

(Re-)Initializes this [ObjectPool](#).

If there are objects available in this Pool, they will be destroyed. Allocates (Capacity) new Objects.

Parameters

<i>info</i>	Info about this Pool's objects.
-------------	---------------------------------

3.75.3.5 Release() [1/2]

```
virtual bool Release (
    TType obj ) [virtual]
```

Returns object to pool, or destroys it if the pool is full.

Parameters

<i>obj</i>	The object to return to the pool.
------------	-----------------------------------

3.75.3.6 Release() [2/2]

```
virtual bool Release (
    TType obj,
    TInfo objInfo ) [virtual]
```

Returns object to pool.

Parameters

<i>obj</i>	The object to return to the pool.
<i>objInfo</i>	The info structure about obj.

obj is returned to the pool only if objInfo matches this pool's info. Else, it is destroyed.

3.75.4 Property Documentation

3.75.4.1 Info

TInfo Info [get]

The property (info) that objects in this Pool must match.

3.76 OpusCodec Class Reference

Classes

- class [Decoder](#)
- class [DecoderFactory](#)
- class [DecoderFloat](#)
- class [DecoderShort](#)
- class [Encoder](#)
- class [EncoderFloat](#)
- class [EncoderShort](#)
- class [Factory](#)
- class [Util](#)

Public Types

- enum [FrameDuration](#)

3.77 OpusDecoder Class Reference

Inherits IDisposable.

Public Member Functions

- **OpusDecoder** (SamplingRate outputSamplingRateHz, [Channels](#) numChannels)
- float[] **DecodePacketFloat** (byte[] packetData)
- short[] **DecodePacketShort** (byte[] packetData)
- void **Dispose** ()

Properties

- string **Version** [get]
- [Bandwidth?](#) **PreviousPacketBandwidth** [get]

3.78 OpusEncoder Class Reference

Inherits IDisposable.

Public Member Functions

- **OpusEncoder** (SamplingRate inputSamplingRateHz, [Channels](#) numChannels, int bitrate, [OpusApplicationType](#) applicationType, [Delay](#) encoderDelay)
- ArraySegment< byte > **Encode** (float[] pcmSamples)
- ArraySegment< byte > **Encode** (short[] pcmSamples)
- void **Dispose** ()

Static Public Attributes

- const int **BitrateMax** = -1

Properties

- SamplingRate **InputSamplingRate** [get]
- [Channels](#) **InputChannels** [get]
- string **Version** [get]
- [Delay](#) **EncoderDelay** [get, set]
Using a duration of less than 10 ms will prevent the encoder from using the LPC or hybrid modes.
- int **FrameSizePerChannel** [get]
- int **Bitrate** [get, set]
- [Bandwidth](#) **MaxBandwidth** [get, set]
- Complexity **Complexity** [get, set]
- int **ExpectedPacketLossPercentage** [get, set]
- [SignalHint](#) **SignalHint** [get, set]
- ForceChannels **ForceChannels** [get, set]
- bool? **UseInbandFEC** [get, set]
- bool? **UseUnconstrainedVBR** [get, set]
- bool? **DtxEnabled** [get, set]

3.78.1 Property Documentation

3.78.1.1 EncoderDelay

[Delay](#) EncoderDelay [get], [set]

Using a duration of less than 10 ms will prevent the encoder from using the LPC or hybrid modes.

3.79 OpusException Class Reference

Inherits Exception.

Public Member Functions

- **OpusException** (OpusStatusCode statusCode, string message)

Properties

- OpusStatusCode **StatusCode** [get]

3.80 WebRTCAudioLib.Param Struct Reference

Static Public Attributes

- const int **REVERSE_STREAM_DELAY_MS** = 1
- const int **AEC** = 10
- const int **AEC_SUPPRESSION_LEVEL** = 11
- const int **AECM** = 20
- const int **AECM_ROUTING_MODE** = 21
- const int **AECM_COMFORT_NOISE** = 22
- const int **HIGH_PASS_FILTER** = 31
- const int **NS** = 41
- const int **NS_LEVEL** = 42
- const int **AGC** = 51
- const int **AGC_MODE** = 52
- const int **AGC_COMPRESSION_GAIN** = 56
- const int **AGC_LIMITER** = 57
- const int **VAD** = 61
- const int **VAD_FRAME_SIZE_MS** = 62
- const int **VAD_LIKELIHOOD** = 63

3.81 PhotonVoiceCreatedParams Class Reference

Inherited by [Recorder.PhotonVoiceCreatedParams](#).

Properties

- [Voice.LocalVoice](#) **Voice** [get, set]
- [Voice.IAudioDesc](#) **AudioDesc** [get, set]

3.82 Recorder.PhotonVoiceCreatedParams Class Reference

Inherits [PhotonVoiceCreatedParams](#).

Additional Inherited Members

3.83 PhotonVoiceLagSimulationGui Class Reference

Inherits MonoBehaviour.

Public Member Functions

- void **OnEnable** ()

3.84 PhotonVoiceNetwork Class Reference

This class can be used to automatically sync client states between [PUN](#) and [Voice](#). It also sets a custom [PUN](#) Speaker factory to find the Speaker component for a character's voice. For this to work attach a [PhotonVoiceView](#) next to the PhotonView of your player's prefab.

Inherits [VoiceConnection](#).

Public Member Functions

- bool [ConnectAndJoinRoom](#) ()
Connect voice client to [Photon](#) servers and join a [Voice](#) room
- void [Disconnect](#) ()
Disconnect voice client from all [Photon](#) servers

Public Attributes

- bool [AutoConnectAndJoin](#) = true
Auto connect voice client and join a voice room when [PUN](#) client is joined to a [PUN](#) room
- bool [AutoLeaveAndDisconnect](#) = true
Auto disconnect voice client when [PUN](#) client is not joined to a [PUN](#) room
- bool [AutoCreateSpeakerIfNotFound](#) = true
Auto instantiate a GameObject and attach a Speaker component to link to a remote audio stream if no candidate could be found

Static Public Attributes

- const string [VoiceRoomNameSuffix](#) = "_voice_"
Suffix for voice room names appended to [PUN](#) room names.

Protected Member Functions

- override void **Awake** ()
- override void **OnDisable** ()
- override void **OnDestroy** ()
- override void **OnVoiceStateChanged** ([ClientState](#) fromState, [ClientState](#) toState)
- override [Speaker](#) **SimpleSpeakerFactory** (int playerId, byte voiceId, object userData)

Properties

- static [PhotonVoiceNetwork Instance](#) [get, set]
Singleton instance for [PhotonVoiceNetwork](#)

Additional Inherited Members

3.84.1 Detailed Description

This class can be used to automatically sync client states between [PUN](#) and [Voice](#). It also sets a custom [PUN](#) Speaker factory to find the Speaker component for a character's voice. For this to work attach a [PhotonVoiceView](#) next to the PhotonView of your player's prefab.

3.84.2 Member Function Documentation

3.84.2.1 ConnectAndJoinRoom()

```
bool ConnectAndJoinRoom ( )
```

Connect voice client to [Photon](#) servers and join a [Voice](#) room

Returns

If true, connection command send from client

3.84.2.2 Disconnect()

```
void Disconnect ( )
```

Disconnect voice client from all [Photon](#) servers

3.84.3 Member Data Documentation

3.84.3.1 AutoConnectAndJoin

```
bool AutoConnectAndJoin = true
```

Auto connect voice client and join a voice room when [PUN](#) client is joined to a [PUN](#) room

3.84.3.2 AutoCreateSpeakerIfNotFound

```
bool AutoCreateSpeakerIfNotFound = true
```

Auto instantiate a GameObject and attach a Speaker component to link to a remote audio stream if no candidate could be found

3.84.3.3 AutoLeaveAndDisconnect

```
bool AutoLeaveAndDisconnect = true
```

Auto disconnect voice client when [PUN](#) client is not joined to a [PUN](#) room

3.84.3.4 VoiceRoomNameSuffix

```
const string VoiceRoomNameSuffix = "_voice_" [static]
```

Suffix for voice room names appended to [PUN](#) room names.

3.84.4 Property Documentation

3.84.4.1 Instance

```
PhotonVoiceNetwork Instance [static], [get], [set]
```

Singleton instance for [PhotonVoiceNetwork](#)

3.85 PhotonVoiceStatsGui Class Reference

Basic GUI to show traffic and health statistics of the connection to [Photon](#), toggled by shift+tab.

Inherits MonoBehaviour.

3.85.1 Detailed Description

Basic GUI to show traffic and health statistics of the connection to [Photon](#), toggled by shift+tab.

The shown health values can help identify problems with connection losses or performance. Example: If the time delta between two consecutive `SendOutgoingCommands` calls is a second or more, chances rise for a disconnect being caused by this (because acknowledgments to the server need to be sent in due time).

3.86 PhotonVoiceView Class Reference

Component that should be attached to a networked [PUN](#) prefab that has PhotonView. It will bind remote Recorder with local Speaker of the same networked prefab. This component makes automatic voice stream routing easy for players' characters/avatars.

Inherits [VoiceComponent](#).

Public Member Functions

- void [Init](#) ()
Initializes this [PhotonVoiceView](#) for [Voice](#) usage based on the PhotonView, Recorder and Speaker components.

Public Attributes

- bool [AutoCreateRecorderIfNotFound](#)
If true, a Recorder component will be added to the same GameObject if not found already.
- bool [UsePrimaryRecorder](#)
If true, [PhotonVoiceNetwork.PrimaryRecorder](#) will be used by this [PhotonVoiceView](#)
- bool [SetupDebugSpeaker](#)
If true, a Speaker component will be setup to be used for the DebugEcho mode

Protected Member Functions

- override void **Awake** ()

Properties

- [Recorder RecorderInUse](#) [get, set]
The Recorder component currently used by this [PhotonVoiceView](#)
- [Speaker SpeakerInUse](#) [get, set]
The Speaker component currently used by this [PhotonVoiceView](#)
- bool [IsSetup](#) [get, protected set]
If true, this [PhotonVoiceView](#) is setup and ready to be used
- bool [IsSpeaker](#) [get, protected set]
If true, this [PhotonVoiceView](#) has a Speaker setup for playback of received audio frames from remote audio source
- bool [IsSpeaking](#) [get]
If true, this [PhotonVoiceView](#) has a Speaker that is currently playing received audio frames from remote audio source
- bool [IsRecorder](#) [get, protected set]
If true, this [PhotonVoiceView](#) has a Recorder setup for transmission of audio stream from local audio source
- bool [IsRecording](#) [get]
If true, this [PhotonVoiceView](#) has a Recorder that is currently transmitting audio stream from local audio source

Additional Inherited Members

3.86.1 Detailed Description

Component that should be attached to a networked [PUN](#) prefab that has PhotonView. It will bind remote Recorder with local Speaker of the same networked prefab. This component makes automatic voice stream routing easy for players' characters/avatars.

3.86.2 Member Function Documentation

3.86.2.1 Init()

```
void Init ( )
```

Initializes this [PhotonVoiceView](#) for [Voice](#) usage based on the PhotonView, Recorder and Speaker components.

The initialization should happen automatically. Call this method explicitly if this does not succeed. The initialization is a two steps operation: step one is the setup of Recorder and Speaker to be used. Step two is the late-linking -if needed- of the SpeakerInUse and corresponding remote voice info -if any- via ViewID.

3.86.3 Member Data Documentation

3.86.3.1 AutoCreateRecorderIfNotFound

```
bool AutoCreateRecorderIfNotFound
```

If true, a Recorder component will be added to the same GameObject if not found already.

3.86.3.2 SetupDebugSpeaker

```
bool SetupDebugSpeaker
```

If true, a Speaker component will be setup to be used for the DebugEcho mode

3.86.3.3 UsePrimaryRecorder

```
bool UsePrimaryRecorder
```

If true, [PhotonVoiceNetwork.PrimaryRecorder](#) will be used by this [PhotonVoiceView](#)

3.86.4 Property Documentation

3.86.4.1 IsRecorder

```
bool IsRecorder [get], [protected set]
```

If true, this [PhotonVoiceView](#) has a Recorder setup for transmission of audio stream from local audio source

3.86.4.2 IsRecording

```
bool IsRecording [get]
```

If true, this [PhotonVoiceView](#) has a Recorder that is currently transmitting audio stream from local audio source

3.86.4.3 IsSetup

```
bool IsSetup [get], [protected set]
```

If true, this [PhotonVoiceView](#) is setup and ready to be used

3.86.4.4 IsSpeaker

```
bool IsSpeaker [get], [protected set]
```

If true, this [PhotonVoiceView](#) has a Speaker setup for playback of received audio frames from remote audio source

3.86.4.5 IsSpeaking

```
bool IsSpeaking [get]
```

If true, this [PhotonVoiceView](#) has a Speaker that is currently playing received audio frames from remote audio source

3.86.4.6 RecorderInUse

```
Recorder RecorderInUse [get], [set]
```

The Recorder component currently used by this [PhotonVoiceView](#)

3.86.4.7 SpeakerInUse

[Speaker](#) `SpeakerInUse` `[get]`, `[set]`

The Speaker component currently used by this [PhotonVoiceView](#)

3.87 PrimitiveArrayPool< T > Class Template Reference

Pool of Arrays with components of type T, with [ObjectPool](#) info being the array's size.

Inherits [ObjectPool< T\[\], int >](#).

Public Member Functions

- **PrimitiveArrayPool** (int capacity, string name)
- **PrimitiveArrayPool** (int capacity, string name, int info)

Protected Member Functions

- override `T[]` **createObject** (int info)
- override void **destroyObject** (`T[]` obj)
- override bool **infosMatch** (int i0, int i1)

Additional Inherited Members

3.87.1 Detailed Description

Pool of Arrays with components of type T, with [ObjectPool](#) info being the array's size.

Template Parameters

<code>T</code>	Array element type.
----------------	---------------------

3.88 RawCodec Class Reference

Classes

- class [Decoder](#)
- class [Encoder](#)

3.89 Recorder Class Reference

Component representing outgoing audio stream in scene.

Inherits [VoiceComponent](#).

Classes

- class [PhotonVoiceCreatedParams](#)

Public Types

- enum **InputSourceType**
- enum **MicType**
- enum **SampleTypeConv**

Public Member Functions

- void [Init](#) ([VoiceClient](#) voiceClient, object customObj=null)
Initializes the [Recorder](#) component to be able to transmit audio.
- void [Init](#) ([VoiceConnection](#) voiceConnection)
Initializes the [Recorder](#) component to be able to transmit audio.
- void **ReInit** ()
- void [RestartRecording](#) ()
Restarts recording if something has changed that requires this.
- void [VoiceDetectorCalibrate](#) (int durationMs, Action< float > detectionEndedCallback=null)
Trigger voice detector calibration process. While calibrating, keep silence. [Voice](#) detector sets threshold basing on measured background noise level.
- void [StartRecording](#) ()
Starts recording.
- void [StopRecording](#) ()
Stops recording.

Protected Member Functions

- virtual void **SendPhotonVoiceCreatedMessage** ()

Properties

- static [AudioInEnumerator](#) [PhotonMicrophoneEnumerator](#) [get]
Enumerator for the available microphone devices gathered by the [Photon](#) plugin.
- bool [IsInitialized](#) [get]
If true, this [Recorder](#) has been initialized and is ready to transmit to remote clients. Otherwise call [Init](#).
- bool **RequiresInit** [get]
- bool [RequiresRestart](#) [get, protected set]
Returns true if something has changed in the [Recorder](#) while recording that won't take effect unless recording is restarted using [RestartRecording](#).
- bool [TransmitEnabled](#) [get, set]
If true, audio transmission is enabled.
- bool [Encrypt](#) [get, set]
If true, voice stream is sent encrypted.
- bool [DebugEchoMode](#) [get, set]
If true, outgoing stream routed back to client via server same way as for remote client's streams.
- bool [ReliableMode](#) [get, set]
If true, stream data sent in reliable mode.

- bool [VoiceDetection](#) [get, set]
If true, voice detection enabled.
- float [VoiceDetectionThreshold](#) [get, set]
Voice detection threshold (0..1, where 1 is full amplitude).
- int [VoiceDetectionDelayMs](#) [get, set]
Keep detected state during this time after signal level dropped below threshold. Default is 500ms
- object [UserData](#) [get, set]
Custom user object to be sent in the voice stream info event.
- Func< [IAudioDesc](#) > [InputFactory](#) [get, set]
Set the method returning new [Voice.IAudioDesc](#) instance to be assigned to a new voice created with Source set to Factory
- [AudioUtil.IVoiceDetector?](#) [VoiceDetector](#) [get]
Returns voice activity detector for recorder's audio stream.
- string [UnityMicrophoneDevice](#) [get, set]
Set or get [Unity](#) microphone device used for streaming.
- int [PhotonMicrophoneDeviceId](#) [get, set]
Set or get photon microphone device used for streaming.
- byte [AudioGroup](#) [get, set]
Target interest group that will receive transmitted audio.
- byte [InterestGroup](#) [get, set]
Target interest group that will receive transmitted audio.
- bool [IsCurrentlyTransmitting](#) [get]
Returns true if audio stream broadcasts.
- [AudioUtil.ILevelMeter?](#) [LevelMeter](#) [get]
Level meter utility.
- bool [VoiceDetectorCalibrating](#) [get]
If true, voice detector calibration is in progress.
- [ILocalVoiceAudio](#) **voiceAudio** [get]
- InputSourceType [SourceType](#) [get, set]
Audio data source.
- MicType [MicrophoneType](#) [get, set]
Which microphone API to use when the Source is set to Microphone.
- SampleTypeConv [TypeConvert](#) [get, set]
Force creation of 'short' pipeline and convert audio data to short for 'float' audio sources.
- AudioClip [AudioClip](#) [get, set]
Source audio clip.
- bool [LoopAudioClip](#) [get, set]
Loop playback for audio clip sources.
- POpusCodec.Enums.SamplingRate [SamplingRate](#) [get, set]
Outgoing audio stream sampling rate.
- OpusCodec.FrameDuration [FrameDuration](#) [get, set]
Outgoing audio stream encoder delay.
- int [Bitrate](#) [get, set]
Outgoing audio stream bitrate.
- bool [IsRecording](#) [get, set]
Gets or sets whether this [Recorder](#) is actively recording audio to be transmitted.
- bool **ReactOnSystemChanges** [get, set]
- bool [AutoStart](#) [get, set]
If true, automatically start recording when initialized.

Additional Inherited Members

3.89.1 Detailed Description

Component representing outgoing audio stream in scene.

3.89.2 Member Function Documentation

3.89.2.1 Init() [1/2]

```
void Init (
    VoiceClient voiceClient,
    object customObj = null )
```

Initializes the Recorder component to be able to transmit audio.

Parameters

<i>voiceClient</i>	The VoiceClient to be used with this Recorder.
<i>customObj</i>	Optional user data object to be transmitted with the voice stream info

3.89.2.2 Init() [2/2]

```
void Init (
    VoiceConnection voiceConnection )
```

Initializes the Recorder component to be able to transmit audio.

Parameters

<i>voiceConnection</i>	The VoiceConnection to be used with this Recorder.
------------------------	--

3.89.2.3 RestartRecording()

```
void RestartRecording ( )
```

Restarts recording if something has changed that requires this.

3.89.2.4 StartRecording()

```
void StartRecording ( )
```

Starts recording.

3.89.2.5 StopRecording()

```
void StopRecording ( )
```

Stops recording.

3.89.2.6 VoiceDetectorCalibrate()

```
void VoiceDetectorCalibrate (
    int durationMs,
    Action< float > detectionEndedCallback = null )
```

Trigger voice detector calibration process. While calibrating, keep silence. [Voice](#) detector sets threshold basing on measured background noise level.

Parameters

<i>durationMs</i>	Duration of calibration in milliseconds.
<i>detectionEndedCallback</i>	Callback when VAD calibration ends.

3.89.3 Property Documentation

3.89.3.1 AudioClip

```
AudioClip AudioClip [get], [set]
```

Source audio clip.

3.89.3.2 AudioGroup

```
byte AudioGroup [get], [set]
```

Target interest group that will receive transmitted audio.

If AudioGroup != 0, recorder's audio data is sent only to clients listening to this group.

3.89.3.3 AutoStart

```
bool AutoStart [get], [set]
```

If true, automatically start recording when initialized.

3.89.3.4 Bitrate

```
int Bitrate [get], [set]
```

Outgoing audio stream bitrate.

3.89.3.5 DebugEchoMode

```
bool DebugEchoMode [get], [set]
```

If true, outgoing stream routed back to client via server same way as for remote client's streams.

3.89.3.6 Encrypt

```
bool Encrypt [get], [set]
```

If true, voice stream is sent encrypted.

3.89.3.7 FrameDuration

```
OpusCodec.FrameDuration FrameDuration [get], [set]
```

Outgoing audio stream encoder delay.

3.89.3.8 InputFactory

```
Func<IAudioDesc> InputFactory [get], [set]
```

Set the method returning new [Voice.IAudioDesc](#) instance to be assigned to a new voice created with Source set to Factory

3.89.3.9 InterestGroup

```
byte InterestGroup [get], [set]
```

Target interest group that will receive transmitted audio.

If InterestGroup != 0, recorder's audio data is sent only to clients listening to this group.

3.89.3.10 IsCurrentlyTransmitting

```
bool IsCurrentlyTransmitting [get]
```

Returns true if audio stream broadcasts.

3.89.3.11 IsInitialized

```
bool IsInitialized [get]
```

If true, this [Recorder](#) has been initialized and is ready to transmit to remote clients. Otherwise call [Init](#).

3.89.3.12 IsRecording

```
bool IsRecording [get], [set]
```

Gets or sets whether this [Recorder](#) is actively recording audio to be transmitted.

3.89.3.13 LevelMeter

```
AudioUtil.ILevelMeter? LevelMeter [get]
```

Level meter utility.

3.89.3.14 LoopAudioClip

```
bool LoopAudioClip [get], [set]
```

Loop playback for audio clip sources.

3.89.3.15 MicrophoneType

```
MicType MicrophoneType [get], [set]
```

Which microphone API to use when the Source is set to Microphone.

3.89.3.16 PhotonMicrophoneDeviceId

```
int PhotonMicrophoneDeviceId [get], [set]
```

Set or get photon microphone device used for streaming.

3.89.3.17 PhotonMicrophoneEnumerator

```
AudioInEnumerator PhotonMicrophoneEnumerator [static], [get]
```

Enumerator for the available microphone devices gathered by the [Photon](#) plugin.

3.89.3.18 ReliableMode

```
bool ReliableMode [get], [set]
```

If true, stream data sent in reliable mode.

3.89.3.19 RequiresRestart

```
bool RequiresRestart [get], [protected set]
```

Returns true if something has changed in the [Recorder](#) while recording that won't take effect unless recording is restarted using [RestartRecording](#).

Think of this as a "isDirty" flag.

3.89.3.20 SamplingRate

```
POpusCodec.Enums.SamplingRate SamplingRate [get], [set]
```

Outgoing audio stream sampling rate.

3.89.3.21 SourceType

```
InputSourceType SourceType [get], [set]
```

Audio data source.

3.89.3.22 TransmitEnabled

```
bool TransmitEnabled [get], [set]
```

If true, audio transmission is enabled.

3.89.3.23 TypeConvert

```
SampleTypeConv TypeConvert [get], [set]
```

Force creation of 'short' pipeline and convert audio data to short for 'float' audio sources.

3.89.3.24 UnityMicrophoneDevice

```
string UnityMicrophoneDevice [get], [set]
```

Set or get [Unity](#) microphone device used for streaming.

3.89.3.25 UserData

```
object UserData [get], [set]
```

Custom user object to be sent in the voice stream info event.

3.89.3.26 VoiceDetection

```
bool VoiceDetection [get], [set]
```

If true, voice detection enabled.

3.89.3.27 VoiceDetectionDelayMs

```
int VoiceDetectionDelayMs [get], [set]
```

Keep detected state during this time after signal level dropped below threshold. Default is 500ms

3.89.3.28 VoiceDetectionThreshold

```
float VoiceDetectionThreshold [get], [set]
```

Voice detection threshold (0..1, where 1 is full amplitude).

3.89.3.29 VoiceDetector

```
AudioUtil.IVoiceDetector? VoiceDetector [get]
```

Returns voice activity detector for recorder's audio stream.

3.89.3.30 VoiceDetectorCalibrating

```
bool VoiceDetectorCalibrating [get]
```

If true, voice detector calibration is in progress.

3.90 RemoteVoiceInfo Class Reference

Information about a remote voice (incoming stream).

Properties

- [VoiceInfo Info](#) [get]
Remote voice info.
- int [ChannelId](#) [get]
ID of channel used for transmission.
- int [PlayerId](#) [get]
Player ID of voice owner.
- byte [VoiceId](#) [get]
Voice ID (unique in the room).

3.90.1 Detailed Description

Information about a remote voice (incoming stream).

3.90.2 Property Documentation

3.90.2.1 ChannelId

```
int ChannelId [get]
```

ID of channel used for transmission.

3.90.2.2 Info

```
VoiceInfo Info [get]
```

Remote voice info.

3.90.2.3 PlayerId

```
int PlayerId [get]
```

Player ID of voice owner.

3.90.2.4 Voiceld

```
byte VoiceId [get]
```

Voice ID (unique in the room).

3.91 RemoteVoiceLink Class Reference

Public Member Functions

- **RemoteVoiceLink** ([VoiceInfo](#) info, int playerId, int voiceld, int channelId, ref [RemoteVoiceOptions](#) options)

Properties

- [VoiceInfo Info](#) [get]
- int **PlayerId** [get]
- int **VoiceId** [get]
- int **ChannelId** [get]

Events

- Action< float[]> **FloatFrameDecoded**
- Action **RemoteVoiceRemoved**

3.92 RemoteVoiceOptions Struct Reference

Event Actions and other options for a remote voice (incoming stream).

Public Member Functions

- void [SetOutput](#) (Action< float[]> output)
Register a method to be called when new data frame received..
- void **SetOutput** (Action< short[]> output)
- void **SetOutput** (Action< [ImageOutputBuf](#) > output)

Properties

- Action [OnRemoteVoiceRemoveAction](#) [get, set]
Register a method to be called when the remote voice is removed.
- [IDecoder Decoder](#) [get, set]
Remote voice data decoder. Use to set decoder options or override it with user decoder.
- ImageFormat **OutputImageFormat** [get, set]
- Flip **OutputImageFlip** [get, set]

3.92.1 Detailed Description

Event Actions and other options for a remote voice (incoming stream).

3.92.2 Member Function Documentation

3.92.2.1 SetOutput()

```
void SetOutput (
    Action< float[]> output )
```

Register a method to be called when new data frame received..

3.92.3 Property Documentation

3.92.3.1 Decoder

`IDecoder` Decoder [get], [set]

Remote voice data decoder. Use to set decoder options or override it with user decoder.

3.92.3.2 OnRemoteVoiceRemoveAction

Action OnRemoteVoiceRemoveAction [get], [set]

Register a method to be called when the remote voice is removed.

3.93 AudioUtil.Resampler< T > Class Template Reference

Sample-rate conversion Audio Processor.

Inherits `IProcessor< T >`.

Public Member Functions

- `Resampler` (int dstSize, int channels)
Create a new `Resampler` instance.
- `T[] Process` (T[] buf)
Process a frame of audio data.
- void `Dispose` ()

Protected Attributes

- `T[] frameResampled`

3.93.1 Detailed Description

Sample-rate conversion Audio Processor.

This processor converts the sample-rate of the source stream. Internally, it uses AudioUtil.Resample.

3.93.2 Constructor & Destructor Documentation

3.93.2.1 Resampler()

```
Resampler (
    int dstSize,
    int channels )
```

Create a new `Resampler` instance.

Parameters

<i>dstSize</i>	Frame size of a destination frame. Determines output rate.
<i>channels</i>	Number of audio channels expected in both in- and output.

3.93.3 Member Function Documentation

3.93.3.1 Process()

```
T [ ] Process (
    T [ ] buf )
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implements [IProcessor< T >](#).

3.94 Speaker Class Reference

Component representing remote audio stream in local scene.

Inherits [VoiceComponent](#).

Public Attributes

- int [PlayDelayMs](#) = 200

Remote audio stream playback delay to compensate packets latency variations. Try 100 - 200 if sound is choppy.

Protected Member Functions

- override void **Awake** ()

Properties

- bool `IsPlaying` [get]
Is the speaker playing right now.
- int? `Lag` [get]
Smoothed difference between (jittering) stream and (clock-driven) audioOutput.
- Action< `Speaker` > `OnRemoteVoiceRemoveAction` [get, set]
Register a method to be called when remote voice removed.
- Realtime.Player `Actor` [get, set]
Per room, the connected users/players are represented with a Realtime.Player, also known as Actor.
- bool `IsLinked` [get]
Whether or not this `Speaker` has been linked to a remote voice stream.

Additional Inherited Members

3.94.1 Detailed Description

Component representing remote audio stream in local scene.

3.94.2 Member Data Documentation

3.94.2.1 PlayDelayMs

```
int PlayDelayMs = 200
```

Remote audio stream playback delay to compensate packets latency variations. Try 100 - 200 if sound is choppy.

3.94.3 Property Documentation

3.94.3.1 Actor

```
Realtime.Player Actor [get], [set]
```

Per room, the connected users/players are represented with a Realtime.Player, also known as Actor.

`Photon Voice` calls this Actor, to avoid a name-clash with the Player class in `Voice`.

3.94.3.2 IsLinked

```
bool IsLinked [get]
```

Whether or not this `Speaker` has been linked to a remote voice stream.

3.94.3.3 IsPlaying

```
bool IsPlaying [get]
```

Is the speaker playing right now.

3.94.3.4 Lag

```
int? Lag [get]
```

Smoothed difference between (jittering) stream and (clock-driven) audioOutput.

3.94.3.5 OnRemoteVoiceRemoveAction

```
Action<Speaker> OnRemoteVoiceRemoveAction [get], [set]
```

Register a method to be called when remote voice removed.

3.95 TestTone Class Reference

Inherits MonoBehaviour.

3.96 AudioUtil.ToneAudioPusher< T > Class Template Reference

[IAudioPusher](#) that provides a constant tone signal.

Inherits [IAudioPusher< T >](#).

Public Member Functions

- [ToneAudioPusher](#) (int frequency=440, int bufSizeMs=100, int samplingRate=441000, int channels=2)
Create a new [ToneAudioReader](#) instance
- void [SetCallback](#) (Action< T[]> callback, [ObjectFactory](#)< T[], int > bufferFactory)
Set the callback function used for pushing data
- void **Dispose** ()

Properties

- int **Channels** [get]
- int **SamplingRate** [get]
- string **Error** [get]

3.96.1 Detailed Description

[IAudioPusher](#) that provides a constant tone signal.

3.96.2 Constructor & Destructor Documentation

3.96.2.1 ToneAudioPusher()

```
ToneAudioPusher (
    int frequency = 440,
    int bufSizeMs = 100,
    int samplingRate = 441000,
    int channels = 2 )
```

Create a new [ToneAudioReader](#) instance

Parameters

<i>frequency</i>	Frequency of the generated tone (in Hz).
<i>bufSizeMs</i>	Size of buffers to push (in milliseconds).
<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>channels</i>	Number of channels in the audio signal.

3.96.3 Member Function Documentation

3.96.3.1 SetCallback()

```
void SetCallback (
    Action< T[]> callback,
    ObjectFactory< T[], int > bufferFactory )
```

Set the callback function used for pushing data

Parameters

<i>callback</i>	Callback function to use
<i>localVoice</i>	Outgoing audio stream, for context

Implements [IAudioPusher< T >](#).

3.97 AudioUtil.ToneAudioReader< T > Class Template Reference

[IAudioReader](#) that provides a constant tone signal.

Inherits [IAudioReader< T >](#).

Public Member Functions

- [ToneAudioReader](#) (Func< double > clockSec=null, double frequency=440, int samplingRate=441000, int channels=2)
Create a new [ToneAudioReader](#) instance
- void **Dispose** ()
- bool [Read](#) (T[] buf)
Fill full given frame buffer with source uncompressed data or return false if not enough such data.

Properties

- int [Channels](#) [get]
Number of channels in the audio signal.
- int [SamplingRate](#) [get]
Sampling rate of the audio signal (in Hz).
- string [Error](#) [get]
If not null, audio object is in invalid state.

3.97.1 Detailed Description

[IAudioReader](#) that provides a constant tone signal.

See also MicWrapper and AudioClipWrapper Because of current resampling algorithm, the tone is distorted if SamplingRate does not equal encoder sampling rate.

3.97.2 Constructor & Destructor Documentation

3.97.2.1 ToneAudioReader()

```
ToneAudioReader (
    Func< double > clockSec = null,
    double frequency = 440,
    int samplingRate = 441000,
    int channels = 2 )
```

Create a new [ToneAudioReader](#) instance

Parameters

<i>clockSec</i>	Function to get current time in seconds. In Unity , pass in '() => AudioSettings.dspTime' for better results.
<i>frequency</i>	Frequency of the generated tone (in Hz).
<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>channels</i>	Number of channels in the audio signal.

3.97.3 Member Function Documentation

3.97.3.1 Read()

```
bool Read (
    T[] buffer )
```

Fill full given frame buffer with source uncompressed data or return false if not enough such data.

Parameters

<i>buffer</i>	Buffer to fill.
---------------	-----------------

Returns

True if buffer was filled successfully, false otherwise.

Implements [IDataReader< T >](#).

3.97.4 Property Documentation

3.97.4.1 Channels

```
int Channels [get]
```

Number of channels in the audio signal.

3.97.4.2 Error

```
string Error [get]
```

If not null, audio object is in invalid state.

3.97.4.3 SamplingRate

`int SamplingRate [get]`

Sampling rate of the audio signal (in Hz).

3.98 ToneAudioReader Class Reference

Inherits [IAudioReader< float >](#).

Public Member Functions

- void **Dispose** ()
- bool **Read** (float[] buf)

Properties

- int **Channels** [get]
- int **SamplingRate** [get]
- string **Error** [get]

3.99 UnityAndroidAudioInAEC Class Reference

Inherits [IAudioPusher< short >](#).

Public Member Functions

- **UnityAndroidAudioInAEC** ([Voice.ILogger](#) logger)
- void **SetCallback** (Action< short[]> callback, [ObjectFactory](#)< short[], int > bufferFactory)
- void **Dispose** ()

Properties

- int **Channels** [get]
- int **SamplingRate** [get]
- string **Error** [get]

3.100 UnityAudioOut Class Reference

Inherits [ISyncAudioOut< float >](#).

Public Member Functions

- **UnityAudioOut** (AudioSource audioSource)
- void **Start** (int frequency, int channels, int frameSamples, int playDelayMs)
- void **Service** ()
- void **Push** (float[] frame)
- void **Stop** ()
- void **Pause** ()
- void **UnPause** ()

Static Public Attributes

- const int **FRAME_POOL_CAPACITY** = 50

Properties

- int **Lag** [get]
- int? **PlaySamplePos** [get, set]
- bool **IsPlaying** [get]

3.101 UnsupportedCodecException Class Reference

Exception thrown if an unsupported codec is encountered.

Inherits Exception.

Public Member Functions

- [UnsupportedCodecException](#) (string info, [Codec](#) codec, [ILogger](#) logger)
Create a new [UnsupportedCodecException](#).

3.101.1 Detailed Description

Exception thrown if an unsupported codec is encountered.

PhotonVoice currently only supports one Codec, [Codec.AudioOpus](#).

3.101.2 Constructor & Destructor Documentation

3.101.2.1 UnsupportedCodecException()

```
UnsupportedCodecException (  
    string info,  
    Codec codec,  
    ILogger logger )
```

Create a new [UnsupportedCodecException](#).

Parameters

<i>info</i>	The info prepending standard message.
<i>codec</i>	The codec actually encountered.
<i>logger</i>	Logger.

3.102 UnsupportedSampleTypeException Class Reference

Exception thrown if an unsupported audio sample type is encountered.

Inherits Exception.

Public Member Functions

- [UnsupportedSampleTypeException](#) (Type t)
Create a new [UnsupportedSampleTypeException](#).

3.102.1 Detailed Description

Exception thrown if an unsupported audio sample type is encountered.

PhotonVoice generally supports 32-bit floating point ("float") or 16-bit signed integer ("short") audio, but it usually won't be converted automatically due to the high CPU overhead (and potential loss of precision) involved.

3.102.2 Constructor & Destructor Documentation

3.102.2.1 UnsupportedSampleTypeException()

```
UnsupportedSampleTypeException (  
    Type t )
```

Create a new [UnsupportedSampleTypeException](#).

Parameters

<i>t</i>	The sample type actually encountered.
----------	---------------------------------------

3.103 OpusCodec.Util Class Reference

3.104 VoiceClient Class Reference

Voice client interact with other clients on network via [IVoiceTransport](#).

Inherits [IDisposable](#).

Public Member Functions

- delegate void [RemoteVoiceInfoDelegate](#) (int channelId, int playerId, byte voiceId, [VoiceInfo](#) voiceInfo, ref [RemoteVoiceOptions](#) options)
Remote voice info event delegate.
- [IEnumerable](#)< [LocalVoice](#) > [LocalVoicesInChannel](#) (int channelId)
Iterates through copy of all local voices list of given channel.
- void [Service](#) ()
This method dispatches all available incoming commands and then sends this client's outgoing commands. Call this method regularly (2..20 times a second).
- [LocalVoice](#) [CreateLocalVoice](#) ([VoiceInfo](#) voiceInfo, int channelId=0, [IEncoder](#) encoder=null)
Creates basic outgoing stream w/o data processing support. Provided encoder should generate output data stream.
- [LocalVoiceFramed](#)< T > [CreateLocalVoiceFramed](#)< T > ([VoiceInfo](#) voiceInfo, int frameSize, int channelId=0, [IEncoder](#) encoder=null)
Creates outgoing stream consuming sequence of values passed in array buffers of arbitrary length which repacked in frames of constant length for further processing and encoding.
- [LocalVoiceAudio](#)< T > [CreateLocalVoiceAudio](#)< T > ([VoiceInfo](#) voiceInfo, [IAudioDesc](#) audioSourceDesc, int channelId=0, [IEncoder](#) encoder=null)
Creates outgoing audio stream. Adds audio specific features (e.g. resampling, level meter) to processing pipeline and to returning stream handler.
- [LocalVoice](#) [CreateLocalVoiceAudioFromSource](#) ([VoiceInfo](#) voiceInfo, [IAudioDesc](#) source, bool force↔ Short=false, int channelId=0, [IEncoder](#) encoder=null)
Creates outgoing audio stream of type automatically assigned and adds procedures (callback or serviceable) for consuming given audio source data. Adds audio specific features (e.g. resampling, level meter) to processing pipeline and to returning stream handler.
- void [RemoveLocalVoice](#) ([LocalVoice](#) voice)
Removes local voice (outgoing data stream).

Parameters

voice	Handler of outgoing stream to be removed.
-------	---

- void **Dispose** ()

Properties

- int [FramesLost](#) [get, set]
Lost frames counter.
- int [FramesReceived](#) [get]
Received frames counter.
- int [FramesSent](#) [get]
Sent frames counter.

- int [FramesSentBytes](#) [get]
Sent frames bytes counter.
- int [RoundTripTime](#) [get]
Average time required voice packet to return to sender.
- int [RoundTripTimeVariance](#) [get]
Average round trip time variation.
- bool [SuppressInfoDuplicateWarning](#) [get, set]
Do not log warning when duplicate info received.
- [RemoteVoiceInfoDelegate OnRemoteVoiceInfoAction](#) [get, set]
Register a method to be called when remote voice info arrived (after join or new new remote voice creation). Metod parameters: (int channelId, int playerId, byte voiceId, [VoiceInfo](#) voiceInfo, ref [RemoteVoiceOptions](#) options);
- int [DebugLostPercent](#) [get, set]
Lost frames simulation ratio.
- IEnumerable< [LocalVoice](#) > [LocalVoices](#) [get]
Iterates through copy of all local voices list.
- IEnumerable< [RemoteVoiceInfo](#) > [RemoteVoiceInfos](#) [get]
Iterates through all remote voices infos.

3.104.1 Detailed Description

[Voice](#) client interact with other clients on network via [IVoiceTransport](#).

3.104.2 Member Function Documentation

3.104.2.1 CreateLocalVoice()

```
LocalVoice CreateLocalVoice (
    VoiceInfo voiceInfo,
    int channelId = 0,
    IEncoder encoder = null )
```

Creates basic outgoing stream w/o data processing support. Provided encoder should generate output data stream.

Parameters

<i>voiceInfo</i>	Outgoing stream parameters. Set applicable fields to read them by encoder and by receiving client when voice created.
<i>channelId</i>	Transport channel specific to transport.
<i>encoder</i>	Encoder producing the stream.

Returns

Outgoing stream handler.

3.104.2.2 CreateLocalVoiceAudio< T >()

```
LocalVoiceAudio<T> CreateLocalVoiceAudio< T > (
    VoiceInfo voiceInfo,
    IAudioDesc audioSourceDesc,
    int channelId = 0,
    IEncoder encoder = null )
```

Creates outgoing audio stream. Adds audio specific features (e.g. resampling, level meter) to processing pipeline and to returning stream handler.

Template Parameters

<i>T</i>	Element type of audio array buffers.
----------	--------------------------------------

Parameters

<i>voiceInfo</i>	Outgoing audio stream parameters. Set applicable fields to read them by encoder and by receiving client when voice created.
<i>channelId</i>	Transport channel specific to transport.
<i>encoder</i>	Audio encoder. Set to null to use default Opus encoder.

Returns

Outgoing stream handler.

audioSourceDesc.SamplingRate and voiceInfo.SamplingRate may do not match. Automatic resampling will occur in this case.

3.104.2.3 CreateLocalVoiceAudioFromSource()

```
LocalVoice CreateLocalVoiceAudioFromSource (
    VoiceInfo voiceInfo,
    IAudioDesc source,
    bool forceShort = false,
    int channelId = 0,
    IEncoder encoder = null )
```

Creates outgoing audio stream of type automatically assigned and adds procedures (callback or serviceable) for consuming given audio source data. Adds audio specific features (e.g. resampling, level meter) to processing pipeline and to returning stream handler.

Parameters

<i>voiceInfo</i>	Outgoing audio stream parameters. Set applicable fields to read them by encoder and by receiving client when voice created.
<i>source</i>	Streaming audio source.
<i>forceShort</i>	For audio sources producing buffers of 'float' type, creates stream of 'short' type and adds converter.
<i>channelId</i>	Transport channel specific to transport.
<i>encoder</i>	Audio encoder. Set to null to use default Opus encoder.

Returns

Outgoing stream handler.

audioSourceDesc.SamplingRate and voiceInfo.SamplingRate may do not match. Automatic resampling will occur in this case.

3.104.2.4 CreateLocalVoiceFramed< T >()

```
LocalVoiceFramed<T> CreateLocalVoiceFramed< T > (
    VoiceInfo voiceInfo,
    int frameSize,
    int channelId = 0,
    IEncoder encoder = null )
```

Creates outgoing stream consuming sequence of values passed in array buffers of arbitrary length which repacked in frames of constant length for further processing and encoding.

Template Parameters

<i>T</i>	Type of data consumed by outgoing stream (element type of array buffers).
----------	---

Parameters

<i>voiceInfo</i>	Outgoing stream parameters. Set applicable fields to read them by encoder and by receiving client when voice created.
<i>frameSize</i>	Size of buffer LocalVoiceFramed repacks input data stream to.
<i>channelId</i>	Transport channel specific to transport.
<i>encoder</i>	Encoder compressing data stream in pipeline.

Returns

Outgoing stream handler.

3.104.2.5 LocalVoicesInChannel()

```
IEnumerable<LocalVoice> LocalVoicesInChannel (
    int channelId )
```

Iterates through copy of all local voices list of given channel.

3.104.2.6 RemoteVoiceInfoDelegate()

```
delegate void RemoteVoiceInfoDelegate (
    int channelId,
    int playerId,
    byte voiceId,
    VoiceInfo voiceInfo,
    ref RemoteVoiceOptions options )
```

Remote voice info event delegate.

3.104.2.7 RemoveLocalVoice()

```
void RemoveLocalVoice (
    LocalVoice voice )
```

Removes local voice (outgoing data stream).

Parameters

<i>voice</i>	Handler of outgoing stream to be removed.
--------------	---

3.104.2.8 Service()

```
void Service ( )
```

This method dispatches all available incoming commands and then sends this client's outgoing commands. Call this method regularly (2..20 times a second).

3.104.3 Property Documentation

3.104.3.1 DebugLostPercent

```
int DebugLostPercent [get], [set]
```

Lost frames simulation ratio.

3.104.3.2 FramesLost

```
int FramesLost [get], [set]
```

Lost frames counter.

3.104.3.3 FramesReceived

```
int FramesReceived [get]
```

Received frames counter.

3.104.3.4 FramesSent

```
int FramesSent [get]
```

Sent frames counter.

3.104.3.5 FramesSentBytes

```
int FramesSentBytes [get]
```

Sent frames bytes counter.

3.104.3.6 LocalVoices

```
IEnumerable<LocalVoice> LocalVoices [get]
```

Iterates through copy of all local voices list.

3.104.3.7 OnRemoteVoiceInfoAction

```
RemoteVoiceInfoDelegate OnRemoteVoiceInfoAction [get], [set]
```

Register a method to be called when remote voice info arrived (after join or new new remote voice creation). Metod parameters: (int channelId, int playerId, byte voiceId, [VoiceInfo](#) voiceInfo, ref [RemoteVoiceOptions](#) options);

3.104.3.8 RemoteVoiceInfos

```
IEnumerable<RemoteVoiceInfo> RemoteVoiceInfos [get]
```

Iterates through all remote voices infos.

3.104.3.9 RoundTripTime

```
int RoundTripTime [get]
```

Average time required voice packet to return to sender.

3.104.3.10 RoundTripTimeVariance

```
int RoundTripTimeVariance [get]
```

Average round trip time variation.

3.104.3.11 SuppressInfoDuplicateWarning

```
bool SuppressInfoDuplicateWarning [get], [set]
```

Do not log warning when duplicate info received.

3.105 VoiceComponent Class Reference

Inherits MonoBehaviour, and [ILoggable](#).

Inherited by [PhotonVoiceView](#), [Recorder](#), [Speaker](#), [MicAmplifier](#), and [WebRtcAudioDsp](#).

Protected Member Functions

- virtual void **Awake** ()

Protected Attributes

- DebugLevel **logLevel** = DebugLevel.ERROR

Properties

- [VoiceLogger](#) **Logger** [get, protected set]
- DebugLevel **LogLevel** [get, set]

3.106 VoiceConnection Class Reference

Component that represents a client voice connection to [Photon](#) Servers.

Inherits [ConnectionHandler](#), and [ILoggable](#).

Inherited by [PhotonVoiceNetwork](#).

Public Member Functions

- bool [ConnectUsingSettings](#) (AppSettings overwriteSettings=null)
Connect to [Photon](#) server using [Settings](#)
- void [InitRecorder](#) ([Recorder](#) rec)
Initializes the [Recorder](#) component to be able to transmit audio.

Public Attributes

- AppSettings [Settings](#)
Settings to be used by this voice connection
- Func< int, byte, object, [Speaker](#) > [SpeakerFactory](#)
Special factory to link [Speaker](#) components with incoming remote audio streams
- float [MinimalTimeScaleToDispatchInFixedUpdate](#) = -1f
Configures the minimal Time.timeScale at which [Voice](#) client will dispatch incoming messages within LateUpdate.

Protected Member Functions

- override void **Awake** ()
- virtual void **Update** ()
- virtual void **FixedUpdate** ()
- void [Dispatch](#) ()
Dispatches incoming network messages for [Voice](#) client. Called in FixedUpdate or LateUpdate.
- override void **OnDisable** ()
- virtual void **OnDestroy** ()
- virtual [Speaker](#) **SimpleSpeakerFactory** (int playerId, byte voicId, object userData)
- virtual void **OnVoiceStateChanged** ([ClientState](#) fromState, [ClientState](#) toState)
- void **CalcStatistics** ()
- void **LinkSpeaker** ([Speaker](#) speaker, [RemoteVoiceLink](#) remoteVoice)

Protected Attributes

- List< [RemoteVoiceLink](#) > **cachedRemoteVoices** = new List<[RemoteVoiceLink](#)>()

Properties

- [VoiceLogger Logger](#) [get, protected set]
Logger used by this component
- DebugLevel [LogLevel](#) [get, set]
Log level for this component
- new [LoadBalancingTransport Client](#) [get]
- [VoiceClient VoiceClient](#) [get]
Returns underlying [Photon Voice](#) client.
- ClientState [ClientState](#) [get]
Returns [Photon Voice](#) client state.
- float [FramesReceivedPerSecond](#) [get]
Number of frames received per second.
- float [FramesLostPerSecond](#) [get]
Number of frames lost per second.
- float [FramesLostPercent](#) [get]
Percentage of lost frames.
- GameObject [SpeakerPrefab](#) [get, set]
Prefab that contains [Speaker](#) component to be instantiated when receiving a new remote audio source info
- [Recorder PrimaryRecorder](#) [get, set]
Main [Recorder](#) to be used for transmission by default

Events

- Action< [Speaker](#) > [SpeakerLinked](#)
Fires when a speaker has been linked to a remote audio stream
- Action< [RemoteVoiceLink](#) > [RemoteVoiceAdded](#)
Fires when a remote voice stream is added

3.106.1 Detailed Description

Component that represents a client voice connection to [Photon](#) Servers.

3.106.2 Member Function Documentation

3.106.2.1 ConnectUsingSettings()

```
bool ConnectUsingSettings (
    AppSettings overwriteSettings = null )
```

Connect to [Photon](#) server using [Settings](#)

Parameters

<i>overwriteSettings</i>	Overwrites Settings before connecting
--------------------------	---

Returns

If true voice connection command was sent from client

3.106.2.2 Dispatch()

```
void Dispatch ( ) [protected]
```

Dispatches incoming network messages for [Voice](#) client. Called in FixedUpdate or LateUpdate.

It may make sense to dispatch incoming messages, even if the timeScale is near 0. That can be configured with [MinimalTimeScaleToDispatchInFixedUpdate](#).

Without dispatching messages, [Voice](#) client won't change state and does not handle updates.

3.106.2.3 InitRecorder()

```
void InitRecorder (
    Recorder rec )
```

Initializes the [Recorder](#) component to be able to transmit audio.

Parameters

<i>rec</i>	The Recorder to be initialized.
------------	---

3.106.3 Member Data Documentation**3.106.3.1 MinimalTimeScaleToDispatchInFixedUpdate**

```
float MinimalTimeScaleToDispatchInFixedUpdate = -1f
```

Configures the minimal Time.timeScale at which [Voice](#) client will dispatch incoming messages within LateUpdate.

It may make sense to dispatch incoming messages, even if the timeScale is near 0. In some cases, stopping the game time makes sense, so this option defaults to -1f, which is "off". Without dispatching messages, [Voice](#) client won't change state and does not handle updates.

3.106.3.2 Settings

```
AppSettings Settings
```

Settings to be used by this voice connection

3.106.3.3 SpeakerFactory

```
Func<int, byte, object, Speaker> SpeakerFactory
```

Special factory to link [Speaker](#) components with incoming remote audio streams

3.106.4 Property Documentation

3.106.4.1 ClientState

```
ClientState ClientState [get]
```

Returns [Photon Voice](#) client state.

3.106.4.2 FramesLostPercent

```
float FramesLostPercent [get]
```

Percentage of lost frames.

3.106.4.3 FramesLostPerSecond

```
float FramesLostPerSecond [get]
```

Number of frames lost per second.

3.106.4.4 FramesReceivedPerSecond

```
float FramesReceivedPerSecond [get]
```

Number of frames received per second.

3.106.4.5 Logger

```
VoiceLogger Logger [get], [protected set]
```

[Logger](#) used by this component

3.106.4.6 LogLevel

`DebugLevel LogLevel [get], [set]`

Log level for this component

3.106.4.7 PrimaryRecorder

`Recorder PrimaryRecorder [get], [set]`

Main [Recorder](#) to be used for transmission by default

3.106.4.8 SpeakerPrefab

`GameObject SpeakerPrefab [get], [set]`

Prefab that contains [Speaker](#) component to be instantiated when receiving a new remote audio source info

3.106.4.9 VoiceClient

`VoiceClient VoiceClient [get]`

Returns underlying [Photon Voice](#) client.

3.106.5 Event Documentation

3.106.5.1 RemoteVoiceAdded

`Action<RemoteVoiceLink> RemoteVoiceAdded`

Fires when a remote voice stream is added

3.106.5.2 SpeakerLinked

`Action<Speaker> SpeakerLinked`

Fires when a speaker has been linked to a remote audio stream

3.107 AudioUtil.VoiceDetector< T > Class Template Reference

Simple voice activity detector triggered by signal level.

Inherits [IProcessor< T >](#), and [AudioUtil.IVoiceDetector](#).

Public Member Functions

- abstract T[] [Process](#) (T[] buf)
Process a frame of audio data.
- void [Dispose](#) ()

Protected Attributes

- float [norm](#)
- float [threshold](#)
- int [activityDelay](#)
- int [autoSilenceCounter](#) = 0
- int [valuesCountPerSec](#)
- int [activityDelayValuesCount](#)

Properties

- bool [On](#) [get, set]
If true, voice detection enabled.
- float [Threshold](#) [get, set]
Voice detected as soon as signal level exceeds threshold.
- bool [Detected](#) [get, protected set]
If true, voice detected.
- DateTime [DetectedTime](#) [get]
Last time when switched to detected state.
- int [ActivityDelayMs](#) [get, set]
Keep detected state during this time after signal level dropped below threshold.

Events

- Action [OnDetected](#)
Called when switched to detected state.

3.107.1 Detailed Description

Simple voice activity detector triggered by signal level.

3.107.2 Member Function Documentation

3.107.2.1 Process()

```
abstract T [] Process (
    T[] buf ) [pure virtual]
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implements [IProcessor< T >](#).

3.107.3 Property Documentation

3.107.3.1 ActivityDelayMs

```
int ActivityDelayMs [get], [set]
```

Keep detected state during this time after signal level dropped below threshold.

3.107.3.2 Detected

```
bool Detected [get], [protected set]
```

If true, voice detected.

3.107.3.3 DetectedTime

```
DateTime DetectedTime [get]
```

Last time when switched to detected state.

3.107.3.4 On

```
bool On [get], [set]
```

If true, voice detection enabled.

3.107.3.5 Threshold

float Threshold [get], [set]

Voice detected as soon as signal level exceeds threshold.

3.107.4 Event Documentation

3.107.4.1 OnDetected

Action OnDetected

Called when switched to detected state.

3.108 AudioUtil.VoiceDetectorCalibration< T > Class Template Reference

Calibration Utility for Voice Detector

Inherits [IProcessor< T >](#).

Public Member Functions

- [VoiceDetectorCalibration](#) ([IVoiceDetector](#) voiceDetector, [ILevelMeter](#) levelMeter, int samplingRate, int channels)
Create new [VoiceDetectorCalibration](#) instance.
- void [Calibrate](#) (int durationMs, Action< float > onCalibrated=null)
Start calibration.
- T[] [Process](#) (T[] buf)
Process a frame of audio data.
- void **Dispose** ()

Protected Attributes

- int **calibrateCount**

Properties

- bool **IsCalibrating** [get]

3.108.1 Detailed Description

Calibration Utility for [Voice](#) Detector

. Using this audio processor, you can calibrate the [IVoiceDetector.Threshold](#).

3.108.2 Constructor & Destructor Documentation

3.108.2.1 VoiceDetectorCalibration()

```
VoiceDetectorCalibration (
    IVoiceDetector voiceDetector,
    ILevelMeter levelMeter,
    int samplingRate,
    int channels )
```

Create new [VoiceDetectorCalibration](#) instance.

Parameters

<i>voiceDetector</i>	Voice Detector to calibrate.
<i>levelMeter</i>	Level Meter to look at for calibration.
<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.108.3 Member Function Documentation

3.108.3.1 Calibrate()

```
void Calibrate (
    int durationMs,
    Action< float > onCalibrated = null )
```

Start calibration.

Parameters

<i>durationMs</i>	Duration of the calibration procedure (in milliseconds).
-------------------	--

This activates the Calibration process. It will reset the given [LevelMeter](#)'s AccumAvgPeakAmp (accumulated average peak amplitude), and when the duration has passed, use it for the [VoiceDetector](#)'s detection threshold.

3.108.3.2 Process()

```
T [] Process (
    T[] buf )
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implements [IProcessor< T >](#).

3.109 AudioUtil.VoiceDetectorDummy Class Reference

Dummy [VoiceDetector](#) that doesn't actually do anything.

Inherits [AudioUtil.IVoiceDetector](#).

Properties

- bool **On** [get, set]
- float **Threshold** [get, set]
- bool **Detected** [get]
- int **ActivityDelayMs** [get, set]
- DateTime **DetectedTime** [get]
- Action **OnDetected**

Additional Inherited Members

3.109.1 Detailed Description

Dummy [VoiceDetector](#) that doesn't actually do anything.

3.110 AudioUtil.VoiceDetectorFloat Class Reference

[VoiceDetector](#) specialization for float audio.

Inherits [AudioUtil.VoiceDetector< float >](#).

Public Member Functions

- [VoiceDetectorFloat](#) (int `samplingRate`, int `numChannels`)
Create a new [VoiceDetectorFloat](#) instance.
- override float[] **Process** (float[] `buffer`)

Additional Inherited Members

3.110.1 Detailed Description

[VoiceDetector](#) specialization for float audio.

3.110.2 Constructor & Destructor Documentation

3.110.2.1 VoiceDetectorFloat()

```
VoiceDetectorFloat (
    int samplingRate,
    int numChannels )
```

Create a new [VoiceDetectorFloat](#) instance.

Parameters

<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.111 AudioUtil.VoiceDetectorShort Class Reference

[VoiceDetector](#) specialization for float audio.

Inherits [AudioUtil.VoiceDetector< short >](#).

Public Member Functions

- [VoiceDetectorShort](#) (int `samplingRate`, int `numChannels`)
Create a new [VoiceDetectorFloat](#) instance
- override short[] **Process** (short[] `buffer`)

Additional Inherited Members

3.111.1 Detailed Description

[VoiceDetector](#) specialization for float audio.

3.111.2 Constructor & Destructor Documentation

3.111.2.1 VoiceDetectorShort()

```
VoiceDetectorShort (
    int samplingRate,
    int numChannels )
```

Create a new [VoiceDetectorFloat](#) instance

Parameters

<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.112 VoiceEvent Class Reference

Static Public Attributes

- const byte [Code](#) = 202
Single event used for voice communications.

3.112.1 Member Data Documentation

3.112.1.1 Code

```
const byte Code = 202 [static]
```

Single event used for voice communications.

Change if it conflicts with other event codes used in the same [Photon](#) room.

3.113 VoiceInfo Struct Reference

Describes stream properties.

Public Member Functions

- override string [ToString](#) ()

Static Public Member Functions

- static [VoiceInfo CreateAudioOpus](#) (POpusCodec.Enums.SamplingRate samplingRate, int channels, OpusCodec.FrameDuration frameDurationUs, int bitrate, object userdata=null)
Create stream info for an Opus audio stream.
- static [VoiceInfo CreateAudio](#) ([Codec](#) codec, int samplingRate, int channels, int frameDurationUs, object userdata=null)
Create stream info for an Opus audio stream.

Properties

- [Codec](#) [Codec](#) [get, set]
- int [SamplingRate](#) [get, set]
Audio sampling rate (frequency, in Hz).
- int [Channels](#) [get, set]
Number of channels.
- int [FrameDurationUs](#) [get, set]
Uncompressed frame (audio packet) size in microseconds.
- int [Bitrate](#) [get, set]
Target bitrate (in bits/second).
- object [UserData](#) [get, set]
Optional user data. Should be serializable by [Photon](#).
- int [FrameDurationSamples](#) [get]
Uncompressed frame (data packet) size in samples.
- int [FrameSize](#) [get]
Uncompressed frame (data packet) array size.
- int [Width](#) [get, set]
Video width (optional).
- int [Height](#) [get, set]
Video height (optional)

3.113.1 Detailed Description

Describes stream properties.

3.113.2 Member Function Documentation

3.113.2.1 CreateAudio()

```
static VoiceInfo CreateAudio (
    Codec codec,
    int samplingRate,
    int channels,
    int frameDurationUs,
    object userdata = null ) [static]
```

Create stream info for an Opus audio stream.

Parameters

<i>samplingRate</i>	Audio sampling rate.
<i>channels</i>	Number of channels.
<i>frameDurationUs</i>	Uncompressed frame (audio packet) size in microseconds.
<i>bitrate</i>	Stream bitrate (in bits/second).
<i>userdata</i>	Optional user data. Should be serializable by Photon .

Returns

[VoiceInfo](#) instance.

3.113.2.2 CreateAudioOpus()

```
static VoiceInfo CreateAudioOpus (  
    POpusCodec.Enums.SamplingRate samplingRate,  
    int channels,  
    OpusCodec.FrameDuration frameDurationUs,  
    int bitrate,  
    object userdata = null ) [static]
```

Create stream info for an Opus audio stream.

Parameters

<i>samplingRate</i>	Audio sampling rate.
<i>channels</i>	Number of channels.
<i>frameDurationUs</i>	Uncompressed frame (audio packet) size in microseconds.
<i>bitrate</i>	Stream bitrate (in bits/second).
<i>userdata</i>	Optional user data. Should be serializable by Photon .

Returns

[VoiceInfo](#) instance.

3.113.3 Property Documentation

3.113.3.1 Bitrate

```
int Bitrate [get], [set]
```

Target bitrate (in bits/second).

3.113.3.2 Channels

```
int Channels [get], [set]
```

Number of channels.

3.113.3.3 FrameDurationSamples

```
int FrameDurationSamples [get]
```

Uncompressed frame (data packet) size in samples.

3.113.3.4 FrameDurationUs

```
int FrameDurationUs [get], [set]
```

Uncompressed frame (audio packet) size in microseconds.

3.113.3.5 FrameSize

```
int FrameSize [get]
```

Uncompressed frame (data packet) array size.

3.113.3.6 Height

```
int Height [get], [set]
```

Video height (optional)

3.113.3.7 SamplingRate

```
int SamplingRate [get], [set]
```

Audio sampling rate (frequency, in Hz).

3.113.3.8 UserData

object UserData [get], [set]

Optional user data. Should be serializable by [Photon](#).

3.113.3.9 Width

int Width [get], [set]

Video width (optional).

3.114 AudioUtil.VoiceLevelDetectCalibrate< T > Class Template Reference

Utility Audio Processor [Voice](#) Detection Calibration.

Inherits [IProcessor< T >](#).

Public Member Functions

- [VoiceLevelDetectCalibrate](#) (int samplingRate, int channels)
Create new [VoiceLevelDetectCalibrate](#) instance
- void [Calibrate](#) (int durationMs, Action< float > onCalibrated=null)
Start calibration
- T[] [Process](#) (T[] buf)
Process a frame of audio data.
- void [Dispose](#) ()

Properties

- [ILevelMeter](#) [LevelMeter](#) [get]
The [LevelMeter](#) in use.
- [IVoiceDetector](#) [VoiceDetector](#) [get]
The [VoiceDetector](#) in use
- bool [IsCalibrating](#) [get]

3.114.1 Detailed Description

Utility Audio Processor [Voice](#) Detection Calibration.

Encapsulates level meter, voice detector and voice detector calibrator in single instance.

3.114.2 Constructor & Destructor Documentation

3.114.2.1 VoiceLevelDetectCalibrate()

```

VoiceLevelDetectCalibrate (
    int samplingRate,
    int channels )

```

Create new [VoiceLevelDetectCalibrate](#) instance

Parameters

<i>samplingRate</i>	Sampling rate of the audio signal (in Hz).
<i>numChannels</i>	Number of channels in the audio signal.

3.114.3 Member Function Documentation

3.114.3.1 Calibrate()

```
void Calibrate (
    int durationMs,
    Action< float > onCalibrated = null )
```

Start calibration

Parameters

<i>durationMs</i>	Duration of the calibration procedure (in milliseconds).
<i>onCalibrated</i>	Called when calibration is complete. Parameter is new threshold value.

This activates the Calibration process. It will reset the given [LevelMeter](#)'s AccumAvgPeakAmp (accumulated average peak amplitude), and when the duration has passed, use it for the [VoiceDetector](#)'s detection threshold.

3.114.3.2 Process()

```
T [ ] Process (
    T [ ] buf )
```

Process a frame of audio data.

Parameters

<i>buf</i>	Buffer containing input audio data
------------	------------------------------------

Returns

Buffer containing output audio data

Implements [IProcessor< T >](#).

3.114.4 Property Documentation

3.114.4.1 LevelMeter

`ILevelMeter LevelMeter` [get]

The [LevelMeter](#) in use.

3.114.4.2 VoiceDetector

`IVoiceDetector VoiceDetector` [get]

The [VoiceDetector](#) in use

3.115 VoiceLogger Class Reference

Inherits [ILogger](#).

Public Member Functions

- **VoiceLogger** (Object context, string tag, DebugLevel level=DebugLevel.ERROR)
- **VoiceLogger** (string tag, DebugLevel level=DebugLevel.ERROR)
- void **LogError** (string fmt, params object[] args)
- void **LogWarning** (string fmt, params object[] args)
- void **LogInfo** (string fmt, params object[] args)
- void **LogDebug** (string fmt, params object[] args)

Properties

- string **Tag** [get, set]
- DebugLevel **LogLevel** [get, set]
- bool **IsErrorEnabled** [get]
- bool **IsWarningEnabled** [get]
- bool **IsInfoEnabled** [get]
- bool **IsDebugEnabled** [get]

3.116 WebRtcAudioDsp Class Reference

Inherits [VoiceComponent](#).

Public Member Functions

- bool [SetOrSwitchAudioListener](#) (AudioListener audioListener)
Set the *AudioListener* to be used with this [WebRtcAudioDsp](#)
- bool [SetOrSwitchAudioOutCapture](#) (AudioOutCapture audioOutCapture)
Set the *AudioOutCapture* to be used with this [WebRtcAudioDsp](#)

Protected Member Functions

- override void **Awake** ()

Properties

- bool **AEC** [get, set]
- bool **AECMobile** [get, set]
- bool **AECMobileComfortNoise** [get, set]
- int **ReverseStreamDelayMs** [get, set]
- bool **NoiseSuppression** [get, set]
- bool **HighPass** [get, set]
- bool **Bypass** [get, set]
- bool **AGC** [get, set]
- bool **VAD** [get, set]

Additional Inherited Members

3.116.1 Member Function Documentation

3.116.1.1 SetOrSwitchAudioListener()

```
bool SetOrSwitchAudioListener (
    AudioListener audioListener )
```

Set the AudioListener to be used with this [WebRtcAudioDsp](#)

Parameters

<i>audioListener</i>	The audioListener to be used
----------------------	------------------------------

Returns

Success or failure

3.116.1.2 SetOrSwitchAudioOutCapture()

```
bool SetOrSwitchAudioOutCapture (
    AudioOutCapture audioOutCapture )
```

Set the [AudioOutCapture](#) to be used with this [WebRtcAudioDsp](#)

Parameters

<i>audioOutCapture</i>	The audioOutCapture to be used
------------------------	--------------------------------

Returns

Success or failure

3.117 WebRTCAudioLib Class Reference

Inherited by [WebRTCAudioProcessor](#).

Classes

- struct [ConfigParam](#)
- struct [Param](#)

Public Member Functions

- static IntPtr **webrtc_audio_processor_create** (int samplingRate, int channels, int frameSize, int reverseSamplingRate, int reverseChannels)
- static int **webrtc_audio_processor_set_config_param** (IntPtr proc, int param, int v)
- static int **webrtc_audio_processor_init** (IntPtr proc)
- static int **webrtc_audio_processor_set_param** (IntPtr proc, int param, int v)
- static int **webrtc_audio_processor_process** (IntPtr proc, short[] buffer, int offset, out bool voiceDetected)
- static int **webrtc_audio_processor_process_reverse** (IntPtr proc, short[] buffer, int bufferSize)
- static void **webrtc_audio_processor_destroy** (IntPtr proc)

3.118 WebRTCAudioProcessor Class Reference

Inherits [WebRTCAudioLib](#), and [IProcessor< short >](#).

Public Member Functions

- **WebRTCAudioProcessor** ([ILogger](#) logger, int frameSize, int samplingRate, int channels, int reverseSamplingRate, int reverseChannels)
- short[] **Process** (short[] buf)
- void **OnAudioOutFrameFloat** (float[] data)
- void **Dispose** ()

Properties

- int **AECStreamDelayMs** [set]
- bool?? **AEC** [set]
- bool?? **AECMobile** [set]
- int **AECMRoutingMode** [set]
- bool? **AECMComfortNoise** [set]
- bool? **HighPass** [set]
- bool? **NoiseSuppression** [set]
- bool? **AGC** [set]
- bool? **VAD** [set]
- bool **Bypass** [set]

Index

- AccumAvgPeakAmp
 - AudioUtil.ILevelMeter, [41](#)
- AcquireOrCreate
 - ObjectPool< TType, TInfo >, [72](#)
- ActivityDelayMs
 - AudioUtil.IVoiceDetector, [49](#)
 - AudioUtil.VoiceDetector< T >, [118](#)
- Actor
 - Speaker, [97](#)
- AddPostProcessor
 - LocalVoiceFramed< T >, [65](#)
- AddPreProcessor
 - LocalVoiceFramed< T >, [66](#)
- AllowBluetooth
 - Photon.Voice.IOS, [7](#)
- Ambient
 - Photon.Voice.IOS, [6](#)
- Audio
 - POpusCodec.Enums, [11](#)
- AudioClip
 - Recorder, [87](#)
- AudioClipWrapper, [13](#)
- AudioDesc, [13](#)
- AudioGroup
 - Recorder, [87](#)
- AudioInChangeNotifier, [14](#)
- AudioInEnumerator, [14](#)
- AudioOpus
 - Photon.Voice, [5](#)
- AudioOutCapture, [15](#)
- AudioProcessing
 - Photon.Voice.IOS, [6](#)
- AudioSessionCategory
 - Photon.Voice.IOS, [6](#)
- AudioSessionCategoryOption
 - Photon.Voice.IOS, [7](#)
- AudioSessionMode
 - Photon.Voice.IOS, [8](#)
- AudioSessionParameters, [15](#)
- AudioSessionParametersPresets, [15](#)
 - Game, [15](#)
 - VoIP, [15](#)
- AudioStreamPlayer< T >, [16](#)
- AudioUtil, [16](#)
 - Convert, [17](#), [18](#)
 - ForceToStereo< T >, [18](#)
 - Resample< T >, [18](#)
 - ResampleAndConvert, [19](#)
- AudioUtil.ILevelMeter, [40](#)
- AccumAvgPeakAmp, [41](#)
- CurrentAvgAmp, [41](#)
- CurrentPeakAmp, [41](#)
- ResetAccumAvgPeakAmp, [41](#)
- AudioUtil.IVoiceDetector, [48](#)
 - ActivityDelayMs, [49](#)
 - Detected, [49](#)
 - DetectedTime, [49](#)
 - On, [49](#)
 - OnDetected, [50](#)
 - Threshold, [49](#)
- AudioUtil.LevelMeter< T >, [50](#)
 - Process, [51](#)
 - ResetAccumAvgPeakAmp, [51](#)
- AudioUtil.LevelMeterDummy, [52](#)
 - ResetAccumAvgPeakAmp, [52](#)
- AudioUtil.LevelMeterFloat, [52](#)
 - LevelMeterFloat, [53](#)
- AudioUtil.LevelMeterShort, [53](#)
 - LevelMeterShort, [54](#)
- AudioUtil.Resampler< T >, [95](#)
 - Process, [96](#)
 - Resampler, [95](#)
- AudioUtil.ToneAudioPusher< T >, [98](#)
 - SetCallback, [99](#)
 - ToneAudioPusher, [99](#)
- AudioUtil.ToneAudioReader< T >, [100](#)
 - Channels, [101](#)
 - Error, [101](#)
 - Read, [101](#)
 - SamplingRate, [101](#)
 - ToneAudioReader, [100](#)
- AudioUtil.VoiceDetector< T >, [117](#)
 - ActivityDelayMs, [118](#)
 - Detected, [118](#)
 - DetectedTime, [118](#)
 - On, [118](#)
 - OnDetected, [119](#)
 - Process, [117](#)
 - Threshold, [118](#)
- AudioUtil.VoiceDetectorCalibration< T >, [119](#)
 - Calibrate, [120](#)
 - Process, [120](#)
 - VoiceDetectorCalibration, [120](#)
- AudioUtil.VoiceDetectorDummy, [121](#)
- AudioUtil.VoiceDetectorFloat, [121](#)
 - VoiceDetectorFloat, [122](#)
- AudioUtil.VoiceDetectorShort, [122](#)
 - VoiceDetectorShort, [123](#)

- AudioUtil.VoiceLevelDetectCalibrate< T >, 127
 - Calibrate, 128
 - LevelMeter, 128
 - Process, 128
 - VoiceDetector, 129
 - VoiceLevelDetectCalibrate, 127
- Auto
 - POpusCodec.Enums, 11
- AutoConnectAndJoin
 - PhotonVoiceNetwork, 78
- AutoCreateRecorderIfNotFound
 - PhotonVoiceView, 81
- AutoCreateSpeakerIfNotFound
 - PhotonVoiceNetwork, 78
- AutoLeaveAndDisconnect
 - PhotonVoiceNetwork, 79
- AutoStart
 - Recorder, 87
- Bandwidth
 - POpusCodec.Enums, 10
- Bitrate
 - Recorder, 88
 - VoiceInfo, 125
- BufferReaderPushAdapter
 - BufferReaderPushAdapter< T >, 20
- BufferReaderPushAdapter< T >, 20
 - BufferReaderPushAdapter, 20
 - Service, 21
- BufferReaderPushAdapterAsyncPool
 - BufferReaderPushAdapterAsyncPool< T >, 21
- BufferReaderPushAdapterAsyncPool< T >, 21
 - BufferReaderPushAdapterAsyncPool, 21
 - Service, 22
- BufferReaderPushAdapterAsyncPoolCopy
 - BufferReaderPushAdapterAsyncPoolCopy< T >, 23
- BufferReaderPushAdapterAsyncPoolCopy< T >, 22
 - BufferReaderPushAdapterAsyncPoolCopy, 23
 - Service, 23
- BufferReaderPushAdapterAsyncPoolFloatToShort, 23
 - BufferReaderPushAdapterAsyncPoolFloatToShort, 24
 - Service, 24
- BufferReaderPushAdapterBase
 - BufferReaderPushAdapterBase< T >, 25
- BufferReaderPushAdapterBase< T >, 25
 - BufferReaderPushAdapterBase, 25
 - Dispose, 25
 - Service, 26
- Calibrate
 - AudioUtil.VoiceDetectorCalibration< T >, 120
 - AudioUtil.VoiceLevelDetectCalibrate< T >, 128
- ChannelId
 - RemoteVoiceInfo, 93
- Channels
 - AudioUtil.ToneAudioReader< T >, 101
 - IAudioDesc, 34
- POpusCodec.Enums, 10
 - VoiceInfo, 125
- ClearProcessors
 - LocalVoiceFramed< T >, 66
- ClientState
 - VoiceConnection, 115
- Code
 - VoiceEvent, 123
- Codec
 - Photon.Voice, 5
- ConnectAndJoin, 26
- ConnectAndJoinRoom
 - PhotonVoiceNetwork, 78
- ConnectUsingSettings
 - VoiceConnection, 113
- Convert
 - AudioUtil, 17, 18
- Count
 - Framer< T >, 33
- Create
 - LocalVoiceAudio< T >, 61
- CreateAudio
 - VoiceInfo, 124
- CreateAudioOpus
 - VoiceInfo, 125
- CreateLocalVoice
 - VoiceClient, 106
- CreateLocalVoiceAudio< T >
 - VoiceClient, 107
- CreateLocalVoiceAudioFromSource
 - VoiceClient, 107
- CreateLocalVoiceFramed< T >
 - VoiceClient, 108
- CurrentAvgAmp
 - AudioUtil.ILevelMeter, 41
- CurrentPeakAmp
 - AudioUtil.ILevelMeter, 41
- DebugEchoMode
 - LocalVoice, 58
 - Recorder, 88
- DebugLostPercent
 - VoiceClient, 109
- Decoder
 - RemoteVoiceOptions, 95
- Default
 - Photon.Voice.IOS, 8
- DefaultToSpeaker
 - Photon.Voice.IOS, 7
- Delay
 - POpusCodec.Enums, 10
- Delay10ms
 - POpusCodec.Enums, 11
- Delay20ms
 - POpusCodec.Enums, 11
- Delay2dot5ms
 - POpusCodec.Enums, 11
- Delay40ms
 - POpusCodec.Enums, 11

- Delay5ms
 - POpusCodec.Enums, 11
- Delay60ms
 - POpusCodec.Enums, 11
- DequeueOutput
 - IEncoder, 39
- Detected
 - AudioUtil.IVoiceDetector, 49
 - AudioUtil.VoiceDetector< T >, 118
- DetectedTime
 - AudioUtil.IVoiceDetector, 49
 - AudioUtil.VoiceDetector< T >, 118
- Disconnect
 - PhotonVoiceNetwork, 78
- Dispatch
 - VoiceConnection, 114
- Dispose
 - BufferedReaderPushAdapterBase< T >, 25
 - LoadBalancingTransport, 56
 - LocalVoiceFramed< T >, 66
 - ObjectPool< TType, TInfo >, 72
- DuckOthers
 - Photon.Voice.IOS, 7
- Dummy
 - LocalVoiceAudioDummy, 63
- EncoderDelay
 - OpusEncoder, 75
- Encrypt
 - LocalVoice, 59
 - Recorder, 88
- Error
 - AudioUtil.ToneAudioReader< T >, 101
 - IAudioDesc, 34
 - IDecoder, 38
 - IEncoder, 39
- FactoryPrimitiveArrayPool< T >, 31
- FactoryReusableArray< T >, 32
- ForceToStereo< T >
 - AudioUtil, 18
- Frame
 - Framer< T >, 33
- FrameDuration
 - Recorder, 88
- FrameDurationSamples
 - VoiceInfo, 126
- FrameDurationUs
 - VoiceInfo, 126
- Framer
 - Framer< T >, 33
- Framer< T >, 32
 - Count, 33
 - Frame, 33
 - Framer, 33
- FrameSize
 - LocalVoiceFramedBase, 68
 - VoiceInfo, 126
- FramesLost
 - VoiceClient, 109
- FramesLostPercent
 - VoiceConnection, 115
- FramesLostPerSecond
 - VoiceConnection, 115
- FramesReceived
 - VoiceClient, 110
- FramesReceivedPerSecond
 - VoiceConnection, 115
- FramesSent
 - LocalVoice, 59
 - VoiceClient, 110
- FramesSentBytes
 - LocalVoice, 59
 - VoiceClient, 110
- Fullband
 - POpusCodec.Enums, 10
- Game
 - AudioSessionParametersPresets, 15
- GlobalInterestGroup
 - LoadBalancingTransport, 56
- Height
 - VoiceInfo, 126
- IAudioDesc, 34
 - Channels, 34
 - Error, 34
 - SamplingRate, 34
- IAudioOut< T >, 35
- IAudioPusher< T >, 35
 - SetCallback, 35
- IAudioReader< T >, 36
- IDataReader< T >, 36
 - Read, 36
- IDecoder, 37
 - Error, 38
 - Input, 37
 - Open, 37
- IDecoderQueuedOutputImageNative, 38
- IEncoder, 38
 - DequeueOutput, 39
 - Error, 39
 - Output, 39
- IEncoderDirect< B >, 40
 - Input, 40
- ILocalVoiceAudio, 42
 - LevelMeter, 43
 - VoiceDetector, 43
 - VoiceDetectorCalibrate, 42
 - VoiceDetectorCalibrating, 43
- ILoggable, 43
- ILogger, 44
- ImageBufferInfo, 44
- ImageBufferNative, 44
- ImageBufferNativeAlloc, 44
- ImageBufferNativeGCHandleSinglePlane, 45
- ImageBufferNativePool< T >, 45

- ImageInputBuf, [46](#)
- ImageOutputBuf, [46](#)
- Info
 - LocalVoice, [59](#)
 - ObjectPool< TType, TInfo >, [74](#)
 - RemoteVoiceInfo, [93](#)
- Init
 - ObjectPool< TType, TInfo >, [73](#)
 - PhotonVoiceView, [81](#)
 - Recorder, [86](#)
- InitRecorder
 - VoiceConnection, [114](#)
- Input
 - IDecoder, [37](#)
 - IEncoderDirect< B >, [40](#)
 - OpusCodec.Decoder< T >, [28](#)
 - RawCodec.Decoder< T >, [27](#)
- InputFactory
 - Recorder, [88](#)
- Instance
 - PhotonVoiceNetwork, [79](#)
- InterestGroup
 - LocalVoice, [59](#)
 - Recorder, [88](#)
- IOAudioForceToSpeaker, [46](#)
- IProcessor< T >, [46](#)
 - Process, [47](#)
- IsCurrentlyTransmitting
 - LocalVoice, [59](#)
 - Recorder, [89](#)
- IServiceable, [47](#)
 - Service, [47](#)
- IsInitialized
 - Recorder, [89](#)
- IsLinked
 - Speaker, [97](#)
- IsPlaying
 - Speaker, [97](#)
- IsRecorder
 - PhotonVoiceView, [81](#)
- IsRecording
 - PhotonVoiceView, [82](#)
 - Recorder, [89](#)
- IsSetup
 - PhotonVoiceView, [82](#)
- IsSpeaker
 - PhotonVoiceView, [82](#)
- IsSpeaking
 - PhotonVoiceView, [82](#)
- ISyncAudioOut< T >, [48](#)
- IVoiceTransport, [50](#)
- Lag
 - Speaker, [98](#)
- LevelMeter
 - AudioUtil.VoiceLevelDetectCalibrate< T >, [128](#)
 - ILocalVoiceAudio, [43](#)
 - Recorder, [89](#)
- LevelMeterFloat
 - AudioUtil.LevelMeterFloat, [53](#)
- LevelMeterShort
 - AudioUtil.LevelMeterShort, [54](#)
- LoadBalancingFrontend, [54](#)
- LoadBalancingTransport, [54](#)
 - Dispose, [56](#)
 - GlobalInterestGroup, [56](#)
 - LoadBalancingTransport, [55](#)
 - SendDebugEchoVoicesInfo, [56](#)
 - Service, [56](#)
 - VoiceClient, [57](#)
- LocalUserServiceable
 - LocalVoice, [60](#)
- LocalVoice, [57](#)
 - DebugEchoMode, [58](#)
 - Encrypt, [59](#)
 - FramesSent, [59](#)
 - FramesSentBytes, [59](#)
 - Info, [59](#)
 - InterestGroup, [59](#)
 - IsCurrentlyTransmitting, [59](#)
 - LocalUserServiceable, [60](#)
 - Reliable, [60](#)
 - RemoveSelf, [58](#)
 - TransmitEnabled, [60](#)
- LocalVoiceAudio< T >, [60](#)
 - Create, [61](#)
 - VoiceDetectorCalibrate, [62](#)
 - VoiceDetectorCalibrating, [62](#)
- LocalVoiceAudioDummy, [62](#)
 - Dummy, [63](#)
 - VoiceDetectorCalibrate, [63](#)
- LocalVoiceAudioFloat, [64](#)
- LocalVoiceAudioShort, [64](#)
- LocalVoiceFramed< T >, [64](#)
 - AddPostProcessor, [65](#)
 - AddPreProcessor, [66](#)
 - ClearProcessors, [66](#)
 - Dispose, [66](#)
 - PushData, [66](#)
 - PushDataAsync, [67](#)
 - PushDataAsyncReady, [67](#)
- LocalVoiceFramedBase, [67](#)
 - FrameSize, [68](#)
- LocalVoices
 - VoiceClient, [110](#)
- LocalVoicesInChannel
 - VoiceClient, [108](#)
- Logger, [68](#)
 - VoiceConnection, [115](#)
- LogLevel
 - VoiceConnection, [115](#)
- LoopAudioClip
 - Recorder, [89](#)
- Measurement
 - Photon.Voice.IOS, [8](#)
- Mediumband
 - POpusCodec.Enums, [10](#)

- MicAmplifier, 68
- MicAmplifierFloat, 68
- MicAmplifierShort, 69
- MicrophoneType
 - Recorder, 89
- MicWrapper, 69
- MinimalTimeScaleToDispatchInFixedUpdate
 - VoiceConnection, 114
- MixWithOthers
 - Photon.Voice.IOS, 7
- Mono
 - POpusCodec.Enums, 10
- MoviePlayback
 - Photon.Voice.IOS, 8
- MultiRoute
 - Photon.Voice.IOS, 6
- Music
 - POpusCodec.Enums, 11
- Narrowband
 - POpusCodec.Enums, 10
- ObjectFactory< TType, TInfo >, 70
- ObjectPool
 - ObjectPool< TType, TInfo >, 71, 72
- ObjectPool< TType, TInfo >, 70
 - AcquireOrCreate, 72
 - Dispose, 72
 - Info, 74
 - Init, 73
 - ObjectPool, 71, 72
 - Release, 73
- On
 - AudioUtil.IVoiceDetector, 49
 - AudioUtil.VoiceDetector< T >, 118
- OnDetected
 - AudioUtil.IVoiceDetector, 50
 - AudioUtil.VoiceDetector< T >, 119
- OnRemoteVoiceInfoAction
 - VoiceClient, 110
- OnRemoteVoiceRemoveAction
 - RemoteVoiceOptions, 95
 - Speaker, 98
- Open
 - IDecoder, 37
 - OpusCodec.Decoder< T >, 28
 - RawCodec.Decoder< T >, 27
- OpusApplicationType
 - POpusCodec.Enums, 11
- OpusCodec, 74
- OpusCodec.Decoder< T >, 28
 - Input, 28
 - Open, 28
- OpusCodec.DecoderFactory, 29
- OpusCodec.DecoderFloat, 29
- OpusCodec.DecoderShort, 29
- OpusCodec.Encoder< T >, 30
- OpusCodec.EncoderFloat, 31
- OpusCodec.EncoderShort, 31
- OpusCodec.Factory, 31
- OpusCodec.Util, 105
- OpusDecoder, 74
- OpusEncoder, 75
 - EncoderDelay, 75
- OpusException, 75
- Output
 - IEncoder, 39
- Photon, 3
- Photon.Voice, 3
 - AudioOpus, 5
 - Codec, 5
- Photon.Voice.IOS, 6
 - AllowBluetooth, 7
 - Ambient, 6
 - AudioProcessing, 6
 - AudioSessionCategory, 6
 - AudioSessionCategoryOption, 7
 - AudioSessionMode, 8
 - Default, 8
 - DefaultToSpeaker, 7
 - DuckOthers, 7
 - Measurement, 8
 - MixWithOthers, 7
 - MoviePlayback, 8
 - MultiRoute, 6
 - PlayAndRecord, 6
 - Playback, 6
 - Record, 6
 - SoloAmbient, 6
 - VideoChat, 8
 - VideoRecording, 8
 - VoiceChat, 8
- Photon.Voice.PUN, 8
- Photon.Voice.Unity, 8
- Photon.Voice.Unity.UtilityScripts, 9
- PhotonMicrophoneDeviceId
 - Recorder, 90
- PhotonMicrophoneEnumerator
 - Recorder, 90
- PhotonVoiceCreatedParams, 76
- PhotonVoiceLagSimulationGui, 77
- PhotonVoiceNetwork, 77
 - AutoConnectAndJoin, 78
 - AutoCreateSpeakerIfNotFound, 78
 - AutoLeaveAndDisconnect, 79
 - ConnectAndJoinRoom, 78
 - Disconnect, 78
 - Instance, 79
 - VoiceRoomNameSuffix, 79
- PhotonVoiceStatsGui, 79
- PhotonVoiceView, 80
 - AutoCreateRecorderIfNotFound, 81
 - Init, 81
 - IsRecorder, 81
 - IsRecording, 82
 - IsSetup, 82
 - IsSpeaker, 82

- IsSpeaking, 82
- RecorderInUse, 82
- SetupDebugSpeaker, 81
- SpeakerInUse, 82
- UsePrimaryRecorder, 81
- PlayAndRecord
 - Photon.Voice.IOS, 6
- Playback
 - Photon.Voice.IOS, 6
- PlayDelayMs
 - Speaker, 97
- PlayerId
 - RemoteVoiceInfo, 93
- POpusCodec, 9
- POpusCodec.Enums, 10
 - Audio, 11
 - Auto, 11
 - Bandwidth, 10
 - Channels, 10
 - Delay, 10
 - Delay10ms, 11
 - Delay20ms, 11
 - Delay2dot5ms, 11
 - Delay40ms, 11
 - Delay5ms, 11
 - Delay60ms, 11
 - Fullband, 10
 - Mediumband, 10
 - Mono, 10
 - Music, 11
 - Narrowband, 10
 - OpusApplicationType, 11
 - RestrictedLowDelay, 11
 - SignalHint, 11
 - Stereo, 10
 - SuperWideband, 10
 - Voice, 11
 - Voip, 11
 - Wideband, 10
- PrimaryRecorder
 - VoiceConnection, 116
- PrimitiveArrayPool< T >, 83
- Process
 - AudioUtil.LevelMeter< T >, 51
 - AudioUtil.Resampler< T >, 96
 - AudioUtil.VoiceDetector< T >, 117
 - AudioUtil.VoiceDetectorCalibration< T >, 120
 - AudioUtil.VoiceLevelDetectCalibrate< T >, 128
 - IProcessor< T >, 47
- PushData
 - LocalVoiceFramed< T >, 66
- PushDataAsync
 - LocalVoiceFramed< T >, 67
- PushDataAsyncReady
 - LocalVoiceFramed< T >, 67
- RawCodec, 83
- RawCodec.Decoder< T >, 27
 - Input, 27
 - Open, 27
- RawCodec.Encoder< T >, 30
- Read
 - AudioUtil.ToneAudioReader< T >, 101
 - IDataReader< T >, 36
- Record
 - Photon.Voice.IOS, 6
- Recorder, 83
 - AudioClip, 87
 - AudioGroup, 87
 - AutoStart, 87
 - Bitrate, 88
 - DebugEchoMode, 88
 - Encrypt, 88
 - FrameDuration, 88
 - Init, 86
 - InputFactory, 88
 - InterestGroup, 88
 - IsCurrentlyTransmitting, 89
 - IsInitialized, 89
 - IsRecording, 89
 - LevelMeter, 89
 - LoopAudioClip, 89
 - MicrophoneType, 89
 - PhotonMicrophoneDeviceId, 90
 - PhotonMicrophoneEnumerator, 90
 - ReliableMode, 90
 - RequiresRestart, 90
 - RestartRecording, 86
 - SamplingRate, 90
 - SourceType, 90
 - StartRecording, 86
 - StopRecording, 87
 - TransmitEnabled, 91
 - TypeConvert, 91
 - UnityMicrophoneDevice, 91
 - UserData, 91
 - VoiceDetection, 91
 - VoiceDetectionDelayMs, 91
 - VoiceDetectionThreshold, 92
 - VoiceDetector, 92
 - VoiceDetectorCalibrate, 87
 - VoiceDetectorCalibrating, 92
- Recorder.PhotonVoiceCreatedParams, 76
- RecorderInUse
 - PhotonVoiceView, 82
- Release
 - ObjectPool< TType, TInfo >, 73
- Reliable
 - LocalVoice, 60
- ReliableMode
 - Recorder, 90
- RemoteVoiceAdded
 - VoiceConnection, 116
- RemoteVoiceInfo, 92
 - ChannelId, 93
 - Info, 93
 - PlayerId, 93

- [VoiceId](#), [93](#)
- [RemoteVoiceInfoDelegate](#)
 - [VoiceClient](#), [109](#)
- [RemoteVoiceInfos](#)
 - [VoiceClient](#), [110](#)
- [RemoteVoiceLink](#), [93](#)
- [RemoteVoiceOptions](#), [94](#)
 - [Decoder](#), [95](#)
 - [OnRemoteVoiceRemoveAction](#), [95](#)
 - [SetOutput](#), [94](#)
- [RemoveLocalVoice](#)
 - [VoiceClient](#), [109](#)
- [RemoveSelf](#)
 - [LocalVoice](#), [58](#)
- [RequiresRestart](#)
 - [Recorder](#), [90](#)
- [Resample< T >](#)
 - [AudioUtil](#), [18](#)
- [ResampleAndConvert](#)
 - [AudioUtil](#), [19](#)
- [Resampler](#)
 - [AudioUtil.Resampler< T >](#), [95](#)
- [ResetAccumAvgPeakAmp](#)
 - [AudioUtil.ILevelMeter](#), [41](#)
 - [AudioUtil.LevelMeter< T >](#), [51](#)
 - [AudioUtil.LevelMeterDummy](#), [52](#)
- [RestartRecording](#)
 - [Recorder](#), [86](#)
- [RestrictedLowDelay](#)
 - [POpusCodec.Enums](#), [11](#)
- [RoundTripTime](#)
 - [VoiceClient](#), [111](#)
- [RoundTripTimeVariance](#)
 - [VoiceClient](#), [111](#)
- [SamplingRate](#)
 - [AudioUtil.ToneAudioReader< T >](#), [101](#)
 - [IAudioDesc](#), [34](#)
 - [Recorder](#), [90](#)
 - [VoiceInfo](#), [126](#)
- [SendDebugEchoVoicesInfo](#)
 - [LoadBalancingTransport](#), [56](#)
- [Service](#)
 - [BufferReaderPushAdapter< T >](#), [21](#)
 - [BufferReaderPushAdapterAsyncPool< T >](#), [22](#)
 - [BufferReaderPushAdapterAsyncPoolCopy< T >](#), [23](#)
 - [BufferReaderPushAdapterAsyncPoolFloatToShort](#), [24](#)
 - [BufferReaderPushAdapterBase< T >](#), [26](#)
 - [IServiceable](#), [47](#)
 - [LoadBalancingTransport](#), [56](#)
 - [VoiceClient](#), [109](#)
- [SetCallback](#)
 - [AudioUtil.ToneAudioPusher< T >](#), [99](#)
 - [IAudioPusher< T >](#), [35](#)
- [SetOrSwitchAudioListener](#)
 - [WebRtcAudioDsp](#), [130](#)
- [SetOrSwitchAudioOutCapture](#)
 - [WebRtcAudioDsp](#), [130](#)
- [SetOutput](#)
 - [RemoteVoiceOptions](#), [94](#)
- [Settings](#)
 - [VoiceConnection](#), [114](#)
- [SetupDebugSpeaker](#)
 - [PhotonVoiceView](#), [81](#)
- [SignalHint](#)
 - [POpusCodec.Enums](#), [11](#)
- [SoloAmbient](#)
 - [Photon.Voice.IOS](#), [6](#)
- [SourceType](#)
 - [Recorder](#), [90](#)
- [Speaker](#), [96](#)
 - [Actor](#), [97](#)
 - [IsLinked](#), [97](#)
 - [IsPlaying](#), [97](#)
 - [Lag](#), [98](#)
 - [OnRemoteVoiceRemoveAction](#), [98](#)
 - [PlayDelayMs](#), [97](#)
- [SpeakerFactory](#)
 - [VoiceConnection](#), [114](#)
- [SpeakerInUse](#)
 - [PhotonVoiceView](#), [82](#)
- [SpeakerLinked](#)
 - [VoiceConnection](#), [116](#)
- [SpeakerPrefab](#)
 - [VoiceConnection](#), [116](#)
- [StartRecording](#)
 - [Recorder](#), [86](#)
- [Stereo](#)
 - [POpusCodec.Enums](#), [10](#)
- [StopRecording](#)
 - [Recorder](#), [87](#)
- [SuperWideband](#)
 - [POpusCodec.Enums](#), [10](#)
- [SuppressInfoDuplicateWarning](#)
 - [VoiceClient](#), [111](#)
- [TestTone](#), [98](#)
- [Threshold](#)
 - [AudioUtil.IVoiceDetector](#), [49](#)
 - [AudioUtil.VoiceDetector< T >](#), [118](#)
- [ToneAudioPusher](#)
 - [AudioUtil.ToneAudioPusher< T >](#), [99](#)
- [ToneAudioReader](#), [102](#)
 - [AudioUtil.ToneAudioReader< T >](#), [100](#)
- [TransmitEnabled](#)
 - [LocalVoice](#), [60](#)
 - [Recorder](#), [91](#)
- [TypeConvert](#)
 - [Recorder](#), [91](#)
- [UnityAndroidAudioInAEC](#), [102](#)
- [UnityAudioOut](#), [102](#)
- [UnityMicrophoneDevice](#)
 - [Recorder](#), [91](#)
- [UnsupportedCodecException](#), [103](#)
 - [UnsupportedCodecException](#), [103](#)

- UnsupportedSampleTypeException, 104
 - UnsupportedSampleTypeException, 104
- UsePrimaryRecorder
 - PhotonVoiceView, 81
- UserData
 - Recorder, 91
 - VoiceInfo, 126
- VideoChat
 - Photon.Voice.IOS, 8
- VideoRecording
 - Photon.Voice.IOS, 8
- Voice
 - POpusCodec.Enums, 11
- VoiceChat
 - Photon.Voice.IOS, 8
- VoiceClient, 105
 - CreateLocalVoice, 106
 - CreateLocalVoiceAudio< T >, 107
 - CreateLocalVoiceAudioFromSource, 107
 - CreateLocalVoiceFramed< T >, 108
 - DebugLostPercent, 109
 - FramesLost, 109
 - FramesReceived, 110
 - FramesSent, 110
 - FramesSentBytes, 110
 - LoadBalancingTransport, 57
 - LocalVoices, 110
 - LocalVoicesInChannel, 108
 - OnRemoteVoiceInfoAction, 110
 - RemoteVoiceInfoDelegate, 109
 - RemoteVoiceInfos, 110
 - RemoveLocalVoice, 109
 - RoundTripTime, 111
 - RoundTripTimeVariance, 111
 - Service, 109
 - SuppressInfoDuplicateWarning, 111
 - VoiceConnection, 116
- VoiceComponent, 111
- VoiceConnection, 112
 - ClientState, 115
 - ConnectUsingSettings, 113
 - Dispatch, 114
 - FramesLostPercent, 115
 - FramesLostPerSecond, 115
 - FramesReceivedPerSecond, 115
 - InitRecorder, 114
 - Logger, 115
 - LogLevel, 115
 - MinimalTimeScaleToDispatchInFixedUpdate, 114
 - PrimaryRecorder, 116
 - RemoteVoiceAdded, 116
 - Settings, 114
 - SpeakerFactory, 114
 - SpeakerLinked, 116
 - SpeakerPrefab, 116
 - VoiceClient, 116
- VoiceDetection
 - Recorder, 91
- VoiceDetectionDelayMs
 - Recorder, 91
- VoiceDetectionThreshold
 - Recorder, 92
- VoiceDetector
 - AudioUtil.VoiceLevelDetectCalibrate< T >, 129
 - ILocalVoiceAudio, 43
 - Recorder, 92
- VoiceDetectorCalibrate
 - ILocalVoiceAudio, 42
 - LocalVoiceAudio< T >, 62
 - LocalVoiceAudioDummy, 63
 - Recorder, 87
- VoiceDetectorCalibrating
 - ILocalVoiceAudio, 43
 - LocalVoiceAudio< T >, 62
 - Recorder, 92
- VoiceDetectorCalibration
 - AudioUtil.VoiceDetectorCalibration< T >, 120
- VoiceDetectorFloat
 - AudioUtil.VoiceDetectorFloat, 122
- VoiceDetectorShort
 - AudioUtil.VoiceDetectorShort, 123
- VoiceEvent, 123
 - Code, 123
- VoiceId
 - RemoteVoiceInfo, 93
- VoiceInfo, 123
 - Bitrate, 125
 - Channels, 125
 - CreateAudio, 124
 - CreateAudioOpus, 125
 - FrameDurationSamples, 126
 - FrameDurationUs, 126
 - FrameSize, 126
 - Height, 126
 - SamplingRate, 126
 - UserData, 126
 - Width, 127
- VoiceLevelDetectCalibrate
 - AudioUtil.VoiceLevelDetectCalibrate< T >, 127
- VoiceLogger, 129
- VoiceRoomNameSuffix
 - PhotonVoiceNetwork, 79
- VoIP
 - AudioSessionParametersPresets, 15
- Voip
 - POpusCodec.Enums, 11
- WebRtcAudioDsp, 129
 - SetOrSwitchAudioListener, 130
 - SetOrSwitchAudioOutCapture, 130
- WebRTCAudioLib, 131
- WebRTCAudioLib.ConfigParam, 26
- WebRTCAudioLib.Param, 76
- WebRTCAudioProcessor, 131
- Wideband
 - POpusCodec.Enums, 10
- Width

VoicelInfo, [127](#)