

# Accessibility Report For "https://localhost:3333/#!/section/assurances"

Generated at: Tue Oct 03 2017 14:34:38 GMT-0400 (Eastern Daylight Time)

12 errors

7 warnings

32 notices

**Notice: Check that the title element describes the document.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_2.H25.2

`<title>DOL WHD Section 14c</title>` (select with "html > head > title")

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

`<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="" ...</a>`  
(select with "#NG2\_UPGRADE\_1\_0 > header > a")

**Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.**

WCAG2AA.Principle1.Guideline1\_1.1\_1\_1.G94.Image

`` (select with "#NG2\_UPGRADE\_1\_0 > header > a > img")

**Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.**

WCAG2AA.Principle1.Guideline1\_1.1\_1\_1.G73,G74

`` (select with "#NG2\_UPGRADE\_1\_0 > header > a > img")

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

`<a href="#" ng-click="vm.dashboardClick($event)">Dashboard</a>` (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(1) > a")

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(2) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(3) > a")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu = !vm.collapseMenu">Form Menu</button> (select with "html > body > div > form-section > main-header-control > main-navigation-control > button")
```

**Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.**

WCAG2AA.Principle1.Guideline1\_4.1\_4\_3.G145.Abs

```
<legend class="hide">Signature agreement</legend> (select with "html > body > div > form-section > div > ng-transclude > section-assurances > div:nth-child(2) > div:nth-child(2) > fieldset > legend")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input id="agreement" type="checkbox" name="agreement" ng-value="true" ng-model="formData.signature.agreement" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#agreement")
```

**Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.**

WCAG2AA.Principle1.Guideline1\_4.1\_4\_3.G18.Abs

```
<label for="fullName" class="hide">Full name</label> (select with "html > body > div > form-section > div > ng-transclude > section-assurances > div:nth-child(2) > div:nth-child(3) > div:nth-child(3) > label")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input id="fullName" name="fullName" type="text" ng-model="formData.signature.fullName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#fullName")
```

**Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.**

WCAG2AA.Principle1.Guideline1\_4.1\_4\_3.G18.Abs

```
<label for="title" class="hide">Title</label> (select with "html > body > div > form-section > div > ng-transclude > section-assurances > div:nth-child(2) > div:nth-child(4) > div:nth-child(3) > label")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input id="title" name="title" type="text" ng-model="formData.signature.title" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#title")
```

**Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.**

WCAG2AA.Principle1.Guideline1\_4.1\_4\_3.G145.Abs

```
<legend class="hide">Date</legend> (select with "html > body > div > form-section > div > ng-transclude > section-assurances > div:nth-child(2) > div:nth-child(5) > fieldset > legend")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint" id="10_Month" name="10_Month" pattern="0?[1-9]|1[012]" type="number" min="1" max="12" value="" ng-model="... (select with "#10_Month")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="10_Day" name="10_Day" pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]"
type="number" min="1" max="31" value="" n... (select with "#10_Day")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-describedby="dobHint"
id="10_Year" name="10_Year" pattern="[0-9]{4}" type="number" min="1900"
max="3000" value="" ng-model="vm.... (select with "#10_Year")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<button class="back-button ng-binding ng-hide" ng-show="vm.hasBack" ng-
click="vm.onBackClick()">Back</button> (select with "html > body > div >
form-section > form-footer-controls > div > div:nth-child(1) > button")
```

**Notice: Check that a change of context does not occur when this input field receives focus.**

WCAG2AA.Principle3.Guideline3\_2.3\_2\_1.G107

```
<button class="next-button ng-binding" ng-
click="vm.onNextClick()">Next</button> (select with "html > body > div >
form-section > form-footer-controls > div > div:nth-child(1) > div >
button")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" class="brand" href="/"> <img _ngcontent-c1="...</a>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

**Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.**

WCAG2AA.Principle1.Guideline1\_1.1\_1\_1.G94.Image

```
 (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

**Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.**

WCAG2AA.Principle1.Guideline1\_1.1\_1\_1.G73,G74

```
 (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

**Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.**

WCAG2AA.Principle1.Guideline1\_3.1\_3\_1.H48.2

```
<div _ngcontent-c1="" class="dol-footer--content"> <div _ngcontent-c1=""
...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

**Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.**

WCAG2AA.Principle1.Guideline1\_3.1\_3\_1.H48.2

```
<div _ngcontent-c1="" class="usa-grid-full"> <div _ngcontent-c1="...</div>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

**Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.**

WCAG2AA.Principle1.Guideline1\_3.1\_3\_1.H48.2

```
<div _ngcontent-c1="" class="usa-width-one-fourth content-group"> 200
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-
child(2) > div > div")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="https://www.dol.gov/">www.dol.gov</a> (select
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```



**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81



```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

**Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```

**Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.**

WCAG2AA.Principle2.Guideline2\_4.2\_4\_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```