

Accessibility Report For "https://localhost:3333/#!/section/work-sites"

Generated at: Tue Oct 03 2017 14:40:44 GMT-0400 (Eastern Daylight Time)

22 errors

14 warnings

69 notices

Notice: Check that the title element describes the document.

WCAG2AA.Principle2.Guideline2_4.2_4_2.H25.2

<title>DOL WHD Section 14c</title> (select with "html > head > title")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="" ...
(select with "#NG2_UPGRADE_1_0 > header > a")

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

 (select with "#NG2_UPGRADE_1_0 >
header > a > img")

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

 (select with "#NG2_UPGRADE_1_0 >
header > a > img")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

Dashboard (select with
"html > body > div > form-section > main-header-control > main-top-nav-
control > header > nav > ul > li:nth-child(1) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(3) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu = !vm.collapseMenu">Form Menu</button> (select with "html > body > div > form-section > main-header-control > main-navigation-control > button")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showAllHelp = !vm.showAllHelp">Show Help for All Items</a> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(1) > div > ul > li > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-click="vm.showAllHelp = !vm.showAllHelp">Show Help for All Items</a> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(1) > div > ul > li > a")
```

Warning: This element's text is placed on a background image. Ensure the contrast ratio between the text and all covered parts of the image are at least 4.5:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.BgImage

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites >
```

```
div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > button")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="numWorkSites" name="numWorkSites" aria-describedby="numWorkSitesHelp" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="formData.totalNumWorkSites"> (select with "#numWorkSites")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="numWorkSites" name="numWorkSites" aria-describedby="numWorkSitesHelp" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="formData.totalNumWorkSites"> (select with "#numWorkSites")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addWorkSite()" ng-hide="vm.addingWorkSite" class="">Add Work Site & Employee(s)</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteName" name="worksiteName" type="text" ng-model="vm.activeWorksite.name" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#worksiteName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteAddress1" name="worksiteAddress1" type="text" ng-model="vm.activeWorksite.address.streetAddress" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#worksiteAddress1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workAddressCity" name="workAddressCity" type="text" ng-model="vm.activeWorksite.address.city" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workAddressCity")
```

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2

```
<select id="workAddressState" ng-attr-name="{{name}}" ng-model="selectedState" class="ng-pristine ng-untouched ng-valid ng-empty" name="workAddressState"> <option value="" selected="s...</select> (select with "#workAddressState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<select id="workAddressState" ng-attr-name="{{name}}" ng-model="selectedState" class="ng-pristine ng-untouched ng-valid ng-empty" name="workAddressState"> <option value="" selected="s...</select> (select with "#workAddressState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty  
ng-valid-pattern" id="workAddressZip" name="workAddressZip" type="text"  
mask="99999-?9?9?9?9?" pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4"  
data-delimiter="-" data-polit... (select with "#workAddressZip")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link"></button> (select with "html >  
body > div > form-section > div > ng-transclude > section-work-sites >  
div:nth-child(3) > div:nth-child(4) > div:nth-child(5) > div:nth-child(1) >  
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteScaYes" type="radio" name="worksiteSca" aria-  
describedby="worksiteScaHelp" ng-value="true" ng-  
model="vm.activeWorksite.sca" class="ng-pristine ng-untouched ng-valid ng-  
empty" value="true"> (select with "#worksiteScaYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteScaNo" type="radio" name="worksiteSca" aria-  
describedby="worksiteScaHelp" ng-value="false" ng-  
model="vm.activeWorksite.sca" class="ng-pristine ng-untouched ng-valid ng-  
empty" value="false"> (select with "#worksiteScaNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link"></button> (select with "html >  
body > div > form-section > div > ng-transclude > section-work-sites >  
div:nth-child(3) > div:nth-child(4) > div:nth-child(6) > div:nth-child(1) >  
button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.federalregister.gov/documents/2014/02/20/2014-03805/establishing-a-minimum-wage-for-contractors" target="_blank" class="ng-scope">Executive Order 13658</a> (select with "#worksiteFederalHelp > ng-transclude > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteFederalYes" type="radio" name="worksiteFederal" aria-describedby="worksiteFederalHelp" ng-value="true" ng-model="vm.activeWorksite.federalContractWorkPerformed" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#worksiteFederalYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteFederalNo" type="radio" name="worksiteFederal" aria-describedby="worksiteFederalHelp" ng-value="false" ng-model="vm.activeWorksite.federalContractWorkPerformed" class="ng-pristine ng-untouched ng-valid ng-empty" value="false"> (select with "#worksiteFederalNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(4) > div:nth-child(7) > div:nth-child(1) > button")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="worksiteNumEmployees" name="worksiteNumEmployees" aria-describedby="worksiteNumEmployeesHelp" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="vm.activeWorksite..." (select with "#worksiteNumEmployees")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteNumEmployees" name="worksiteNumEmployees" aria-  
describedby="worksiteNumEmployeesHelp" type="number" class="numeric7 ng-  
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"  
step="1" ng-model="vm.activeWorksite..." (select with  
"#worksiteNumEmployees")
```

Warning: The heading structure is not logically nested. This h4 element should be an h3 to be properly nested.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141

```
<h4>Number of Employees: <strong cl...</h4> (select with "html > body > div  
> form-section > div > ng-transclude > section-work-sites > div:nth-  
child(3) > div:nth-child(5) > div:nth-child(1) > h4")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showEmployeeInfoHelp =  
!vm.showEmployeeInfoHelp">See detailed instructions on em...</a> (select  
with "html > body > div > form-section > div > ng-transclude > section-  
work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(2) >  
p:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-click="vm.showEmployeeInfoHelp =  
!vm.showEmployeeInfoHelp">See detailed instructions on em...</a> (select  
with "html > body > div > form-section > div > ng-transclude > section-  
work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(2) >  
p:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerName" name="workerName" type="text" ng-  
model="vm.activeWorker.name" class="ng-pristine ng-untouched ng-valid ng-  
empty"> (select with "#workerName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workType" name="workType" type="text" ng-model="vm.activeWorker.workType" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workType")
```

Error: Duplicate id attribute value "workType" found on the web page.

WCAG2AA.Principle4.Guideline4_1.4_1_1.F77

```
<input id="workType" name="workType" type="text" ng-model="vm.activeWorker.workType" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workType")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workType" name="workType" type="text" ng-model="vm.activeWorker.workType" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workType")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="wage-data-table"> <thead> ...</table> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > table")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption

```
<table class="wage-data-table"> <thead> ...</table> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(1) > div:nth-child(5) > div:nth-child(2) > table")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name


```
<input id="workerNumJobs" name="workerNumJobs" type="number"
class="numeric2 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="1" ng-model="vm.activeWorker.numJobs"> (select
with "#workerNumJobs")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerNumJobs" name="workerNumJobs" type="number"
class="numeric2 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="1" ng-model="vm.activeWorker.numJobs"> (select
with "#workerNumJobs")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerAvgHours" name="workerAvgHours" type="number" class="wage-
rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"
min="0" step="0.1" ng-model="vm.activeWorker.avgWeeklyHours"> (select with
"#workerAvgHours")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerAvgHours" name="workerAvgHours" type="number" class="wage-
rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"
min="0" step="0.1" ng-model="vm.activeWorker.avgWeeklyHours"> (select with
"#workerAvgHours")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerAvgEarnings" name="workerAvgEarnings" type="number"
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
ng-valid-step" min="0" step="0.1" ng-
model="vm.activeWorker.avgHourlyEarnings"> (select with
"#workerAvgEarnings")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerAvgEarnings" name="workerAvgEarnings" type="number"
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
ng-valid-step" min="0" step="0.1" ng-
model="vm.activeWorker.avgHourlyEarnings"> (select with
"#workerAvgEarnings")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerWage" name="workerWage" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.1" ng-model="vm.activeWorker.prevailingWage"> (select with
"#workerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerWage" name="workerWage" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.1" ng-model="vm.activeWorker.prevailingWage"> (select with
"#workerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivityNA" type="radio"
name="workerProductivityToggle" ng-value="undefined" ng-
model="vm.activeWorker.hasProductivityMeasure" ng-
change="vm.workerProductivityChanged()" class="ng-pristine ng-untouched ng-
valid ng-empty"> (select with "#workerProductivityNA")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivityStudy" type="radio"
name="workerProductivityToggle" ng-value="true" ng-
model="vm.activeWorker.hasProductivityMeasure" ng-
```

```
change="vm.workerProductivityChanged(true)" class="ng-pristine ng-untouched
ng-valid ng-empty" value... (select with "#workerProductivityStudy")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerProductivity" name="workerProductivity" type="number"
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
ng-valid-step" min="0" step="0.1" ng-
model="vm.activeWorker.productivityMeasure" ng-disabled="!vm.activeWo...
(select with "#workerProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivity" name="workerProductivity" type="number"
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
ng-valid-step" min="0" step="0.1" ng-
model="vm.activeWorker.productivityMeasure" ng-disabled="!vm.activeWo...
(select with "#workerProductivity")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerWageRate" name="workerWageRate" type="number" class="wage-
rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"
min="0" step="0.1" ng-model="vm.activeWorker.commensurateWageRate"> (select
with "#workerWageRate")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerWageRate" name="workerWageRate" type="number" class="wage-
rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"
min="0" step="0.1" ng-model="vm.activeWorker.commensurateWageRate"> (select
with "#workerWageRate")
```

Error: This number input element does not have a name available to an accessibility API. Valid names are: label element, title attribute, aria-label attribute, aria-labelledby

attribute.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.InputNumber.Name

```
<input id="workerHours" name="workerHours" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.1" ng-model="vm.activeWorker.totalHours"> (select with "#workerHours")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerHours" name="workerHours" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.1" ng-model="vm.activeWorker.totalHours"> (select with "#workerHours")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerOtherSiteYes" type="radio" name="workerOtherSite" ng-value="true" ng-model="vm.activeWorker.workAtOtherSite" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#workerOtherSiteYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerOtherSiteNo" type="radio" name="workerOtherSite" ng-value="false" ng-model="vm.activeWorker.workAtOtherSite" class="ng-pristine ng-untouched ng-valid ng-empty" value="false"> (select with "#workerOtherSiteNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="compact-spaced pull-right" ng-click="vm.addAnotherEmployee()">Add Another Employee</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(1) > div:nth-child(6) > button:nth-child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button pull-right ng-binding" ng-click="vm.doneAddingEmployees()">Done Adding Employee(s)</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(1) > div:nth-child(6) > button:nth-child(4)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addingEmployee = true">Add Employee</button> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(2) > div:nth-child(2) > button")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showEmployeeExampleHelp = !vm.showEmployeeExampleHelp">Show Me an Example</a> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(2) > div:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-click="vm.showEmployeeExampleHelp = !vm.showEmployeeExampleHelp">Show Me an Example</a> (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(2) > div:nth-child(2) > a")
```

Warning: Img element is marked so that it is ignored by Assistive Technology.

WCAG2AA.Principle1.Guideline1_1.1_1_1.H67.2

```
 (select with "html > body > div > form-section > div > ng-transclude > section-work-sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-child(2) > div:nth-child(3) > div:nth-child(1) > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with
"html > body > div > form-section > div > ng-transclude > section-work-
sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-
child(2) > div:nth-child(3) > div:nth-child(1) > img")
```

Warning: Img element is marked so that it is ignored by Assistive Technology.

WCAG2AA.Principle1.Guideline1_1.1_1_1.H67.2

```
 (select with
"html > body > div > form-section > div > ng-transclude > section-work-
sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-
child(2) > div:nth-child(3) > div:nth-child(2) > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with
"html > body > div > form-section > div > ng-transclude > section-work-
sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-
child(2) > div:nth-child(3) > div:nth-child(2) > img")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="usa-table-borderless expandable-table ng-hide" ng-
show="vm.activeWorksite.employees.length"> <thead> ...</table> (select with
"html > body > div > form-section > div > ng-transclude > section-work-
sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-
child(2) > table")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption

```
<table class="usa-table-borderless expandable-table ng-hide" ng-
show="vm.activeWorksite.employees.length"> <thead> ...</table> (select with
"html > body > div > form-section > div > ng-transclude > section-work-
sites > div:nth-child(3) > div:nth-child(5) > div:nth-child(3) > div:nth-
child(2) > table")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="usa-table-borderless expandable-table"> <thead> <tr> ...  
</table> (select with "html > body > div > form-section > div > ng-  
transclude > section-work-sites > div:nth-child(3) > div:nth-child(6) >  
table")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption

```
<table class="usa-table-borderless expandable-table"> <thead> <tr> ...  
</table> (select with "html > body > div > form-section > div > ng-  
transclude > section-work-sites > div:nth-child(3) > div:nth-child(6) >  
table")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="back-button ng-binding" ng-show="vm.hasBack" ng-  
click="vm.onBackClick()">Back</button> (select with "html > body > div >  
form-section > form-footer-controls > div > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="next-button ng-binding" ng-  
click="vm.onNextClick()">Next</button> (select with "html > body > div >  
form-section > form-footer-controls > div > div:nth-child(1) > div >  
button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" class="brand" href="/"> <img _ngcontent-c1="...</a>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

```
 (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with "#NG2_UPGRADE_0_0
> footer > div:nth-child(1) > a > img")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="dol-footer--content"> <div _ngcontent-c1=""
...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="usa-grid-full"> <div _ngcontent-c1="...</div>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="usa-width-one-fourth content-group"> 200
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-
child(2) > div > div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="https://www.dol.gov/">www.dol.gov</a> (select
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a")
```


Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

Error: This link points to a named anchor "!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#!">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```