

Accessibility Report For "https://localhost:3333/#!/section/wage-data"

Generated at: Mon Nov 13 2017 10:01:33 GMT-0500 (Eastern Standard Time)

0 errors

11 warnings

169 notices

Notice: Check that the title element describes the document.

WCAG2AA.Principle2.Guideline2_4.2_4_2.H25.2

`<title>DOL WHD Section 14(c)</title>` (select with "html > head > title")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

`skip to main content` (select with "html > body > div > form-section > dol-header > anchor-link > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

` <img class="brand--img" sr...` (select with "html > body > div > form-section > dol-header > header > a")

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

`` (select with "html > body > div > form-section > dol-header > header > a > img")

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

`` (select with "html > body > div > form-section > dol-header > header > a > img")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.dashboardClick($event)">Dashboard</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(1) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(3) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu = !vm.collapseMenu">Form Menu</button> (select with "html > body > div > form-section > main-header-control > main-navigation-control > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a role="button" ng-keyup="$event.keyCode === 13 ? vm.toggleAllHelpText() : null" ng-click="vm.toggleAllHelpText()" tabindex="0">Show Help for All Items</a> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(1) > div > ul > li:nth-child(1) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" role="button" ng-click="vm.showLinks = !vm.showLinks"
tabindex="0">Helpful Links</a> (select with "#mainContent > ng-transclude >
section-wage-data > div:nth-child(1) > div > ul > li:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="paytype_21" type="radio" name="pay-type" ng-value="response.id"
ng-model="formData.payTypeId" class="ng-pristine ng-untouched ng-valid ng-
empty" value="21"> (select with "#paytype_21")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="paytype_22" type="radio" name="pay-type" ng-value="response.id"
ng-model="formData.payTypeId" class="ng-pristine ng-untouched ng-valid ng-
empty" value="22"> (select with "#paytype_22")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="paytype_23" type="radio" name="pay-type" ng-value="response.id"
ng-model="formData.payTypeId" class="ng-pristine ng-untouched ng-valid ng-
empty" value="23"> (select with "#paytype_23")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div id="wagedata_tab_box" class="form-tabbed-section ng-hide" ng-
show="formData.payTypeId === 23"> <a href="" class="form-tab...</div>
(select with "#wagedata_tab_box")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" class="form-tab active" aria-selected="true" ng-
click="vm.onTabClick(1)" ng-keyup="$event.keyCode === 13 ?
vm.tabPanelFocus(1) : vm.onTabClick(1)"> Hourly </a> (select with
"#wagedata_tab_box > a:nth-child(1)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" class="form-tab active" aria-selected="true" ng-click="vm.onTabClick(1)" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(1) : vm.onTabClick(1)"> Hourly </a> (select with "#wagedata_tab_box > a:nth-child(1)")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" class="form-tab " aria-selected="false" ng-click="vm.onTabClick(2)" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(2) : vm.onTabClick(2)"> Piece Rate </a> (select with "#wagedata_tab_box > a:nth-child(2)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" class="form-tab " aria-selected="false" ng-click="vm.onTabClick(2)" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(2) : vm.onTabClick(2)"> Piece Rate </a> (select with "#wagedata_tab_box > a:nth-child(2)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" id="hourlyTabPanel" aria-controls="hNumWorkersHelp" aria-describedby="hNumWorkersLabel">Learn More</button> (select with "#hourlyTabPanel")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hNumWorkers" name="hNumWorkers" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-not-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="formData[modelPrefix()].numWorkers"> (select with "#hNumWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hJobNameHelp" aria-describedby="hJobNameLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > fieldset > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hJobName" name="hJobName" type="text" ng-model="formData[modelPrefix()].jobName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#hJobName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<textarea id="hJobDescription" name="hJobDescription" ng-model="formData[modelPrefix()].jobDescription" class="ng-pristine ng-untouched ng-valid ng-empty"></textarea> (select with "#hJobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hWageMethodHelp" aria-describedby="hWageMethodLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(3) > fieldset > div:nth-child(2) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/regs/compliance/whdfs39b.pdf" target="_blank" class="ng-scope">Fact Sheet #39B: Prevailing Wag...</a> (select with "#hWageMethodHelp > ng-transclude > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hWagemethod_24" type="radio" name="wage-method" ng-  
value="response.id" ng-  
model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine  
ng-untouched ng-valid ng-empty" value="24"> (select with "#hWagemethod_24")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hWagemethod_25" type="radio" name="wage-method" ng-  
value="response.id" ng-  
model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine  
ng-untouched ng-valid ng-empty" value="25"> (select with "#hWagemethod_25")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hWagemethod_26" type="radio" name="wage-method" ng-  
value="response.id" ng-  
model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine  
ng-untouched ng-valid ng-empty" value="26"> (select with "#hWagemethod_26")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hPrevailingWageDetermined" name="hPrevailingWageDetermined"  
type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty  
ng-valid-min ng-valid-step" min="0" step="0.01" ng-  
model="formData[modelPrefix()].mostRecentPrevailingWag... (select with  
"#hPrevailingWageDetermined")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="hSourceEmployerNameHelp" aria-  
describedby="hSourceEmployerNameLabel">Learn More</button> (select with  
"#mainContent > ng-transclude > section-wage-data > div:nth-child(3) >
```

```
wage-data-pay-type-form:nth-child(3) > div > div:nth-child(4) > div > p >
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerName" name="hSourceEmployerName" type="text" ng-
model="vm.activeSourceEmployer.employerName" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#hSourceEmployerName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hMailing-address-1" name="hMailing-address-1" type="text" ng-
model="vm.activeSourceEmployer.address.streetAddress" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#hMailing-address-1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hCity" name="hCity" type="text" ng-
model="vm.activeSourceEmployer.address.city" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#hCity")
```

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2

```
<select id="hState" name="hState" ng-
model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-
untouched ng-valid ng-empty"> <option va...</select> (select with
"#hState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<select id="hState" name="hState" ng-
model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-
untouched ng-valid ng-empty"> <option va...</select> (select with
"#hState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty
ng-valid-pattern" id="hZip" name="hZip" type="text" mask="99999-?9?9?9?9?"
pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-"
data-politespace="" ng-model="... (select with "#hZip")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerPhone" name="hSourceEmployerPhone" type="text"
mask="999-999-9999" class="phoneno ng-pristine ng-untouched ng-valid ng-
empty" ng-model="vm.activeSourceEmployer.phone"> (select with
"#hSourceEmployerPhone")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerContactName" name="hSourceEmployerContactName"
type="text" ng-model="vm.activeSourceEmployer.contactName" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#hSourceEmployerContactName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerContactTitle" name="hSourceEmployerContactTitle"
type="text" ng-model="vm.activeSourceEmployer.contactTitle" class="ng-
pristine ng-untouched ng-valid ng-empty"> (select with
"#hSourceEmployerContactTitle")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_15 dateExampleMonth_15" id="Month_15"
name="Month_15" pattern="0?[1-9]|1[012]" type="number" min="1" m... (select
with "#Month_15")
```


Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty  
ng-valid-min ng-valid-max ng-valid-pattern" aria-  
describedby="dateExample_15 dateExampleDay_15" id="Day_15" name="Day_15"  
pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]" type="number" mi... (select with  
"#Day_15")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty  
ng-valid-min ng-valid-max ng-valid-pattern" aria-  
describedby="dateExample_15 dateExampleYear_15" id="Year_15" name="Year_15"  
pattern="[0-9]{4}" type="number" min="1900" max="30... (select with  
"#Year_15")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerJobDescription"  
name="hSourceEmployerJobDescription" type="text" ng-  
model="vm.activeSourceEmployer.jobDescription" class="ng-pristine ng-  
untouched ng-valid ng-empty"> (select with  
"#hSourceEmployerJobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerWage" name="hSourceEmployerWage" type="number"  
class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min  
ng-valid-step" min="0" step="0.01" ng-  
model="vm.activeSourceEmployer.experiencedWorkerWageProvided"> (select with  
"#hSourceEmployerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hSourceEmployerBasis" name="hSourceEmployerBasis" type="text"  
ng-model="vm.activeSourceEmployer.conclusionWageRateNotBasedOnEntry"
```

```
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with  
"#hSourceEmployerBasis")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="grey-button" ng-  
click="vm.cancelAddSourceEmployer()">Cancel</button> (select with  
"#mainContent > ng-transclude > section-wage-data > div:nth-child(3) >  
wage-data-pay-type-form:nth-child(3) > div > div:nth-child(4) > div >  
div:nth-child(5) > div > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-click="vm.addSourceEmployer()">Save Source  
Employer</button> (select with "#mainContent > ng-transclude > section-  
wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div >  
div:nth-child(4) > div > div:nth-child(5) > div > span > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addingEmployer = true" ng-hide="vm.addingEmployer"  
class="">Add a Source Employer</button> (select with "#mainContent > ng-  
transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-  
form:nth-child(3) > div > div:nth-child(4) > div > div:nth-child(6) >  
button")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="usa-table-borderless ng-hide" ng-  
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers  
<caption class="hide">...</table> (select with "#mainContent > ng-  
transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-  
form:nth-child(3) > div > div:nth-child(4) > div > table")
```

Notice: If this table is a data table, check that the caption element accurately describes this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.Check

```
<table class="usa-table-borderless ng-hide" ng-show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers" <caption class="hide">...</table> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(4) > div > table")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hAlternateWorkDescriptionHelp" aria-describedby="hAlternateWorkDescriptionLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(5) > div > fieldset > div:nth-child(2) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a> (select with "#hAlternateWorkDescriptionHelp > ng-transclude > p:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<textarea id="hAlternateWorkDescription" name="hAlternateWorkDescription" ng-model="formData[modelPrefix()].alternateWageData.alternateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty"></textarea> (select with "#hAlternateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hAlternateDataSourceUsed" name="hAlternateDataSourceUsed" type="text" ng-model="formData[modelPrefix()].alternateWageData.alternateDataSourceUsed" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#hAlternateDataSourceUsed")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hPrevailingWageProvidedBySource"
name="hPrevailingWageProvidedBySource" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.01" ng-model="formData[modelPrefix()].alternateWa... (select with
"#hPrevailingWageProvidedBySource")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_17 dateExampleMonth_17" id="Month_17"
name="Month_17" pattern="0?[1-9]|1[012]" type="number" min="1" m... (select
with "#Month_17")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_17 dateExampleDay_17" id="Day_17" name="Day_17"
pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]" type="number" mi... (select with
"#Day_17")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_17 dateExampleYear_17" id="Year_17" name="Year_17"
pattern="[0-9]{4}" type="number" min="1900" max="30... (select with
"#Year_17")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hScaWageDeterminationAttachmentHelp" aria-describedby="hScaWageDeterminationAttachmentLabel">Learn More</button>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(6) > div > div:nth-child(1) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#hScaWageDeterminationAttachmentHelp > ng-transclude > p:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="hScaWageDeterminationAttachment" type="file" aria-describedby="fileUploadDesc_19"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with "#hScaWageDeterminationAttachment")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hWorkMeasurementFrequencyHelp" aria-describedby="hWorkMeasurementFrequencyLabel">Learn More</button>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(7) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hWorkMeasurementFrequency" name="hWorkMeasurementFrequency" type="text" ng-model="formData[modelPrefix()].workMeasurementFrequency"
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#hWorkMeasurementFrequency")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hWorkMeasurementAttachmentHelp" aria-describedby="hWorkMeasurementAttachmentLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(7) > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="hWorkMeasurementAttachment" type="file" aria-describedby="fileUploadDesc_22" onchange="angular.element(this).scope().vm.onAttachmentSelected(this)" accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with "#hWorkMeasurementAttachment")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="hPieceRateWorkDescriptionHelp" aria-describedby="hPieceRateWorkDescriptionLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(8) > div:nth-child(1) > fieldset > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hPieceRateWorkDescription" name="hPieceRateWorkDescription" type="text" ng-model="formData[modelPrefix()].pieceRateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#hPieceRateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hPrevailingWageDeterminedForJob"
name="hPrevailingWageDeterminedForJob" type="number" class="wage-rate
sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()]...
(select with "#hPrevailingWageDeterminedForJob")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hStandardProductivity" name="hStandardProductivity"
type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-
valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].standardProductivit... (select with
"#hStandardProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hPieceRatePaidToWorkers" name="hPieceRatePaidToWorkers"
type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-
valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].pieceRatePaidTo... (select with
"#hPieceRatePaidToWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-
controls="hStandardProductivityAttachmentHelp" aria-
describedby="hStandardProductivityAttachmentLabel">Learn More</button>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-
child(3) > wage-data-pay-type-form:nth-child(3) > div > div:nth-child(8) >
div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="hStandardProductivityAttachment"
type="file" aria-describedby="fileUploadDesc_25"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
```



```
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with  
"#hStandardProductivityAttachment")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link"  
id="pieceRateTabPanel" aria-controls="prNumWorkersHelp" aria-  
describedby="prNumWorkersLabel">Learn More</button> (select with  
"#pieceRateTabPanel")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prNumWorkers" name="prNumWorkers" type="number" class="numeric7  
ng-pristine ng-untouched ng-valid ng-not-empty ng-valid-min ng-valid-step"  
min="0" step="1" ng-model="formData[modelPrefix()].numWorkers"> (select  
with "#prNumWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="prJobNameHelp" aria-describedby="prJobNameLabel">Learn  
More</button> (select with "#mainContent > ng-transclude > section-wage-  
data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div >  
fieldset > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prJobName" name="prJobName" type="text" ng-  
model="formData[modelPrefix()].jobName" class="ng-pristine ng-untouched ng-  
valid ng-empty"> (select with "#prJobName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<textarea id="prJobDescription" name="prJobDescription" ng-  
model="formData[modelPrefix()].jobDescription" class="ng-pristine ng-  
untouched ng-valid ng-empty"></textarea> (select with "#prJobDescription")
```


Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="prWageMethodHelp" aria-describedby="prWageMethodLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(3) > fieldset > div:nth-child(2) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/regs/compliance/whdfs39b.pdf" target="_blank" class="ng-scope">Fact Sheet #39B: Prevailing Wag...</a> (select with "#prWageMethodHelp > ng-transclude > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prWagemethod_24" type="radio" name="wage-method" ng-value="response.id" ng-model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine ng-untouched ng-valid ng-empty" value="24"> (select with "#prWagemethod_24")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prWagemethod_25" type="radio" name="wage-method" ng-value="response.id" ng-model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine ng-untouched ng-valid ng-empty" value="25"> (select with "#prWagemethod_25")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prWagemethod_26" type="radio" name="wage-method" ng-value="response.id" ng-model="formData[modelPrefix()].prevailingWageMethodId" class="ng-pristine
```

```
ng-untouched ng-valid ng-empty" value="26"> (select with
"#prWagemethod_26")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prPrevailingWageDetermined" name="prPrevailingWageDetermined"
type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-step" min="0" step="0.01" ng-
model="formData[modelPrefix()].mostRecentPrevailingW... (select with
"#prPrevailingWageDetermined")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-
controls="prSourceEmployerNameHelp" aria-
describedby="prSourceEmployerNameLabel">Learn More</button> (select with
"#mainContent > ng-transclude > section-wage-data > div:nth-child(3) >
wage-data-pay-type-form:nth-child(4) > div > div:nth-child(4) > div > p >
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerName" name="prSourceEmployerName" type="text"
ng-model="vm.activeSourceEmployer.employerName" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#prSourceEmployerName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prMailing-address-1" name="prMailing-address-1" type="text" ng-
model="vm.activeSourceEmployer.address.streetAddress" class="ng-pristine
ng-untouched ng-valid ng-empty"> (select with "#prMailing-address-1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prCity" name="prCity" type="text" ng-
model="vm.activeSourceEmployer.address.city" class="ng-pristine ng-
```

```
untouched ng-valid ng-empty"> (select with "#prCity")
```

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2

```
<select id="prState" name="prState" ng-model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-untouched ng-valid ng-empty"> <option va...</select> (select with "#prState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<select id="prState" name="prState" ng-model="vm.activeSourceEmployer.address.state" class="ng-pristine ng-untouched ng-valid ng-empty"> <option va...</select> (select with "#prState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty ng-valid-pattern" id="prZip" name="prZip" type="text" mask="99999-?9?9?9?9?" pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-" data-politespace="" ng-model... (select with "#prZip")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerPhone" name="prSourceEmployerPhone" type="text" mask="999-999-9999" class="phoneno ng-pristine ng-untouched ng-valid ng-empty" ng-model="vm.activeSourceEmployer.phone"> (select with "#prSourceEmployerPhone")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerContactName" name="prSourceEmployerContactName" type="text" ng-model="vm.activeSourceEmployer.contactName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#prSourceEmployerContactName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerContactTitle"
name="prSourceEmployerContactTitle" type="text" ng-
model="vm.activeSourceEmployer.contactTitle" class="ng-pristine ng-
untouched ng-valid ng-empty"> (select with "#prSourceEmployerContactTitle")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_31 dateExampleMonth_31" id="Month_31"
name="Month_31" pattern="0?[1-9]|1[012]" type="number" min="1" m... (select
with "#Month_31")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_31 dateExampleDay_31" id="Day_31" name="Day_31"
pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]" type="number" mi... (select with
"#Day_31")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_31 dateExampleYear_31" id="Year_31" name="Year_31"
pattern="[0-9]{4}" type="number" min="1900" max="30... (select with
"#Year_31")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerJobDescription"
name="prSourceEmployerJobDescription" type="text" ng-
```

```
model="vm.activeSourceEmployer.jobDescription" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#prSourceEmployerJobDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerWage" name="prSourceEmployerWage" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="vm.activeSourceEmployer.experiencedWorkerWageProvided"> (select with "#prSourceEmployerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prSourceEmployerBasis" name="prSourceEmployerBasis" type="text" ng-model="vm.activeSourceEmployer.conclusionWageRateNotBasedOnEntry" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#prSourceEmployerBasis")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="grey-button" ng-click="vm.cancelAddSourceEmployer()">Cancel</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(4) > div > div:nth-child(5) > div > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-click="vm.addSourceEmployer()">Save Source Employer</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(4) > div > div:nth-child(5) > div > span > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addingEmployer = true" ng-hide="vm.addingEmployer"
class="">Add a Source Employer</button> (select with "#mainContent > ng-
transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(4) > div > div:nth-child(6) >
button")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="usa-table-borderless ng-hide" ng-
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers
<caption class="hide">...</table> (select with "#mainContent > ng-
transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(4) > div > table")
```

Notice: If this table is a data table, check that the caption element accurately describes this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.Check

```
<table class="usa-table-borderless ng-hide" ng-
show="formData[modelPrefix()].mostRecentPrevailingWageSurvey.sourceEmployers
<caption class="hide">...</table> (select with "#mainContent > ng-
transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-
form:nth-child(4) > div > div:nth-child(4) > div > table")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-
controls="prAlternateWorkDescriptionHelp" aria-
describedby="prAlternateWorkDescriptionLabel">Learn More</button> (select
with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) >
wage-data-pay-type-form:nth-child(4) > div > div:nth-child(5) > div >
fieldset > div:nth-child(2) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#prAlternateWorkDescriptionHelp > ng-transclude > p:nth-
child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<textarea id="prAlternateWorkDescription" name="prAlternateWorkDescription"
ng-
model="formData[modelPrefix()].alternateWageData.alternateWorkDescription"
class="ng-pristine ng-untouched ng-valid ng-empty"></textarea> (select with
"#prAlternateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prAlternateDataSourceUsed" name="prAlternateDataSourceUsed"
type="text" ng-
model="formData[modelPrefix()].alternateWageData.alternateDataSourceUsed"
class="ng-pristine ng-untouched ng-valid ng-empty"> (select with
"#prAlternateDataSourceUsed")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prPrevailingWageProvidedBySource"
name="prPrevailingWageProvidedBySource" type="number" class="wage-rate ng-
pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0"
step="0.01" ng-model="formData[modelPrefix()].alternate... (select with
"#prPrevailingWageProvidedBySource")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_33 dateExampleMonth_33" id="Month_33"
name="Month_33" pattern="0?[1-9]|1[012]" type="number" min="1" m... (select
with "#Month_33")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_33 dateExampleDay_33" id="Day_33" name="Day_33"
pattern="0?[1-9]|1[0-9]|2[0-9]|3[01]" type="number" mi... (select with
"#Day_33")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-inline ng-pristine ng-untouched ng-valid ng-empty
ng-valid-min ng-valid-max ng-valid-pattern" aria-
describedby="dateExample_33 dateExampleYear_33" id="Year_33" name="Year_33"
pattern="[0-9]{4}" type="number" min="1900" max="30... (select with
"#Year_33")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-
controls="prScaWageDeterminationAttachmentHelp" aria-
describedby="prScaWageDeterminationAttachmentLabel">Learn More</button>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-
child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(6) >
div > div:nth-child(1) > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="www.bls.gov/bls/blswage.htm">www.bls.gov/bls/blswage.htm</a>
(select with "#prScaWageDeterminationAttachmentHelp > ng-transclude >
p:nth-child(2) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="prScaWageDeterminationAttachment"
type="file" aria-describedby="fileUploadDesc_35"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with
"#prScaWageDeterminationAttachment")
```


Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="prWorkMeasurementFrequencyHelp" aria-describedby="prWorkMeasurementFrequencyLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(7) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prWorkMeasurementFrequency" name="prWorkMeasurementFrequency" type="text" ng-model="formData[modelPrefix()].workMeasurementFrequency" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#prWorkMeasurementFrequency")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="prWorkMeasurementAttachmentHelp" aria-describedby="prWorkMeasurementAttachmentLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(7) > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="prWorkMeasurementAttachment" type="file" aria-describedby="fileUploadDesc_38" onchange="angular.element(this).scope().vm.onAttachmentSelected(this)" accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with "#prWorkMeasurementAttachment")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="prPieceRateWorkDescriptionHelp" aria-describedby="prPieceRateWorkDescriptionLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(8) > div:nth-child(1) > fieldset > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prPieceRateWorkDescription" name="prPieceRateWorkDescription" type="text" ng-model="formData[modelPrefix()].pieceRateWorkDescription" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#prPieceRateWorkDescription")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prPrevailingWageDeterminedForJob" name="prPrevailingWageDeterminedForJob" type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="formData[modelPrefix(... (select with "#prPrevailingWageDeterminedForJob")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prStandardProductivity" name="prStandardProductivity" type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()].standardProductiv... (select with "#prStandardProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="prPieceRatePaidToWorkers" name="prPieceRatePaidToWorkers" type="number" class="wage-rate sidelabeled ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.01" ng-model="formData[modelPrefix()].pieceRatePaid... (select with "#prPieceRatePaidToWorkers")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="prStandardProductivityAttachmentHelp" aria-describedby="prStandardProductivityAttachmentLabel">Learn More</button>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(3) > wage-data-pay-type-form:nth-child(4) > div > div:nth-child(8) > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="dol-file-upload-input" id="prStandardProductivityAttachment" type="file" aria-describedby="fileUploadDesc_41"
onchange="angular.element(this).scope().vm.onAttachmentSelected(this)"
accept=".doc,.docx,.xls,.xlsx,.pdf,.jpg,.jpeg,.png"> (select with "#prStandardProductivityAttachment")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div class="links-block ng-hide" ng-show="vm.showLinks === true"> <h4 id="helpfulLinksHeader...</div> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div")
```

Warning: The heading structure is not logically nested. This h4 element should be an h3 to be properly nested.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141

```
<h4 id="helpfulLinksHeader">Helpful Links</h4> (select with "#helpfulLinksHeader")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/StraightAverage.htm" target="_blank">Straight or Simple Average</a> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(3)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/WeightedAverage.htm"
target="_blank">Weighted Average</a> (select with "#mainContent > ng-
transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(5)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/Rework.htm"
target="_blank">Rework</a> (select with "#mainContent > ng-transclude >
section-wage-data > div:nth-child(4) > div > a:nth-child(9)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a
href="https://www.dol.gov/whd/sec14c/calculators/WeightedTask_Standard.htm"
target="_blank">Weighted Tasks, Standard Weight...</a> (select with
"#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div
> a:nth-child(11)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/WeightedTask_WwD.htm"
target="_blank">Weighted Tasks, Ww/D Weight Fac...</a> (select with
"#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div
> a:nth-child(13)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/90-10-
Task_Var_Time.htm" target="_blank">90/10 Form, Single Task, Variab...</a>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-
child(4) > div > a:nth-child(15)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/90-10-Task_Var_Units.htm" target="_blank">90/10 Form, Fixed Time, Variabl...</a>
(select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(17)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/FixedUnit_VariableTime9.htm" target="_blank">Fixed Number of Units, PF&D...</a> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(21)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/FixedUnit_VariableTime10.htm" target="_blank">Fixed Number of Units, PF&D...</a> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(23)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/FixedTime_VariableUnit9.htm" target="_blank">Fixed Time, PF&D 9 min</a> (select with "#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(25)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a
```

```
href="https://www.dol.gov/whd/sec14c/calculators/FixedTime_VariableUnit10.ht
target="_blank">Fixed Time, PF&D 10 min</a> (select with "#mainContent
> ng-transclude > section-wage-data > div:nth-child(4) > div > a:nth-
child(27)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/PieceRate.htm"
target="_blank">Piece Rate Calculator</a> (select with "#mainContent > ng-
transclude > section-wage-data > div:nth-child(4) > div > a:nth-child(29)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/sec14c/calculators/NewMinimumWage.htm"
target="_blank">New Prevailing Wage Calculator ...</a> (select with
"#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div
> a:nth-child(33)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="https://www.dol.gov/whd/specialemloyment/calculatorGuide.pdf"
target="_blank">Section 14(c) Online Calculator...</a> (select with
"#mainContent > ng-transclude > section-wage-data > div:nth-child(4) > div
> a:nth-child(37)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="back-button ng-binding" ng-show="vm.hasBack" ng-
click="vm.onBackClick()">Back</button> (select with "html > body > div >
form-section > form-footer-controls > div > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="next-button ng-binding" ng-
click="vm.onNextClick()">Next</button> (select with "html > body > div >
```

```
form-section > form-footer-controls > div > div:nth-child(1) > div >
button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="...</a>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

```
 (select with
"#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with
"#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="dol-footer--content"> <div _ngcontent-c0=""
...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="usa-grid-full"> <div _ngcontent-c0="...</div>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="usa-width-one-fourth content-group"> 200  
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-  
child(2) > div > div")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div _ngcontent-c0="" class="usa-width-one-fourth content-group"> 200  
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-  
child(2) > div > div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="tel:1-866-487-2365">1-866-4-USA-DOL</a> (select  
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-  
child(3)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="tel:1-866-487-2365">1-866-487-2365</a> (select  
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-  
child(5)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/contact-  
phonecallcenter.htm">TTY</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > div > a:nth-child(7)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/">www.dol.gov </a> (select  
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-  
child(9)")
```


Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/foia/">Freedom of  
Information Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-  
child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/privacynotice.htm">Privacy  
& Security Statemen...</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/dol/disclaim.htm">Disclaimers</a> (select with  
"#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) >  
li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/aboutdol/website-  
policies.htm">Important Web Site Notices</a> (select with "#NG2_UPGRADE_0_0  
> footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/aboutdol/plug-  
ins.htm">Plug-ins Used by DOL</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/rss/">RSS Feeds from DOL</a>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/dol/aboutdol/accessibility.htm">Accessibility  
Statement</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >  
div > ul:nth-child(2) > li:nth-child(8) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/topic/Spanish-  
speakingTopic.htm">Español</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/siteindex.htm">A to Z  
Index</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div  
> ul:nth-child(3) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/dol/organization.htm">Agencies</a> (select with  
"#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) >  
li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.oig.dol.gov/">Office of Inspector  
General</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >  
div > ul:nth-child(3) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/contact-  
phonekeypersonnel.htm">Leadership Team</a> (select with "#NG2_UPGRADE_0_0 >  
footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/">Contact Us</a>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-  
child(3) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="https://public.govdelivery.com/accounts/USDOL/subscriber/new?  
topic_id=USDOL_167"  
onclick="window.open('https://public.govdelivery.com/accounts/USDOL/subscrib  
topic_id=USDOL_167&pop=t', '', 'scrollbars=1,toolbar=0,m... (select  
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3)  
> li:nth-child(8) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/_sec/newsletter/">Read The DOL  
Newsletter</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >  
div > ul:nth-child(3) > li:nth-child(9) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/easl/">Emergency  
Accountability Status...</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(10) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?
exiturl=http://www.whitehouse.gov&exitTitle=www.whitehouse.gov&fedpa
House</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div
> ul:nth-child(4) > li:nth-child(2) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?
exiturl=https://www.healthcare.gov&exitTitle=www.healthcare.gov&fedp
Care Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >
div > ul:nth-child(4) > li:nth-child(3) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/opa/disaster-
recovery.htm">Disaster Recovery Assistance</a> (select with
"#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) >
li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?
exiturl=http://www.usa.gov&exitTitle=www.usa.gov&fedpage=yes">USA.go
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-
child(4) > li:nth-child(5) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/PlainWriting/">Plain
Writing Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)
> div > ul:nth-child(4) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/recovery/">Recovery Act</a>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/oasam/programs/crc/NoFearResult.htm">No Fear  
Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div >  
ul:nth-child(4) > li:nth-child(8) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?  
exiturl=https://osc.gov/&exitTitle=osc.gov&fedpage=yes">U.S. Office  
of Special Counsel</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(9) > a")
```