

Accessibility Report For "https://localhost:3333/#!/section/work-sites"

Generated at: Tue Nov 21 2017 09:10:15 GMT-0500 (Eastern Standard Time)

8 errors

26 warnings

140 notices

Notice: Check that the title element describes the document.

WCAG2AA.Principle2.Guideline2_4.2_4_2.H25.2

`<title>DOL WHD Section 14(c)</title>` (select with "html > head > title")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

`skip to main content` (select with "html > body > div > form-section > dol-header > anchor-link > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

` <img class="brand--img" sr...` (select with "html > body > div > form-section > dol-header > header > a")

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

`` (select with "html > body > div > form-section > dol-header > header > a > img")

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

`` (select with "html > body > div > form-section > dol-header > header > a > img")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.dashboardClick($event)">Dashboard</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(1) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(3) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu = !vm.collapseMenu">Form Menu</button> (select with "html > body > div > form-section > main-header-control > main-navigation-control > button")
```

Error: This link points to a named anchor "#!" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#"!/" class="ng-binding"> Home / </a> (select with "#mainContent > ng-transclude > section-work-sites > breadcrumb > div:nth-child(1) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#"!/" class="ng-binding"> Home / </a> (select with "#mainContent > ng-transclude > section-work-sites > breadcrumb > div:nth-child(1) > span >
```

a")

Error: This link points to a named anchor "#!/section/assurances" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#!/section/assurances" class="ng-binding"> Section: Assurances /  
</a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(2) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#!/section/assurances" class="ng-binding"> Section: Assurances /  
</a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(2) > span > a")
```

Error: This link points to a named anchor "#!/section/app-info" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#!/section/app-info" class="ng-binding"> Section: Application Info  
/ </a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(3) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#!/section/app-info" class="ng-binding"> Section: Application Info  
/ </a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(3) > span > a")
```

Error: This link points to a named anchor "#!/section/employer" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#!/section/employer" class="ng-binding"> Section: Employer / </a>  
(select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(4) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#!/section/employer" class="ng-binding"> Section: Employer / </a>  
(select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(4) > span > a")
```

Error: This link points to a named anchor "#!/section/wage-data" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#!/section/wage-data" class="ng-binding"> Section: Wage Data /  
</a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(5) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#!/section/wage-data" class="ng-binding"> Section: Wage Data /  
</a> (select with "#mainContent > ng-transclude > section-work-sites >  
breadcrumb > div:nth-child(5) > span > a")
```

Error: This link points to a named anchor "#!/section/work-sites" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#!/section/work-sites" class="ng-binding"> Section: Work Sites  
& Empl...</a> (select with "#mainContent > ng-transclude > section-  
work-sites > breadcrumb > div:nth-child(6) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#!/section/work-sites" class="ng-binding"> Section: Work Sites  
& Empl...</a> (select with "#mainContent > ng-transclude > section-  
work-sites > breadcrumb > div:nth-child(6) > span > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a role="button" ng-keyup="$event.keyCode === 13 ? vm.toggleAllHelpText() :  
null" ng-click="vm.toggleAllHelpText()" tabindex="0">Show Help for All  
Items</a> (select with "#mainContent > ng-transclude > section-work-sites >  
div:nth-child(2) > div > ul > li > a")
```

Warning: This element's text is placed on a background image. Ensure the contrast ratio between the text and all covered parts of the image are at least 4.5:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.BgImage

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="numWorkSitesHelp" aria-describedby="numWorkSitesLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="numWorkSitesHelp" aria-describedby="numWorkSitesLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(1) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="numWorkSites" name="numWorkSites" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-valid-min ng-valid-step ng-not-empty" min="0" step="1" ng-model="formData.totalNumWorkSites" style=""> (select with "#numWorkSites")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addWorkSite()" ng-hide="vm.addingWorkSite" class="">Add Work Site & Employee(s)</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(2) > button")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div id="worksite_tab_box" class="form-tabbed-section ng-hide" ng-show="vm.notInitialApp() & & vm.addingWorkSite"> <a href="" class="form-tab...</div> (select with "#worksite_tab_box")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" class="form-tab active" ng-click="vm.setActiveTab(1)" aria-selected="true" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(1) : vm.setActiveTab(1)"> <div class="circle">1</div></a> (select with "#worksite_tab_box > a:nth-child(1)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" class="form-tab active" ng-click="vm.setActiveTab(1)" aria-selected="true" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(1) : vm.setActiveTab(1)"> <div class="circle">1</div></a> (select with "#worksite_tab_box > a:nth-child(1)")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" class="form-tab " ng-click="vm.setActiveTab(2)" aria-selected="false" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(2) : vm.setActiveTab(2)"> <div class="circle">2</div></a> (select with "#worksite_tab_box > a:nth-child(2)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" class="form-tab " ng-click="vm.setActiveTab(2)" aria-selected="false" ng-keyup="$event.keyCode === 13 ? vm.tabPanelFocus(2) : vm.setActiveTab(2)"> <div class="circle">2</div></a> (select with "#worksite_tab_box > a:nth-child(2)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="establishmentType_27" type="radio" name="establishmentType_27" ng-value="27" ng-model="vm.activeWorksite.workSiteTypeId" class="ng-pristine ng-untouched ng-valid ng-empty" value="27"> (select with "#establishmentType_27")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="establishmentType_27Help" aria-describedby="establishmentType_27Label">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(4) > div:nth-child(2) > fieldset > ul > li:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="establishmentType_28" type="radio" name="establishmentType_28" ng-value="28" ng-model="vm.activeWorksite.workSiteTypeId" class="ng-pristine ng-untouched ng-valid ng-empty" value="28"> (select with "#establishmentType_28")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="establishmentType_28Help" aria-describedby="establishmentType_28Label">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(4) > div:nth-child(2) > fieldset > ul > li:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="establishmentType_29" type="radio" name="establishmentType_29" ng-value="29" ng-model="vm.activeWorksite.workSiteTypeId" class="ng-pristine ng-untouched ng-valid ng-empty" value="29"> (select with "#establishmentType_29")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="establishmentType_29Help" aria-
```



```
describedby="establishmentType_29Label">Learn More</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(4) > div:nth-child(2) > fieldset > ul > li:nth-child(3) >  
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="establishmentType_30" type="radio" name="establishmentType_30"  
ng-value="30" ng-model="vm.activeWorksite.workSiteTypeId" class="ng-  
pristine ng-untouched ng-valid ng-empty" value="30"> (select with  
"#establishmentType_30")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="establishmentType_30Help" aria-  
describedby="establishmentType_30Label">Learn More</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(4) > div:nth-child(2) > fieldset > ul > li:nth-child(4) >  
button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteName" name="worksiteName" type="text" ng-  
model="vm.activeWorksite.name" class="ng-pristine ng-untouched ng-valid ng-  
empty"> (select with "#worksiteName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteAddress1" name="worksiteAddress1" type="text" ng-  
model="vm.activeWorksite.address.streetAddress" class="ng-pristine ng-  
untouched ng-valid ng-empty"> (select with "#worksiteAddress1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107


```
<input id="workAddressCity" name="workAddressCity" type="text" ng-model="vm.activeWorksite.address.city" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workAddressCity")
```

Warning: If this selection list contains groups of related options, they should be grouped with optgroup.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H85.2

```
<select id="workAddressState" ng-attr-name="{{name}}" ng-model="selectedState" class="ng-pristine ng-untouched ng-valid ng-empty" name="workAddressState"> <option value="" selected="s..."> (select with "#workAddressState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<select id="workAddressState" ng-attr-name="{{name}}" ng-model="selectedState" class="ng-pristine ng-untouched ng-valid ng-empty" name="workAddressState"> <option value="" selected="s..."> (select with "#workAddressState")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input class="usa-input-medium ng-pristine ng-untouched ng-valid ng-empty ng-valid-pattern" id="workAddressZip" name="workAddressZip" type="text" mask="99999-?9?9?9?9?" pattern="[\d]{5}(-[\d]{4})?" data-grouplength="5,4" data-delimiter="-" data-polit... (select with "#workAddressZip")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteScaYes" type="radio" name="worksiteSca" ng-value="true" ng-model="vm.activeWorksite.sca" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#worksiteScaYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteScaNo" type="radio" name="worksiteSca" ng-value="false" ng-model="vm.activeWorksite.sca" class="ng-pristine ng-untouched ng-valid ng-empty" value="false"> (select with "#worksiteScaNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="worksiteFederalHelp" aria-describedby="worksiteFederalLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(4) > div:nth-child(6) > fieldset > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteFederalYes" type="radio" name="worksiteFederal" ng-value="true" ng-model="vm.activeWorksite.federalContractWorkPerformed" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#worksiteFederalYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteFederalNo" type="radio" name="worksiteFederal" ng-value="false" ng-model="vm.activeWorksite.federalContractWorkPerformed" class="ng-pristine ng-untouched ng-valid ng-empty" value="false"> (select with "#worksiteFederalNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="worksiteNumEmployeesHelp" aria-describedby="worksiteNumEmployeesLabel">Learn More</button> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(4) > div:nth-child(7) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="worksiteNumEmployees" name="worksiteNumEmployees" type="number" class="numeric7 ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-
```

```
valid-step" min="0" step="1" ng-model="vm.activeWorksite.numEmployees">  
(select with "#worksiteNumEmployees")
```

Warning: The heading structure is not logically nested. This h4 element should be an h3 to be properly nested.

WCAG2AA.Principle1.Guideline1_3.1_3_1_A.G141

```
<h4>Number of Employees: <strong cl...</h4> (select with  
"#employeesTabPanel > h4")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-click="vm.showEmployeeInfoHelp = !vm.showEmployeeInfoHelp"  
aria-controls="helpEmployeeInfo" aria-expanded="false"> Click here for  
det...</a> (select with "#mainContent > ng-transclude > section-work-sites  
> div:nth-child(4) > div:nth-child(5) > div:nth-child(2) > p > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-click="vm.showEmployeeInfoHelp = !vm.showEmployeeInfoHelp"  
aria-controls="helpEmployeeInfo" aria-expanded="false"> Click here for  
det...</a> (select with "#mainContent > ng-transclude > section-work-sites  
> div:nth-child(4) > div:nth-child(5) > div:nth-child(2) > p > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="mailto:help-14c@dol.gov">help-14c@dol.gov</a> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(2) > div > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button ng-click="vm.addingEmployee = true" class="cd-panel-trigger" aria-  
controls="addEmployeesSlidePanel">Add Employee</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(4) > div > button")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" class="cd-panel-trigger" aria-  
controls="addEmployeeExampleSlidePanel">Show Me an Example</a> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(4) > div > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" class="cd-panel-trigger" aria-  
controls="addEmployeeExampleSlidePanel">Show Me an Example</a> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(4) > div > a")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div class="dt-buttons"> <a class="dt-button buttons-co...</div> (select  
with "#example_wrapper > div:nth-child(1)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a class="dt-button buttons-copy buttons-html5" tabindex="0" aria-  
controls="example" href="#"><span>Copy</span></a> (select with  
"#example_wrapper > div:nth-child(1) > a:nth-child(1)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a class="dt-button buttons-csv buttons-html5" tabindex="0" aria-  
controls="example" href="#"><span>CSV</span></a> (select with  
"#example_wrapper > div:nth-child(1) > a:nth-child(2)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input type="search" class="" placeholder="" aria-controls="example">
(select with "#example_filter > label > input")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table id="example" class="dol-datatable display responsive nowrap
dataTable no-footer dtr-column collapsed" cellspacing="0" width="100%"
role="grid" aria-describedby="example_info"><thead><tr role="row"><th
class...</table> (select with "#example")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption

```
<table id="example" class="dol-datatable display responsive nowrap
dataTable no-footer dtr-column collapsed" cellspacing="0" width="100%"
role="grid" aria-describedby="example_info"><thead><tr role="row"><th
class...</table> (select with "#example")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div class="dataTables_paginate paging_simple_numbers"
id="example_paginate"><a class="paginate_button previ...</div> (select with
"#example_paginate")
```

Warning: Anchor elements should not be used for defining in-page link targets. If not using the ID for other purposes (such as CSS or scripting), consider moving it to a parent element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.NoHref

```
<a class="paginate_button previous disabled" aria-controls="example" data-
dt-idx="0" tabindex="0" id="example_previous">Previous</a> (select with
"#example_previous")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a class="paginate_button previous disabled" aria-controls="example" data-
dt-idx="0" tabindex="0" id="example_previous">Previous</a> (select with
"#example_previous")
```

Warning: Anchor elements should not be used for defining in-page link targets. If not using the ID for other purposes (such as CSS or scripting), consider moving it to a parent element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.NoHref

```
<a class="paginate_button next disabled" aria-controls="example" data-dt-idx="1" tabindex="0" id="example_next">Next</a> (select with "#example_next")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a class="paginate_button next disabled" aria-controls="example" data-dt-idx="1" tabindex="0" id="example_next">Next</a> (select with "#example_next")
```

Notice: This table appears to be a data table. If it is meant to instead be a layout table, ensure there are no th elements, and no summary or caption.

WCAG2AA.Principle1.Guideline1_3.1_3_1.DataTable

```
<table class="usa-table-borderless expandable-table"> <thead> <tr> ...  
</table> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) > div:nth-child(5) > table")
```

Warning: If this table is a data table, consider using a caption element to the table element to identify this table.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H39.3.NoCaption

```
<table class="usa-table-borderless expandable-table"> <thead> <tr> ...  
</table> (select with "#mainContent > ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) > div:nth-child(5) > table")
```

Warning: Anchor element found with an ID but without a href or link text. Consider moving its ID to a parent or nearby element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Empty

```
<a id="worksite_row_toggle_0" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_0")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a id="worksite_row_toggle_0" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_0")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-  
click="vm.editWorkSite($index)">Edit</button> (select with "#mainContent >  
ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) >  
div:nth-child(5) > table > tbody > tr:nth-child(1) > td:nth-child(4) >  
button:nth-child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="usa-button-secondary" ng-  
click="vm.deleteWorkSite($index)">Delete</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(5) > table > tbody > tr:nth-child(1) >  
td:nth-child(4) > button:nth-child(2)")
```

Warning: Anchor element found with an ID but without a href or link text. Consider moving its ID to a parent or nearby element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Empty

```
<a id="worksite_row_toggle_1" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_1")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a id="worksite_row_toggle_1" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-  
click="vm.editWorkSite($index)">Edit</button> (select with "#mainContent >  
ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) >  
div:nth-child(5) > table > tbody > tr:nth-child(3) > td:nth-child(4) >  
button:nth-child(1)")
```


Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="usa-button-secondary" ng-  
click="vm.deleteWorkSite($index)">Delete</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(5) > table > tbody > tr:nth-child(3) >  
td:nth-child(4) > button:nth-child(2)")
```

Warning: Anchor element found with an ID but without a href or link text. Consider moving its ID to a parent or nearby element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Empty

```
<a id="worksite_row_toggle_2" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_2")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a id="worksite_row_toggle_2" href="" ng-click="vm.siteRowClicked($event)">  
<div class="arro...</a> (select with "#worksite_row_toggle_2")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-  
click="vm.editWorkSite($index)">Edit</button> (select with "#mainContent >  
ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) >  
div:nth-child(5) > table > tbody > tr:nth-child(5) > td:nth-child(4) >  
button:nth-child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="usa-button-secondary" ng-  
click="vm.deleteWorkSite($index)">Delete</button> (select with  
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >  
div:nth-child(5) > div:nth-child(5) > table > tbody > tr:nth-child(5) >  
td:nth-child(4) > button:nth-child(2)")
```

Warning: Anchor element found with an ID but without a href or link text. Consider moving its ID to a parent or nearby element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Empty

```
<a id="worksite_row_toggle_3" href="" ng-click="vm.siteRowClicked($event)">
<div class="arro..."> (select with "#worksite_row_toggle_3")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a id="worksite_row_toggle_3" href="" ng-click="vm.siteRowClicked($event)">
<div class="arro..."> (select with "#worksite_row_toggle_3")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-
click="vm.editWorkSite($index)">Edit</button> (select with "#mainContent >
ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) >
div:nth-child(5) > table > tbody > tr:nth-child(7) > td:nth-child(4) >
button:nth-child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="usa-button-secondary" ng-
click="vm.deleteWorkSite($index)">Delete</button> (select with
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >
div:nth-child(5) > div:nth-child(5) > table > tbody > tr:nth-child(7) >
td:nth-child(4) > button:nth-child(2)")
```

Warning: Anchor element found with an ID but without a href or link text. Consider moving its ID to a parent or nearby element.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Empty

```
<a id="worksite_row_toggle_4" href="" ng-click="vm.siteRowClicked($event)">
<div class="arro..."> (select with "#worksite_row_toggle_4")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a id="worksite_row_toggle_4" href="" ng-click="vm.siteRowClicked($event)">
<div class="arro...</a> (select with "#worksite_row_toggle_4")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button" ng-
click="vm.editWorkSite($index)">Edit</button> (select with "#mainContent >
ng-transclude > section-work-sites > div:nth-child(4) > div:nth-child(5) >
div:nth-child(5) > table > tbody > tr:nth-child(9) > td:nth-child(4) >
button:nth-child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="usa-button-secondary" ng-
click="vm.deleteWorkSite($index)">Delete</button> (select with
"#mainContent > ng-transclude > section-work-sites > div:nth-child(4) >
div:nth-child(5) > div:nth-child(5) > table > tbody > tr:nth-child(9) >
td:nth-child(4) > button:nth-child(2)")
```

Error: This link points to a named anchor "0" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#0" ng-click="vm.clearActiveWorker()" class="cd-panel-close dol-
close-button dol-first-focus">Close</a> (select with
"#addEmployeesSlidePanel > div > div > header > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#0" ng-click="vm.clearActiveWorker()" class="cd-panel-close dol-
close-button dol-first-focus">Close</a> (select with
"#addEmployeesSlidePanel > div > div > header > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-
controls="workerNameHelp" aria-describedby="workerNameLabel">Learn
```

```
More</button> (select with "#addEmployeesSlidePanel > div > div > div:nth-child(2) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerName" name="workerName" type="text" ng-model="vm.activeWorker.name" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workerName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workTypeHelp" aria-describedby="workTypeLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > div:nth-child(3) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workType" name="workType" type="text" ng-model="vm.activeWorker.workType" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workType")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="primaryDisabilityHelp" aria-describedby="primaryDisabilityLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > div:nth-child(4) > fieldset > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_31" type="radio" name="primaryDisability" ng-value="31" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="31"> (select with "#primaryDisability_31")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_32" type="radio" name="primaryDisability" ng-value="32" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="32"> (select with "#primaryDisability_32")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_33" type="radio" name="primaryDisability" ng-value="33" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="33"> (select with "#primaryDisability_33")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_34" type="radio" name="primaryDisability" ng-value="34" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="34"> (select with "#primaryDisability_34")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_35" type="radio" name="primaryDisability" ng-value="35" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="35"> (select with "#primaryDisability_35")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_36" type="radio" name="primaryDisability" ng-value="36" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="36"> (select with "#primaryDisability_36")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_37" type="radio" name="primaryDisability" ng-value="37" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="37"> (select with "#primaryDisability_37")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisability_38" type="radio" name="primaryDisability" ng-value="38" ng-model="vm.activeWorker.primaryDisabilityId" class="ng-pristine ng-untouched ng-valid ng-empty" value="38"> (select with "#primaryDisability_38")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="primaryDisabilityOther" name="primaryDisabilityOther" type="text" ng-model="vm.activeWorker[response.otherValueKey]" ng-if="response.otherValueKey" class="ng-pristine ng-untouched ng-valid ng-scope ng-empty"> (select with "#primaryDisabilityOther")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workerNumJobsHelp" aria-describedby="workerNumJobsLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerNumJobs" name="workerNumJobs" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="1" ng-model="vm.activeWorker.numJobs"> (select with "#workerNumJobs")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workerAvgHoursHelp" aria-describedby="workerAvgHoursLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset > div:nth-child(5) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerAvgHours" name="workerAvgHours" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.1" ng-model="vm.activeWorker.avgWeeklyHours"> (select with "#workerAvgHours")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workerAvgEarningsHelp" aria-describedby="workerAvgEarningsLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset > div:nth-child(8) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerAvgEarnings" name="workerAvgEarnings" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.1" ng-model="vm.activeWorker.avgHourlyEarnings"> (select with "#workerAvgEarnings")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workerWageHelp" aria-describedby="workerWageLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset > div:nth-child(11) > button")
```


Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerWage" name="workerWage" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step" min="0" step="0.1" ng-model="vm.activeWorker.prevailingWage"> (select with "#workerWage")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-controls="workerProductivityHelp" aria-describedby="workerProductivityLabel">Learn More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset > fieldset:nth-child(14) > div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivityNA" type="radio" name="workerProductivityToggle" ng-value="undefined" ng-model="vm.activeWorker.hasProductivityMeasure" ng-change="vm.workerProductivityChanged()" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#workerProductivityNA")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivityStudy" type="radio" name="workerProductivityToggle" ng-value="true" ng-model="vm.activeWorker.hasProductivityMeasure" ng-change="vm.workerProductivityChanged(true)" class="ng-pristine ng-untouched ng-valid ng-empty" value... (select with "#workerProductivityStudy")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerProductivity" name="workerProductivity" type="number" class="wage-rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min
```

```
ng-valid-step" min="0" step="0.1" ng-  
model="vm.activeWorker.productivityMeasure" ng-disabled="!vm.activeWo...  
(select with "#workerProductivity")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="workerWageRateHelp" aria-describedby="workerWageRateLabel">Learn  
More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset  
> div:nth-child(15) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerWageRate" name="workerWageRate" type="number" class="wage-  
rate ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"  
min="0" step="0.1" ng-model="vm.activeWorker.commensurateWageRate"> (select  
with "#workerWageRate")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="workerHoursHelp" aria-describedby="workerHoursLabel">Learn  
More</button> (select with "#addEmployeesSlidePanel > div > div > fieldset  
> div:nth-child(18) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerHours" name="workerHours" type="number" class="wage-rate  
ng-pristine ng-untouched ng-valid ng-empty ng-valid-min ng-valid-step"  
min="0" step="0.1" ng-model="vm.activeWorker.totalHours"> (select with  
"#workerHours")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" aria-expanded="false" class="dol-help-link" aria-  
controls="workerOtherSiteHelp" aria-
```

```
describedby="workerOtherSiteLabel">Learn More</button> (select with  
"#addEmployeesSlidePanel > div > div > fieldset > fieldset:nth-child(21) >  
div:nth-child(2) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerOtherSiteYes" type="radio" name="workerOtherSite" ng-  
value="true" ng-model="vm.activeWorker.workAtOtherSite" class="ng-pristine  
ng-untouched ng-valid ng-empty" value="true"> (select with  
"#workerOtherSiteYes")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="workerOtherSiteNo" type="radio" name="workerOtherSite" ng-  
value="false" ng-model="vm.activeWorker.workAtOtherSite" class="ng-pristine  
ng-untouched ng-valid ng-empty" value="false"> (select with  
"#workerOtherSiteNo")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="no-margin" ng-show="vm.activeWorkerIndex < 0" ng-  
click="vm.addAnotherEmployee()">Add Another Employee</button> (select with  
"#addEmployeesSlidePanel > div > div > div:nth-child(6) > button:nth-  
child(1)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="green-button dol-last-focus no-margin ng-binding" ng-  
click="vm.doneAddingEmployees($event)">Done Adding Employee(s)</button>  
(select with "#addEmployeesSlidePanel > div > div > div:nth-child(6) >  
button:nth-child(3)")
```

Error: This link points to a named anchor "0" within the document, but no anchor exists with that name.

WCAG2AA.Principle2.Guideline2_4.2_4_1.G1,G123,G124.NoSuchID

```
<a href="#0" class="cd-panel-close dol-close-button dol-first-focus">Close  
Example</a> (select with "#addEmployeeExampleSlidePanel > div > div >
```

```
header > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#0" class="cd-panel-close dol-close-button dol-first-focus">Close  
Example</a> (select with "#addEmployeeExampleSlidePanel > div > div >  
header > a")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div class="dol-simple-link-tabs"> <a href="" ng-...</div> (select with  
"#addEmployeeExampleSlidePanel > div > div > div")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-class="vm.exampleView === '1' ? 'active' : ''" ng-  
click="vm.showExampleView('1')" aria-selected="true" class="active">  
Example One ...</a> (select with "#addEmployeeExampleSlidePanel > div > div  
> div > a:nth-child(1)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-class="vm.exampleView === '1' ? 'active' : ''" ng-  
click="vm.showExampleView('1')" aria-selected="true" class="active">  
Example One ...</a> (select with "#addEmployeeExampleSlidePanel > div > div  
> div > a:nth-child(1)")
```

Warning: Anchor element found with link content, but no href, ID or name attribute has been supplied.

WCAG2AA.Principle4.Guideline4_1.4_1_2.H91.A.Placeholder

```
<a href="" ng-class="vm.exampleView === '2' ? 'active' : ''" ng-  
click="vm.showExampleView('2')" aria-selected="false"> Example Two ...</a>  
(select with "#addEmployeeExampleSlidePanel > div > div > div > a:nth-  
child(2)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="" ng-class="vm.exampleView === '2' ? 'active' : ''" ng-click="vm.showExampleView('2')" aria-selected="false"> Example Two ...</a>
(select with "#addEmployeeExampleSlidePanel > div > div > div > a:nth-child(2)")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="cd-panel-close dol-last-focus">Close Example</button>
(select with "#addEmployeeExampleSlidePanel > div > div > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="back-button ng-binding" ng-show="vm.hasBack" ng-click="vm.onBackClick()">Back</button>
(select with "html > body > div > form-section > form-footer-controls > div > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="next-button ng-binding" ng-click="vm.onNextClick()">Next</button>
(select with "html > body > div > form-section > form-footer-controls > div > div:nth-child(1) > div > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="...</a>
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

```

(select with
```

```
"#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with  
"#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="dol-footer--content"> <div _ngcontent-c0=""  
...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="usa-grid-full"> <div _ngcontent-c0="...</div>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c0="" class="usa-width-one-fourth content-group"> 200  
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-  
child(2) > div > div")
```

Warning: If this element contains a navigation section, it is recommended that it be marked up as a list.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48

```
<div _ngcontent-c0="" class="usa-width-one-fourth content-group"> 200  
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-  
child(2) > div > div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="tel:1-866-487-2365">1-866-4-USA-DOL</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-child(3)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="tel:1-866-487-2365">1-866-487-2365</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-child(5)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/contact-phonenumber.htm">TTY</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-child(7)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/">www.dol.gov </a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a:nth-child(9)")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/foia/">Freedom of Information Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/privacynotice.htm">Privacy & Security Statemen...</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```


Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/dol/disclaim.htm">Disclaimers</a> (select with  
"#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) >  
li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/aboutdol/website-  
policies.htm">Important Web Site Notices</a> (select with "#NG2_UPGRADE_0_0  
> footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/aboutdol/plugin-  
ins.htm">Plug-ins Used by DOL</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/rss/">RSS Feeds from DOL</a>  
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-  
child(2) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="http://www.dol.gov/dol/aboutdol/accessibility.htm">Accessibility  
Statement</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >  
div > ul:nth-child(2) > li:nth-child(8) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/topic/Spanish-speakingTopic.htm">Español</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/siteindex.htm">A to Z Index</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/organization.htm">Agencies</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.oig.dol.gov/">Office of Inspector General</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/contact-phonekeypersonnel.htm">Leadership Team</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.


WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/contact/">Contact Us</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0=""  
href="https://public.govdelivery.com/accounts/USDOL/subscriber/new?  
topic_id=USDOL_167"  
onclick="window.open('https://public.govdelivery.com/accounts/USDOL/subscrib  
topic_id=USDOL_167&pop=t', '', 'scrollbars=1,toolbar=0,m... (select  
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3)  
> li:nth-child(8) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/_sec/newsletter/">Read The DOL  
Newsletter</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) >  
div > ul:nth-child(3) > li:nth-child(9) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/easl/">Emergency  
Accountability Status...</a> (select with "#NG2_UPGRADE_0_0 > footer >  
div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(10) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?  
exiturl=http://www.whitehouse.gov&exitTitle=www.whitehouse.gov&fedpa  
House</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div  
> ul:nth-child(4) > li:nth-child(2) > a")
```



Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?  
exiturl=https://www.healthcare.gov&exitTitle=www.healthcare.gov&fedp
```

Care Act

```
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/opa/disaster-recovery.htm">Disaster Recovery Assistance</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?exiturl=http://www.usa.gov&exitTitle=www.usa.gov&fedpage=yes">USA.gov (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/dol/PlainWriting/">Plain Writing Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(6) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/recovery/">Recovery Act</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(7) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c0="" href="http://www.dol.gov/oasam/programs/crc/NoFearResult.htm">No Fear
```

Act (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(8) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

<a _ngcontent-c0="" href="http://www.dol.gov/cgi-bin/leave-dol.asp?exiturl=https://osc.gov/&exitTitle=osc.gov&fedpage=yes">U.S. Office of Special Counsel (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(9) > a")