

0

3

```

0 \ OVERLAY PREFIX: ICON-VOC          rfg19aug85) ( OVERLAY SUFFIX: LISTICONS-OV OVERLAY -----(rfg11sep85)
1 vocabulary icon-voc immediate      dispose
2 96 open-overlay                    close-overlay
3 icon-voc definitions              96 overlay listicons-ov
4 210 trans-allot newt-dp          listicons-ov
5                                  forth definitions
6 head: altitude
7 t: black !color                   : icons listicons-ov icon-voc icons ;
8 31 46 128 46 lline 128 46 128 29 lline
9 128 29 31 29 lline 31 29 31 46 lline
10 8 0 do cmap i 8 * + tile-ptr !
11 33 i 12 * + 45 16 12 tilefill
12 loop
13 35 25 pos. ." LO.....ELEVATION.....HI " t;
14
15

```

1

```

0 ( DISPLAY ICONS WITH LEGEND          rfg16aug85)
1
2 head: "ICON-KEY" ( -- \ display centered title for icon key)
3 t: 190 YBLT ! 55 XBLT ! BLACK !COLOR
4 >3FONT ." ICON" 10 XBLT +! ." KEY"
5 10 15 150 15 LLINE
6 10 178 150 178 LLINE
7 10 15 10 178 LLINE
8 150 15 150 178 LLINE t;
9
10 head: .BLT ( addr -- \ given blt record address)
11 t: 2 0 DO DUP I 9 * + DUP C@ COLOR !
12 1+ ABLT ! BLT LOOP DROP t;
13 head: PAUSE-PAGE
14 t: 10 YBLT ! 27 XBLT ! WHITE !COLOR
15 ." (PRESS ANY KEY TO CONTINUE)" KEY DROP t;

```

2

```

0 ( DISPLAY ICONS WITH LEGEND          rfg16aug85)
1 head: SEE-BLTS t: >IFONT ( YBASE end start -- )
2 DO 10 - DUP YBLT !
3 20 XBLT !
4 8 LBLT ! 8 WBLT !
5 62 I @RECORD .BLT 12 XBLT +! BLACK !COLOR
6 -2 YBLT +! 65 I @RECORD 27 TYPE 2 YBLT +!
7 LOOP DROP t;
8
9 head: title t: GREY1 COLOR ! BFILL "ICON-KEY" t;
10
11 : ICONS xormode off
12 title 180 15 0 SEE-BLTS PAUSE-PAGE
13 title 180 27 15 SEE-BLTS altitude PAUSE-PAGE ;
14
15

```